TYPE	$\Omega$ R	pp	INT

## NOTICE OF INTENTION TO DRILL

RULE	82-2-311	

1. Operator Aulusted - Whit works  2. Lease name. Coester Well No. D-8 County Crawford  3. Well Location SW/4 SW/4 NW/4 SE/4 Sec. 33 Township E8 South Range EE East  4. Well to be drilled 165 ft. from nearest lease line.  5. Drilling Contractor E. A. Whit worth Address RI-D D Walnut Kausas  6. Type of equipment Rotary A Cable Tool. Approx. date operation to begin 9 2 - 1959  7. Well to be drilled for Oil A Gas Disposal Input Estimated Total Depth of Well 165 ft.  8. Depth of deepest fresh water well within one mile of location 50 ft. If none exists, write NONE  9. Ground elevation at location is approx. Thister or 10 ft. lower than ground elevation at water well.  10. Depth of the deepest municipal water well within three miles of location 1250 ft. If none exists, write NONE  11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 10 Alternate 2 11 Well will be completed with pipe cemented approx:  REMARKS: 390 feet and circulated fo surface.		15-03(-19684-00-0
2. Lease name Cocster Well No. D=8 County Crawford  3. Well Location 5 W/4 5 W/4 NW/4 5 E/9 Sec. 33 Township E8 South Range E2 East  4. Well to be drilled 165 ft. from nearest lease line.  5. Drilling Contractor E. A. Whitworth Address 81=D=2 Walnut, Kansas  6. Type of equipment. Rotary A Cable Tool. Approx. date operation to begin 9 = 195 9  7. Well to be drilled for Oil X Gas Disposal Input Estimated Total Depth of Well 505 ft.  8. Depth of deepest fresh water well within one mile of location 50 ft. If none exists, write NONE  9. Ground elevation at location is approx. In figher or 10 ft. lower than ground elevation at water well.  10. Depth of the deepest municipal water well within three miles of location 1250 ft. If none exists, write NONE  Possibly Walnut Kansas - Usable Arburkle  11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 50 ft. and operator agrees to set surface pipe at this location to a depth of not less than		TO BE FILED WITH THE STATE CORPORATION COMMISSION PRIOR TO COMMENCEMENT OF WELL
3. Well Location SWA SWA NWA SEA  4. Well to be drilled	1.	Operator Aylward-Whitworth Address RFD # 2-Walnut, Kansas
4. Well to be drilled /65 ft. from nearest lease line.  5. Drilling Contractor	2.	
5. Drilling Contractor F.A. Whitworth Address RIFD Walnut, Kausas  6. Type of equipment: Rotary A. Cable Tool Approx. date operation to begin 9 2 - 1959  7. Well to be drilled for Oil A. Cas Disposal Input Estimated Total Depth of Well FO5 ft.  8. Depth of deepest fresh water well within one mile of location 50 ft. If none exists, write NONE  9. Ground elevation at location is approx. Input Depth of the deepest municipal water well within three miles of location 1250 ft. If none exists, write NONE  Possibly Walnut, Kausas - Usuble Arburkle  11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is ft. and operator agrees to set surface pipe at this location to a depth of not less than	3.	Well Location SW/4 SW/4 NW/4 SE/4 Sec. 33 Township 28 South Range 22 East
7. Well to be drilled for Oil M Gas Disposal Input Estimated Total Depth of Well 505 ft.  8. Depth of deepest fresh water well within one mile of location 50 ft. If none exists, write NONE  9. Ground elevation at location is approx. It ingher or 10 ft. lower than ground elevation at water well.  10. Depth of the deepest municipal water well within three miles of location 1250 ft. If none exists, write NONE  Fossibly Nalaut, Kansas - Vsable Arburkle  11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 50 ft. and operator agrees to set surface pipe at this location to a depth of not less than		
7. Well to be drilled for Oil M Gas Disposal Input Estimated Total Depth of Well 505 ft.  8. Depth of deepest fresh water well within one mile of location 50 ft. If none exists, write NONE  9. Ground elevation at location is approx. It lighter or 10 ft. lower than ground elevation at water well.  10. Depth of the deepest municipal water well within three miles of location 1250 ft. If none exists, write NONE for sold with the first provided in the first provided in the second of the deepest municipal water well within three miles of location 1250 ft. If none exists, write NONE for sold water states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is ft. and operator agrees to set surface pipe at this location to a depth of not less than	5.	Drilling Contractor E.A. Whitworth Address RIFD & Walnut, Kansas
8. Depth of deepest fresh water well within one mile of location 50 ft. If none exists, write NONE  9. Ground elevation at location is approx. It ingher or 10 ft. lower than ground elevation at water well.  10. Depth of the deepest municipal water well within three miles of location 1250 ft. If none exists, write NONE  Fossibly Nalaut, Kansas - Vsable Arburkle  11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 40 ft. and operator agrees to set surface pipe at this location to a depth of not less than	<u>-</u> 6.≒	Type of equipment Rotary A Cable Tool Approx. date operation to begin 9-2 1959
9. Ground elevation at location is approx. It lighter or 10 ft. lower than ground elevation at water well.  10. Depth of the deepest municipal water well within three miles of location 1250 ft. If none exists, write NONE Fossible Malaut, Kansas - Vsable Arburkle  11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 40 ft. and operator agrees to set surface pipe at this location to a depth of not less than	7.	Well to be drilled for Oil ★ Gas □ Disposal □ Input □ Estimated Total Depth of Well ★05 ft.
<ul> <li>10. Depth of the deepest municipal water well within three miles of location 1250 ft. If none exists, write NONE Possibly Walaut Kansas - Usable Arburkle</li> <li>11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 40 ft. and operator agrees to set surface pipe at this location to a depth of not less than</li> </ul>	8.	Depth of deepest fresh water well within one mile of location 50 ft. If none exists, write NONE
Possibly Walaut, Kansas — Usable Arburkle  11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is   ft. and operator agrees to set surface pipe at this location to a depth of not less than	9.	Ground elevation at location is approxft_ingher orft, lower than ground elevation at water well.
sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones isft. and operator agrees to set surface pipe at this location to a depth of not less than	10.	
tect all fresh water zones isft. and operator agrees to set surface pipe at this location to a depth of not less than	11.	Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into con-
		sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to pro-
		tect all fresh water zones isft. and operator agrees to set surface pipe at this location to a depth of not less than
REMARKS: 390 Feet and circulated to surface.		
	REN	MARKS: 390 Feet and circulated to surface.

Signature of Operator Aulward-Whitwerth \_ li fath twalf



Place  $4\phi$  Stamp Here

State Corporation Commission of Kansas
Conservation Division
500 Insurance Building
212 North Market
Wichita 2, Kansas

SEP A

STATE CORPORATION
SEP A

SEP 4 1959
CONSERVATION DIVISION

(IF PREFERRED, MAIL IN ENVELOPE)

1-4-59