KANSAS CORPORATION COMMISSION

Form C-1 December 2002 Form must be Typed Form must be Signed

5-20-08

Effective Date:

For KCC Use:

OIL & GAS CONSERVATION DIVISION NOTICE OF INTENT TO DRILL

District # Must be approved by KCC five (5) days	prior to commencing well	All blanks must be Filled
SGA? Yes X No		
— —	Spot	East
Expected Spud Date 06 02 2008 month day year		27 S. R 38 X West
monan day year	1260 feet from X	N/S Line of Section
OPERATOR: License # 5952	1260 feet from	E / W X Line of Section
TO AMERICA PROTECTION COMPANY		Irregular?
Name: BP AMERICA PACIOCITAL CLAPANI Address: P. O. BOX 3092, RM 6.121, WL-1		<u>-</u>
City/State/Zip: HOUSTON, TX 77253-3092	(Note: Locate well on Section	Plat on Reverse Side)
Contact Person: DEANN SMYERS	County: Grant	
Phone: (281)366-4395	Lease Name: John H. Baughman	n_Well #:4
	Field Name: <u>Hugoton</u>	- parameter
CONTRACTOR: License #:33784	Is this a Prorated/Spaced Field?	x Yes No
Name: Trinidad Drilling, LP	Target Formation(s): Chase	
	Nearest Lease or unit boundary: 1260	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3091.03	feet MSL
Oil A Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:	yes ze no
	Public water supply within one mile:	yes x no
	Depth to bottom of fresh water: 36	<u> </u>
OWWO Disposal Wildcat Cable	Depth to bottom of usable water:	<i>,</i> 0
Seismic; # of Holes Other	Surface Pipe by Alternate:	<u>x</u> 1 <u>2</u>
Other	Length of Surface Pipe Planned to be s	set: <u>680 min.</u>
If OWWO: old well information as follows:	Length of Conductor pipe required:	
Operator:	Projected Total Depth: 2910	
Well Name:	Formation at Total Depth: Council	1 Grove
Original Completion Date: Original Total Depth	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond	Other
If yes, true vertical depth:	DWR Permit #: will apply if ne	· ·
Bottom Hole Location	(Note: Apply for Permit with L	
KCC DKT # 08-CONS-141-CWLE	Will Cores Be Taken?:	Yes X No
. 2	If yes, proposed zone:	
PRORATEO & SPACED: HUBOTON-PANOMA AFFIDA		RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugging		
It is agreed that the following minimum requirements will be met:	TOT UNS WELL WILL COMPLY WILL TREE. P.C. 90 101	ON ON THE PROPERTY OF THE PROP
It is agreed that the following minimum requirements will be me.	•	MAY 1 3 2008
 Notify the appropriate district office prior to spudding of well; 		MM1 13 2000
A copy of the approved notice of intent to drill shall be posted on each d	Irilling rig;	CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be set by	circulating cement to the top; in all cases	surface pipe shirthite, sist
through all unconsolidated materials plus a minimum of 20 feet into the u	inderlying formation;	
4. If the well is dry hole, an agreement between the operator and the district	t office on plug length and placement is no	ecessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before well is either plugger	d or production casing is cemented in;	thin 120 days of sould date
 If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13. 	3.891-C. which applies to the KCC District	3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be p	lugged. In all cases, NOTIFY district off.	ice prior to any cementing.
·		,
I hereby certify that the statements made herein are true and to the best of my k		
Date: 5/06/2008 Signature of Operator or Agent:	Title: REG	ULATORY STAFF ASSIST.
For KCC Use ONLY	Remember to:	data tanànana ao Daille
For KCC Use ONLY API # 15- 067-21659-000	File Drill Pit Application (form CDP-1) w	
Conductor pipe required None feet	File Completion Form ACO-1 within 120	
Minimum surface pipe required feet per Alt 1	File acreage attribution plat according to	
Approved by: LIMA 5-1508	Notify appropriate district office 48 hour	
This authorization expires: 57509	- Submit plugging report (CP-4) after plug	
(This authorization void if drilling not started within months of effective date.)	- Obtain written approval before disposin	
(1) The deliteration voice in clining that elected within 7 months of clining that elected within 8 months of clining that ele	- If permit has expired (See: authorized e	
Spud date: Agent	check the box below and return to the	
ории час.	Well Not Drilled - Permit Expire	ed
	C:	
	Signature of Operator or Agent:	

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 067-21659-000	Location of Well: County: Grant
Operator BP AMERICA PRODUCTION COMPANY	1260 feet from X N / S Line of Section
Lease John H. Baughman	1260 feet from E / W Line of Section
Well Number 4	Sec Twp 27 S. R 38 East West
Field Hugoton	
Number of Acres attributable to well:	Is Section Regular or Irregular
QTR/QTR/QTR of acreage: SE - NW - NW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south/north and east/west; and 3.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

GAS-OIL WELL LOCATION AND / OR ELEVATION

BP AMERICA PRODUCTION COMPANY

2225 West Oklahoma Ulysses, KS 67880 620-356-1237 15-067-21659-000

JOE EUDEY

NW/4	Ν	NE/4	
			DATE 2-13-2008
1260'		:	WELL NAME JOHN H. BAUGHMAN 4
1260' •	: <u></u>	LOCATION GRANT 25 27S 38W COUNTY SEC TOW RAN	
		:	FOOTAGES & RELATIONS 1260' F N 1260' F W 1
	(25)		LATITUDE 37*40'29.23" LONGITUDE 101*25'53.13"
		;	ELEVATION 3091.03
			DISTANCE FROM #1 HUGOTON WELL (If appl) 1943 FT.
SW/4		SE/4	DRIVING DIRECTIONS
SPL RE CROPS	neat		JCT OF HIGHWAYS 160 & 25 IN ULYSSES 7 NORTH ON HIGHWAY 25 4 WEST 1/4 SOUTH 1/4 EAST INTO
PASTURE	4/4 \$4H E		RECEIVED KANSAS CORPORATION COMMISSION
water well withinyes	174 WILE		MAY 1 3 2008
× no PUBLIC WATER SUPF yes ×_no	PLY WITHIN 1 MILE		CONSERVATION DIVISION WICHITA, KS

8P AUTHORIZED REPRESENTATIVE____

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

08-CONS-141-CWLE	
API NUMBER 15- 067-21659-0000	LOCATION OF WELL: COUNTY GRANT
OPERATOR BP AMERICA PRODUCTION COMPANY	
LEASE JOHN H. BAUGHMAN	1260_FNL feet from south/north line of section
WELL NUMBER 4	1260 FWL feet from east / west line of section
FIELD HUGOTON / CHASE	SECTION 25 TWP 27S (s) RG 38W E/W
	IS SECTION X REGULAR or IRREGULAR IF SECTION IS IRREGULAR, LOCATE WELL FROM NEAREST CORNER BOUNDARY. (check line below) Section corner used: NE NW SE SW attributable acreage for prorated or spaced wells). or unit boundary line; and show footage to the
January January Bappin Wally	
	•
	•
	5
1260	
	· EXAMPLE ·
	RECEIVED
· · · · · / · · ·	* MANSAS CODEODATION CONTIN
	MAY 1 3 2008
2	CONSERVATION DIVISION
	3390 WICHITA, KS
	. ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
	<u> </u>
	SEWARD CO.
The undersigned handby goverified on The	SOUTH ANY CONTROLS RECUCTORATED (Fig. 1 a.) Face
The undersigned hereby certifies as Re	COLLATORY STAFF ASSISTANT (title) for
acreage claimed attributable to the well and hereby make application for an allowab this form and the State test, whichever is	
	Signature All Company
subscribed and sworn to before me on this _	5 day f March , 20 08
	suranne m. Jone
$\sqrt{-11-200}$	Not a Public Janne M. JONES Notary Public, State of Texas

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Sp\$2 Sp\$3 Sp\$3	FIMENDED			T ; ;	- Number
Operator Address: P. 0. Box 3092; Rouston, TX 77253-3092; Room 6.121, VIII—1 Depth Servicing Proposed Existing Proposed Stating Proposed Proposed Proposed Stating Proposed	Operator Name:			"	
P. O. Box 3992, Bruston, TX 77253-3092, Roca 6.121, Wi-1 Contact Person: Phone Number:				<u> </u>	5952
Contact Person: Propose	•		04 57 4		
Cash Serveril Cash Sec. Sec		3-3092, Room 6.1	21, WL-1	PI	one Number:
Lesses Name & Well No.:					(281) 366 -4 395
Type of Pit: Setting Pit Burn Pit Pit is Setting Pit Pit capacity Setting Pit Pit capacity P	Lease Name & Well No.:			P	
Type of Pit: Emergency Pit Burn Pit Evisting, date constructed 1260 Feet from [X]North/ South Line of Section 1260 Feet from [X]North/ 1260 Feet from [X]North/ 1260 Feet from [X]North/ 1260 Feet from [X]North/ 126	John H. Baughman Well No. 4				, , , , , , , , , , , , , , , , , , ,
Emergency Pit Burn Pit Setting Pit Drilling Pit Dr	Type of Pit:	Pit is		-	ISES ANY ANY
Settling Pit Drilling Pit Haut-Off Pit Pit capacity 3500 (bbls) Grant County County Supply API No. or Year Drilled 260 Feet from Shorth South Line of Section 1260 Feet from Shorth		X Proposed	Existing	*	ec. <u>25</u> Twp. <u>27</u> R. <u>38</u> East x West
Pit capacity Pit		If existing, date cor	nstructed		1260 Feet from North/ South Line of Section
Is the pit located in a Sensitive Ground Water Area? Yes No Choride concentration:	☐ Workover Pit ☐ Haul-Off Pit	Pit capacity		_	Feet from East/ West Line of Section
Is the bottom below ground level? Artificial Liner? How is pit lined if a plastic liner is not used? Yes No Yes No Sealed with Bentonite from drilling fluid Pit dimensions (all but working pits): 75 Length (feet) 75 Width (feet) N/A Steel Pits Depth from ground level to deepest point 4 (feet)	(If WP Supply API No. or Year Drilled)	3500	(bbls)		Grant County
Is the bottom below ground level? Artificial Liner? How is pit lined if a plastic liner is not used? Yes No Yes No Sealed with Bentonite from drilling fluid Pit dimensions (all but working pits): 75 Length (feet) 75 Width (feet) N/A Steel Pits Depth from ground level to deepest point 4 (feet)	Is the pit located in a Sensitive Ground Water	r Area? Yes	X No	T	Chloride concentration: mg/l
Yes No Yes No Sealed with Bentonite from drilling fluid					(For Emergency Pits and Settling Pits, only)
Pit dimensions (all but working pits): 75 Length (feet) 75 Width (feet)	Is the bottom below ground level?	Artificial Liner?		1	low is pit lined if a plastic liner is not used?
Depth from ground level to deepest point	🗶 Yes 🗌 No	☐ Yes	X No		Sealed with Bentonite from drilling fluid
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining. ANSAS CORPORATION COMMISS JUN 0 4 2008 CONSERVATION DIVISION WICHITA, KS Depth to shallowest fresh water water water well within one-mile of pit Source of information: Marchita, KS Depth to shallowest fresh water w	Pit dimensions (all but working pits):	75 Len	gth (feet)7	5	Width (feet) N/A Steel Pits
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance liner integrity, including any special monitoring. ANSAS CORPORATION COMMISS		Depth from around le	vel to deepest poi	int	4 (feet)
Distance to nearest water well within one-mile of pit N/A feet Depth of water well 357 feet Source of information: N/A feet Depth of water well 357 feet Depth of water well 357 feet Depth of water well willing, Workover and Haul-Off Pits ONLY: Producing Formation:	If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining RECEIVED				
Distance to nearest water well within one-mile of pit N/A 969 feet Depth of water well 357 feet Depth of water well well owner electric log KDWR Depth to shallowest fresh water 150 feet Source of information: well owner electric log KDWR Depth to shallowest fresh water 150 feet Source of information: well owner electric log KDWR Type of material utilized in drilling/workover Depth of well owner Depth of well owner Depth of well owner electric log KDWR Type of material utilized in drilling/workover Depth of well owner Depth of information: Depth of inform	JUN 0 4 2008			JUN 0 4 2008 2	
Distance to nearest water well within one-mile of pit N/A Pleet Depth of water well 357 feet			WICHITA KS		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pond? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Minimal Pits ONLY: Type of material utilized in drilling/workover Bentonite	Distance to nearest water well within one	-mile of pit			west fresh waterfeet.
Producing Formation: Type of material utilized in drilling/workover Bentonite Number of producing wells on lease: Number of working pits to be utilized	9/9				
Producing Formation: Type of material utilized in drilling/workover Bentonite Number of producing wells on lease: Number of working pits to be utilized Barrels of fluid produced daily:	Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ove	and Haul-Off Pits ONLY:
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pond? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Abandonment procedure:Evaporate & Backfill			of material utilized in drilling/workover <u>Bentonite</u>		
Does the slope from the tank battery allow all spilled fluids to flow into the pond? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 6/03/2008	Number of producing wells on lease: Number of wor		7 ·		
flow into the pond?			and on the procedure:		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 6/03/2008 Date Signature of Applicant of Agent KCC OFFICE USE ONLY			ıst l		
Date Signature of Applicant of Agent KCC OFFICE USE ONLY					
Date Signature of Applicant of Agent KCC OFFICE USE ONLY	I fieldly contry that the above statements are the				
KCC OFFICE USE ONLY					
Date Received: 6/4/08 Permit Number: Permit Date: 6/4/08 Lease Inspection: Yes No		KCC OF	LICE OSE ONLY		
	Date Received: 6/4/06 Permit N	lumber:	Permit Date	e:	6/4/08 Lease Inspection: Yes No

Mail to: Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:	Operator Name:		License Number:	
BP America Production Company			5952	
Operator Address:				
P. O. Box 3092, Houston, TX 7725	3-3092, Room 6.1	21, WL-1		
Contact Person:			Phone Number:	
DeArm Smyers			(281) 366-4395	
Lease Name & Well No.:			Pit Location (QQQQ):	
John H. Baughman Well No. 4			- SE - NW - NW	
Type of Pit:	Pit is			
Emergency Pit Burn Pit	X Proposed	Existing	Sec. <u>4</u> Twp. <u>27</u> R. <u>39</u> East 🗶 West	
Settling Pit	If existing, date cor	nstructed	Feet from X North/ South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity		1260 Feet from East/ X West Line of Section	
(If WP Supply API No. or Year Drilled)	3500	(bbls)	Grant County	
Is the pit located in a Sensitive Ground Water	the pit located in a Sensitive Ground Water Area? Yes X No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits, only)	
Is the bottom below ground level?	Artificial Liner?		How is pit lined if a plastic liner is not used?	
X Yes No	Yes	X No	Sealed with Bentonite from drilling fluid	
Pit dimensions (all but working pits): 75 Length (feet) 75 Width (feet)				
	Depth from ground le		nt 4 (feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			cluding any special monitoring.	
Distance to nearest water well within one	mile of pit	Depth to sh	allowest fresh water /50 feet	
969		Source of info	rmation:	
N/A feet Depth of water well feet measu		measur	edwell ownerelectric logKDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Works		ver and Haul-Off Pits ONLY:		
Producing Formation: Type of materia		al utilized in drilling/workover <u>Bentonite</u>		
Number of producing wells on lease: Number of worl		king plts to be utilized 0		
Barrels of fluid produced daily: Abandonment p		procedure: Evaporate & Backfill		
Does the slope from the tank battery allow all spilled fluids to				
ow into the pond? Yes No Drill pits must be closed within 365 days of spud date RECEIVED				
I hereby certify that the above statements are true and correct to the best of my knowledge and beliefKANSAS CORPORATION COMMISS				
5/06/2008 Do an Inger MAY 13 2008			or my	
Date	CONSERVATION DIVI		CONSERVATION DIVISION	
KCC OFFICE USE ONLY WICHITA, KS				
Date Received: 5/13/08 Permit Number: Permit Date: 5/13/08 Lease Inspection: Yes No				