For KCC	Use:	h-2-78
Effective	Date: _	y ary
District #	<u></u>	<u>4</u>
SGA?	Yes	✓N₀

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
Ali blanks must be Filied

NOTICE OF INTENT TO DRILL

Expected Spud Date: 6715/08	Spot Description: NE/4	
month day year	NW NE NE Sec. 4 Twp.	9 S. R. ¹⁸ □E⊠w
PERATOR: License# 8914		N / S Line of Section
Jame: H&C Oil Operating, Inc.		X E / W Line of Section
Address 1: P.O Box 86	ls SECTION: Regular Irregular?	
Address 2:		Ned on consequent side.
City: Plainville State: KS Zip: 67663 + 0086	(Mote: Locate well on the Section F	•
Contact Person: Charles R. Ramsay	Lease Name: Love	Well #: 4-5
Phone: 785-434-7434	Field Name: Yohe	vveii #.
CONTRACTOR: License# 33493	Is this a Prorated / Spaced Field?	Yes No
Name; American Eagle Drilling, LLC	Target Formation(s): Arbuckle	Lies Miles
W #8 # 45	Nearest Lease or unit boundary line (in footage)	515
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2010	feet MSL
⊠Oil	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 180'	
Seismic ; # of HolesOther	Depth to bottom of usable water: 820'	
Other:	Surface Bine by Atternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200	
Operators	Length of Conductor Pipe (if any): None	
Operator:	Projected Total Depth: 3500'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Singifical Completion Date Original Total Depth	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?		
f Yes, true vertical depth:	DWR Permit #:	· · · · · · · · · · · · · · · · · · ·
Bottom Hole Location:	(Note: Apply for Permit with	DWR (1)
KCC DKT #:	Will Cores be taken?	☐Yes ☒No
	If Yes, proposed zone:	
AEC	EIDAVIT	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plu	FIDAVIT ugging of this well will comply with K.S.A. 55 et. sec	
The undersigned hereby affirms that the drilling, completion and eventual plu	n drilling rig; by circulating cement to the top; in all cases surface and ending the modern of the top; in all cases surface and ending to the top; in all cases surface and ending to the top; in all cases surface and ending to the top; in all cases surface and ending to the top; in all cases surface and ending to the top; in all cases surface within 12 and or production casing is cemented in; defrom below any usable water to surface within 12 and 13,891-C, which applies to the KCC District 3 areas	MAY 2 2 2008 ONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the before well is either pluggen.	n drilling rig; by circulating cement to the top; in all cases surface a underlying formation. rict office on plug length and placement is necessary of the production casing is cemented in; defrom below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area is plugged. In all cases, NOTIFY district office pricest of my knowledge and belief.	MAY 2 2 2008 CONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the before well is either pluggen.	a drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaged or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office privates of my knowledge and belief. Title:	MAY 2 2 2008 ONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the boate: Signature of Operator or Agent: Signature of Operator or Agen	a drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaged or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office pricest of my knowledge and belief. Remember to:	MAY 2 2 2008 ONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boats: 5/15/08 Signature of Operator or Agent:	a drilling rig; by circulating cement to the top; in all cases surface a underlying formation. Trict office on plug length and placement is necessary and from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areast plugged. In all cases, NOTIFY district office privates of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Inte	MAY 2 2 2008 ONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing. esident
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the behalf of the completed within the statements of Operator or Agent: 5/15/08 Signature of Operator or Agent: 6. For KCC Use ONLY API # 15 - 16.3 - 23731-0000	a drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaged or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office pricest of my knowledge and belief. Remember to:	MAY 2 2 2008 ONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing. esident
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: 5/15/08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 163 - 23731-DOOD Conductor pipe required	a drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaged or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office privatest of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Inte File Completion Form ACO/1 within 120 days of File acreage attribution plat according to field private in Notify appropriate district office 48 hours prior	MAY 2 2 2008 PASSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing. esident Int to Drill; of spud date; proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because of the statements of the complete of the statements of the statement of the	a drilling rig; by circulating cement to the top; in all cases surface a underlying formation. rict office on plug length and placement is necessary and or production casing is cemented in; defrom below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areas plugged. In all cases, NOTIFY district office privatest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intelementary in the File Completion Form ACO/1 within 120 days of File acreage attribution plat according to field processing to filed process	MAY 2 2 2008 CONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing. esident Int to Drill; of spud date; ororation orders; to workover or re-entry; s completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because of the statements of the complete of the statements of the statement of the	a drilling rig; by circulating cement to the top; in all cases surface a underlying formation. rict office on plug length and placement is necessary and a surface of production casing is cemented in; defrom below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areas plugged. In all cases, NOTIFY district office printed of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intelement of the completion Form ACO/1 within 120 days of the completion Form ACO/1	MAY 2 2 2008 CONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing. esident Int to Drill; of spud date; ororation orders; to workover or re-entry; s completed (within 60 days); ecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaged or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office printed of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Interior File acreage attribution plat according to field printed in the plugging report (CP-4) after plugging is Obtain written approval before disposing or inject if this permit has expired (See: authorized expired).	MAY 2 2 2008 ONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing. esident Int to Drill; of spud date; proration orders; to workover or re-entry; completed (within 60 days); ecting salt water. iration date) please
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because of the statements of the complete of the statements of the statement of the	a drilling rig; by circulating cement to the top; in all cases surface a underlying formation. Trict office on plug length and placement is necessary and or production casing is cemented in; defrom below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areas plugged. In all cases, NOTIFY district office privatest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intelementer to: File Completion Form ACO/1 within 120 days or submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injelet it his permit has expired (See: authorized expicheck the box below and return to the address	MAY 2 2 2008 ONSERVATION COMMISSION WICHITA, KS ary prior to plugging; O DAYS of spud date. a, alternate II cementing or to any cementing. Desident Int to Drill; of spud date; ororation orders; to workover or re-entry; s completed (within 60 days); ecting salt water. iration date) please below.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaged or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office privatest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intee File Completion Form ACO/1 within 120 days of File acreage attribution plat according to field produced in the production of the production of the plugging is obtain written approval before disposing or injunction of the production of the plugging of the plugging of the plugging is obtain written approval before disposing or injunction of the plugging o	MAY 2 2 2008 ONSERVATION COMMISSION WICHITA, KS ary prior to plugging; O DAYS of spud date. a, alternate II cementing or to any cementing. Desident Int to Drill; of spud date; ororation orders; to workover or re-entry; s completed (within 60 days); ecting salt water. iration date) please below.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: Signature of Operator or Agent:	a drilling rig; by circulating cement to the top; in all cases surface a underlying formation. Trict office on plug length and placement is necessary and or production casing is cemented in; defrom below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areas plugged. In all cases, NOTIFY district office privatest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intelementer to: File Completion Form ACO/1 within 120 days or submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injelet it his permit has expired (See: authorized expicheck the box below and return to the address	MAY 2 2 2008 ONSERVATION COMMISSION WICHITA, KS ary prior to plugging; to DAYS of spud date. a, alternate II cementing or to any cementing. esident or to Drill; of spud date; or prior to plugging; to workover or re-entry; s completed (within 60 days); ecting salt water. iration date) please below.

MAY 2 7 2008

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-23731-0000	
Operator: H & C Oil Operating, Inc.	Location of Well: County: Rooks
Lease: Love	feet from N / S Line of Section
Well Number: 4-5	940 feet from E / W Line of Section
Field: Yohe	Sec. 4 Twp. 9 S. R. 18 E 🔀 W
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: NW _ NE _ NE	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

RECEIVED KANSAS CORPORATION COMMISSION MAY 2 2 2008 CONSERVATION DIVISION WICHITA, KS **EXAMPLE** SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

RECEIVED KANSAS CORPORATION COMMISSION

1980

3390

3. The distance to the nearest lease or unit boundary line (in footage).

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

MAY 2 7 2008

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: H & C Oil Operating,	Inc.	License Number: 8914				
Operator Address: P.O Box 86		Plainville KS 67663				
Contact Person: Charles R. Ramsay			Phone Number: 785-434-7434			
Lease Name & Well No.: Love 4-5		5	Pit Location (QQQQ):			
Type of Pit:	of Pit: Pit is:		NW _ NE _ NE			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 4 Twp. 9 R. 18 East West			
Settling Pit Drilling Pit	If Existing, date c	onstructed:	51:5 Feet from North / South Line of Section			
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		7940 Feet from X. East / Vest Line of Section			
(If WP Supply API No. or Year Drilled)	3,000 (bbis)		Rooks			
Is the pit located in a Sensitive Ground Water	Arma? Dvas D		Chloride concentration:mg/l			
is the pit located in a Sensitive Ground vvater	Viea, Ties C	71,40	(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	Natural Gumbo Sealed			
Pit dimensions (all but working pits):6	O Length (fe	eet)60	Wkith (feet) N/A: Steel Pits			
Depth fro	om ground level to d	eepest point:	6 (feet) No Pit			
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining						
material, thickness and installation procedure	·-	liner integrity, including any special monitoring.				
		Daily Inspection during Drilling Operations. Periodic Inspections after Drilling is completed				
		Mapochork	atter Drining is completed			
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water50feet.				
feet Depth of water welf	150 feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Water and drilling mud				
Number of producing wells on lease:		Number of working pits to be utilized:3				
Barrels of fluid produced daily:	 	Abandonment procedure: Remove free fluids and allow to dry. Backfill pits when dry				
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill nits must be closed within 365 days of sould date				
		KANSAS CORPORATION CO.				
• •						
54500		Martin	MAY 2 2 2008			
Date Signature of Applicant of Agent WOULESTON						
WICHITA KS						
KCC OFFICE USE ONLY Stee Pit RFAC RFAS						
Date Received: 5/22/08 Permit Number: RECEIVED Date: 51/27/08 Lease Inspection: Yes No KANSAS CORPORATION COMMISSION						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 MAY 2 7 2008