For KCC Use:	10-3-08					
Effective Date:	0 = -0					
District #						
CC42 17/1/20	□ <sub>No</sub>					

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

SGA? Yes No			NOTICE OF IN				rm must be Sigi inks must be Fil	
		Must be	approved by KCC five	e (5) days prior to co	mmencing well			
Expected Spud Date:	6	1	2008	Spot Description	1			_
	month	day	уөаг			<u>14                                    </u>	19 DE 🔀	Jw
OPERATOR: License#	33770 V			(0/0/0/0) 1,980		_ feet from 🔲 N / 🔀	S Line of Sect	tion
Name: ARES Energy, Ltd	d.	*		330		feet from ☐ E / 🗙	W Line of Sect	tion
Address 1: 303 West. Wa	Il Street, Suite 90	00		Is SECTION:	Regular Inreg	gular?		
Address 2:				-	Nate: Locate well on i	the Section Plat on reverse	side)	
City: Midland		Zip: _7	9701 +	County: Coma	nche	and decident that our to reco		
Contact Person: Henry N.	Clanton			Lease Name: B	ass	W	eil #: 14-12	
Phone: 432-685-1960				Field Name: W				
CONTRACTOR: License#_	5929				/Spaced Field?	/	☐Yes 🔀 I	No
Name: Duke Drilling Co., In				Target Formation	(s): Mississippian	/	لنيتا ليي	
		T		Nearest Lease o	r unit boundary line	(in footage): 330'		
Well Drilled For:	Well Class:		e Equipment:	Ground Surface	Elevation: 2,009		feet M	ISL
□ Oil ✓ □ Enh R		¥	Mud Rotary		one-quarter mile:		☐Yes 🄀	No
Gas Storag		<b>^!</b> ∕ ⊨	Air Rotary		ply well within one r	nile:	Yes X	
Dispos	1521	' L	Cable		of fresh water: 20			
Other:# of	THOIRESCUITET				of usable water: 2			
Orner:			A STANDARD THE STANDARD	·		<del></del>		
If OWWO: old well i	information as follo	WS:		Length of Surfac	Alternate: XII e Pipe Planned to b	e set: 660'		
	Frails Screen			Length of Condu	ictor Pipe (if any): 4	0'		
•				Projected Total (	<sub>leinth:</sub> 5,500'			
Well Name: Original Completion Dat	ho- (	Original Tota	al Denth:	Formation at Tot	al Depth: Mississi	ppian 🗡		
Original Competion Dat		Jiigiikai toto	·	Water Source fo	r Drilling Operations	· · · · · · · · · · · · · · · · · · ·		
Directional, Deviated or Hor	izontal wellbore?		Yes X No			ner:		
If Yes, true vertical depth:				DWR Permit #:				
Bottom Hole Location:				<del>-</del>		or Permit with DWR		_
KCC DKT #:			<del></del>	Will Cores be ta	ken?	_	☐Yes 🏻	No
				If Yes, proposed	zone: N/A			·
							RECEIV	/ED
			AFI	FIDAVIT		KANS	AS CORPORATIO	ON COMMISSION
The undersigned hereby a	affirms that the dr	i∦ing, comp	letion and eventual plu	agging of this well wil	comply with K.S./	A. 55 et. seq.		
It is agreed that the following	ing minimum requ	uirements v	vill be met:				MAY 2 7	2008
Notify the appropria	te district office a	urior to sou	dding of well:					
2. A copy of the appro-	ved notice of inte	nt to drill si	hall be posted on each	n drilling rig;			CONSERVATION	
<ol><li>The minimum amou</li></ol>	int of surface pipe	e as specifi	ed below <i>shall be set</i>	by circulating cemer	nt to the top; in all c	ases surface pipe <i>shall</i>	be selWICHITA,	, KS
through all unconso	ilidated materials	pius a mini	imum of 20 feet into th	e underlying formation	on,	4 !		
4. If the well is dry hole	e, an agreement	between the	e operator and the dis	trict office on plug let	ngin and placemen	t is necessary <i>prior to p</i> );	viugging;	
5. The appropriate dis	COMPLETION	production	pipe shall be cemente	d from below any us	able water to surfa-	, ce within <i>120 DAYS</i> of s	pud date.	
Or pursuant to Appe	endix "B" - Easter	n Kansas s	surface casing order #	133,891-C, which app	lies to the KCC Di	istrict 3 area, alternate II	l cementing	
must be completed	within 30 days of	the spud d	late or the well shall be	e plugged. <i>In all cas</i>	🖦, NOTIFY distri	<b>ct office</b> prior to any cer	nenting.	
I hereby certify that the sta	atements made h	erein are tr	ue and correct to the t	est of my knowledge	and belief.			
			7) 1		1	Title: Managing	Partner	
Date: 5/23/2008	Signature o	f Operator	or Agent:/ 🕊	Wig N. C	Canly,	Title:	i aitici	
				Remember to:				4
For KCC Use ONLY				Į.	polication (form CDF	2-1) with Intent to Drill;		4
API#15- Q33-	21524-	0000	<b>&gt;</b>	,	· ·	n 120 days of spud date;		l .
,,,,,,	1/					ling to field proration orde		ယ
Conductor pipe required	7/	) To	_ feet			hours prior to workover of		
Minimum surface pipe re	quired	, <u> </u>	_feet per ALT.	, ,	, ,	er plugging is completed (		<del></del>
Approved by: Put 5	25-OF				' '	posing or injecting salt wa		ယ
This authorization expire	5290	9			as expired <i>(See: au</i> bélow and return to	thorized expiration date) p	riease	1
(This authorization void if o	drilling not started w	ithin 12 mon	ths of approval date.)		1			
				اسبسا	Oritled - Permit Exp			m   <b>S</b>
Spud date:	Agent:			Signature	of Operator or Ager	и,		لکِا
I *	-				<del>                                     </del>			₹

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

.15 - <u>033</u> -	21524	-000C	•		_						
perator: ARES Energy, Ltd.					_ Lo	cation of W	ell: County: Comanche				
						1,980	feet from N / X S Line of Section				
ell Number: 14-12				330	feet from E / W Line of Section						
d: Wildcat					_ Se	ec. <u>14</u>	Twp. 33 S. R. 19 E 🔀 W				
nber of Acres attributable to well:				_ SW	- Is	Is Section: Regular or Irregular					
							regular, locate well from nearest corner boundary.				
					PLAT		RECEIVED KANSAS CORPORATION COMMISS				
	(Show						prorated or spaced wells.) ndary line.) MAY 2 7 2008				
							CONSERVATION DIVISION WICHITA, KS				
	<sup>1</sup>										
							330' from nearest lease line				
				•	· · · · · · · · · · · · · · · · · · · ·						
	:	;									
		:									
			İ								
	:					:	EXAMPLE				
<u> </u>	:	:									
330' FWL							1980				
——————————————————————————————————————							1300				
	1980' FSL					:	10				
				: ;		:	3390'				
	:	•				:					
	:										
	······ , ·······			• •••••		·					
						:					
] ]							SEWARD CO.				
L		the spot of ti	he propos	od drillin	n ioceton						

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

ARES ENERGY, LTD 15-033-21524-000 BRASS LEASE SW. 1/4. SECTION 14. T335. R19W COMANCHE COUNTY, KANSAS ROAD GRAVEL 1. Set iron rod at location site. 2. All flagging Red & Yellow. 3. Overhead power available at W. line, Sec. 14. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION; Various pipelines in Sec. 14. 6. Contact landowner for best access. Drillsite Location Brass #14-12 1980'FSL 330'FWL Ground Elevation = 2009  $Y = 184201 \quad X = 1748989$ 

(Mapping Grade GPS Used) Kansas South - NAD 27

ROAD GRAVEL COLDWATER KANSAS CORPORATION COMMISSION

Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Notes;

 $c^{RP}$ GRASS

Men on this legally mer.

Ingress plat is opened f

SOLD FLAGGED ROAD OPPOSITE LOC.

March 28, 2008

RECEIVED

MAY 2 7 2008

CONSERVATION DIVISION WICHITA, KS

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

section of land containing who were a \*Approximate section lines were determined using the normal standard of care of ailfield surveyors procticing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exoct location of the drillsite location in the section is not quaranteed. Therefore, the operator securing this service and occuping this plat and all other parties relying theremo agree to hold Central Kansas Diffield Services, Inc., its officers and employees harmless from all losses, costs and expenses and sold entities released from any liability from incidental or consequential damages

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

· · · · · · · · · · · · · · · · · · ·						
Operator Name: ARES Energy, Ltd.			License Number: 33770			
Operator Address: 303 West. Wall Street, Suite 900			Midland TX	79701		
Contact Person: Henry N. Clanton			Phone Number: 432-685-1960			
Lease Name & Well No.: Brass	14-12		Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>NW</u> . <u>SW</u>			
Emergency Pit Burn Pit	Proposed	Existing	ec. 14 <sub>Twp.</sub> 33 <sub>R.</sub> 19 East West			
Settling Pit Drilling Pit	If Existing, date con	nstructed:	1,980 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	6,400	(bbls)	Comanche	County		
is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	- 1		
Is the bottom below ground level?	Artificial Liner?	······································	(For Emergency Pits and Settling Pits only.  How is the pit lined if a plastic liner is not used?	-		
Yes No	Yes No	٥	Native Mud and Clay			
Pit dimensions (all but working pits):	Length (fee	at)80	Width (feet) N/A: Stee	el Pits		
Depth fr	om ground level to dee	pest point:	5 (feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure		•	ures for periodic maintenance and determining luding any special monitoring.			
(Hateria), unickness and installation procedure	-	aner magney,	ading any special memoring.			
Distance to nearest water well within one-mike	of pit	est fresh water 45 feet.	10			
2551 feet Depth of water well	95feet	Source of informeasu		KDWR )		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	- 0		
Producing Formation:		Type of materia	utilized in drilling/workover: Fresh Water Mud			
Number of producing wells on lease:			ng pits to be utilized: 3			
Barrels of fluid produced daily:		Abandonment	ocedure: Allow to dry, then backfill.	5		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must	closed within 365 days of spud date. RE	CEIVED (		
I hereby certify that the above state	ements are true and co	prect to the bes	of my knowledge and belief.	- [		
		2/	MAY	2 7 2008		
5/23/2008 Date		Henry		ATION DIVISION CHITA, KS		
	KCC O	FFICE USE O	LY Steel Pit RFAC RFAC	\SET		
Date Received: 5/27/08 Permit Num	ber:	Perm	Date: 5/29/08 Lease Inspection: Yes	s No		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

May 29, 2008

ARES Energy, Ltd. 303 West Wall St, Ste 900 Midland, TX 79701

RE: I

Drilling Pit Application Brass Lease Well No. 14-12 SW/4 Sec. 14-33S-19W Comanche County, Kansas

#### Dear Sir or Madam:

District staff has **reinspected** the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and **compact the sides and bottom with native clay**. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Havnes

**Environmental Protection and Remediation Department** 

cc: File