For KCC Use: 6-3-08 Effective Date: 4-3-08

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

| Expected Soud Date: June 3, 2008 | Spot Description: |
|---|--|
| Expected Spud Date: | . W2 . W2 . C - Sec. 20 Twp. 34 S. R. 16 ⊠E W |
| 33365 ~ | (QQQQQQ) 2,510 feet from N / S Line of Section |
| UPERATOR: License# | 856 feet from E / X W Line of Section |
| Name: Layne Energy Operating, LLC Address 1: 1900 Shawnee Mission Parkway | Is SECTION: Regular Irregular? |
| Address 1: 1300 Stawner Mission Fankway Address 2: | (Mote: Locate well on the Section Plat on reverse side) |
| City: Mission Woods State: KS Zip: 66205 + 2001 | County: Montgomery |
| Contact Person: Timothy H. Wright | Lease Name: Menefee Well #: 5-20 |
| Phone: 913-748-3960 | Field Name: Cherokee Basin Coal |
| CONTRACTOR: License#_33606 | Is this a Prorated / Spaced Field? |
| Name: Thornton Air | Target Formation(s): Cherokee Coals |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 530' |
| | Ground Surface Elevation: 815 feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: 150' |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: I X II Length of Surface Pipe Planned to be set: 20' |
| IF OVVVO. Vid Well Information as follows. | Length of Conductor Pipe (if any): None |
| Operator: | Projected Total Depth: 1200' |
| Well Name:Original Total Depth: | Formation at Total Depth: Mississippian |
| Original Completion Date: Original Total Depth | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other: |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| KCC DKT #: | Will Cores be taken? |
| _ | If Yes, proposed zone: |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: | DAVIT RECEIVED ging of this well will comply with K.S.A. 55 et. seq.KANSAS CORPORATION COMMISSION MAY 2 8 2008 |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted. | trilling rig; It circulating cement to the top; in all cases surface pipe GNSFITMESON DIVISION WICHITA, KS underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. |
| I hereby certify that the statements made herein are true and correct to the be | |
| Date: May 27, 2008 Signature of Operator or Agent | Title: Agent |
| - | Flemember to: |
| For KCC Use ONLY | File Drill Pit Application (form CDP-1) with Intent to Drill; |
| API # 15 - 125-3/649-0000 | - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| Conductor pipe required None feet | File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| Minimum surface pipe required feet per ALTII | Submit pluncing report (CP 4) after plugging is completed (within 60 days): |
| Approved by: 145-29-08 | - Obtain written approval before disposing or injecting salt water. |
| This authorization expires: 5-29-09 | If this permit has expired (See: authorized expiration date) please |
| (This authorization void if drilling not started within 12 months of approval date.) | check the box below and return to the address below. |
| | Well Not Drilled - Permit Expired Date: |
| Spud date: Agent: | -g. and a promotion of the state of the stat |
| I I | <u> </u> |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 125-31649-0000 Operator: Layne Energy Operating, LLC | Mantagara | | | |
|--|--|--|--|--|
| Operator: Layne Energy Operating, LLC | Location of Well: County: Montgomery | | | |
| Lease: Menefee | 2,510 feet from N / S Line of Section | | | |
| Well Number: 5-20 | 856 feet from E / W Line of Section | | | |
| Field: Cherokee Basin Coal | Sec. 20 Twp. 34 S. R. 16 🔀 E 🗌 W | | | |
| Number of Acres attributable to well: CTR/QTR/QTR/QTR of acreage: W2 C | Is Section: Regular or Irregular | | | |
| SE-sw-NW | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | | | |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| | T | | | | | | 1 |
|-----------|--|------|---------------------------------------|-----|---|-------|--------|
| 1 | . 1 | : | | 1 | | : | • |
| 1 | | | • | i : | | • | : |
| 1 | : | | | | | : | • |
| 1 | 1 | | | ! | : | : | : |
| 1 : | . 1 | : | | | | : | • |
| · . | | • | | | | | • |
| | | | | | | | |
| | 1 | | | 1 . | | | _ |
| 1 : | 2518 | • | | | | : | • |
| 1 | , | | • | | | • | : |
| | | | | | | : | • |
| 1 | - 1000 | i. / | | | • | • | • |
| | . Lank | | : | | | : | • |
| | 100 | | | ŀ | | | |
| | | | | | ***** | | |
| 1 | 1 | | | | | | _ |
| 1 : | : 1 | • | | 1 | | : | : |
| 1 | : 1 | : | | 1 | • | | • |
| 1 | : 1 | • | : | I : | | : | - |
| 1 | : 1 | : | • | 1 | • | | • |
| 1 | : 1 | • | : | 1 : | : | : | : |
| | : 1 | : | : | 1 | • | | • |
| 1 | 1 | | | | | | |
| | [| | | 1 | | | |
| 1 | : 1 | • | | 1 . | : | : | • |
| 1 | : I | | : | | | : | • |
| 1 | • | • | • | 1 | : | : | : |
| 1 | : I | : | : | 1 | • | : | • |
| | • | | : | | : | : | : |
| L | أست | : | : | | • | : | • |
| | , ~ | | • | | • | • | • |
| 856 | | | | | | | • |
| 1 0 ~ / 3 | , | : | • | | | • | : |
| l Xつい | <u></u> | : | : | | : | : | |
| 1 000 | 7 | : | • | • | | : | : |
| 1 | : | : | : | | | : | |
| 1 | | 1 | | | | | |
| 1 | | | | 1 : | : | • | : |
| 1 | , | • | | ; | : | • | : |
| | | • | | | | | |
| | · | | | | : ••••• | | •••••• |
| | · | • | | | : •••••••••••••••••••••••••••••••••••• | : | : |
| | · | : | · · · · · · · · · · · · · · · · · · · | | ··········· | : | : : |
| | · | | | | ••••• | | |
| | | | | | ••••• | | : |
| | | | | | ••••• | | |
| | | | | | ••••• | | |
| | | | | | ****** | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | ••••• | | |
| | | | | | | | |
| | | | | | ••••• | | |
| | | | | | ••••• | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| | | | | | |
|---|---|--|---|--|--|
| Operator Name: Layne Energy Operating, LLC | | License Number: 33365 | | | |
| Operator Address: 1900 Shawnee Mission Parkway | | Mission Woods KS 66205 | | | |
| Contact Person: Timothy H. Wright | | Phone Number: 913-748-3960 | | | |
| Lease Name & Well No.: Menefee | | | Pit Location (QQQQ): ちゃちいえい | | |
| Type of Pit: | Pit is: | | | | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 20 Twp. 34 R. 16 East West | | |
| Settling Pit Drilling Pit | If Existing, date constructed: | | 2,510 Feet from North / South Line of Section | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 856 Feet from East / West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | | (bbls) | Montgomery County | | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | No | Chloride concentration:mg/l | | |
| is the bottom below ground level? | Artificial Liner? | | (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? | | |
| Yes No | Yes X | No | self-sealing | | |
| Pit dimensions (all but working pits): | O Length (fe | eet)20 | Width (feet) N/A: Steel Pits | | |
| Depth from | Depth from ground level to deepest point:3(feet) No Pit | | | | |
| i come process and war of | | dures for periodic maintenance and determining any special monitoring. | | | |
| Material, therees and installation processing | • | into intogray, a | RECEIVED KANSAS CORPORATION COMMISSION | | |
| | | | MAY 2 8 2008 | | |
| | | | CONTRACTION DIVISION | | |
| Distance to nearest water well within one-mile | of pit | Depth to shallor Source of infor | west fresh waterfeet. | | |
| 1617 | | measu | | | |
| | | _ | over and Haul-Off Pits ONLY: | | |
| Producing Formation: Type of materia | | l utilized in drilling/workover: fresh water mud | | | |
| | | ing pits to be utilized: 2 | | | |
| Barrels of fluid produced daily: Abandonment p | | procedure: Let evaporate until dry, then backfill and restore | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit?YesNoNo | | Drill pits must b | nust be closed within 365 days of spud date. | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | |
| 2 A/1 | | | | | |
| May 27, 2008 Date | | Si | grature of Applicant or Agent | | |
| | | | | | |
| KCC OFFICE USE ONLY Steel Pit RFAC RFAS | | | | | |
| Date Received: 5/28/08 Permit Number: Permit Date: 5/28/08 Lease Inspection: Yes No | | | | | |