For KCC Use:	1-7-00
Effective Date:	100
District #	<u> </u>
SGA2 TYPE	. ✓ _{No}

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL
e approved by KCC five (5) days prior to commencing well

Expected Spud Date: June 9, 2008	Spot Description:
month day year	SW SE NE Sec. 34 Twp. 33 S. R. 14
OPERATOR: Linguist 33074	(0/0/0/a) 3120 feet from N / X S Line of Section
OPERATOR: License# 33074 Name: Dart Cherokee Basin Operating Co LLC	860 feet from E / W Line of Section
Address 1: 211 W Myrtle	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Independence State: KS Zip: 67301 +	County: Montgomery
Contact Person: Bill Barks	Lease Name: C&B Allen Well #: B4-34
Phone: 620-331-7870	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 5675	Is this a Prorated / Spaced Field?
Name: McPherson Drilling	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 480 Feet
Oil / Enh Rec Infield / Mud Rotary	Ground Surface Elevation: 973 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150' +-
Other:	Depth to bottom of usable water: 175
If OWWO: old well information as follows:	Surface Pipe by Alternate:
	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): Projected Total Depth: 1684 Feet
Well Name:	Projected Total Depth: 1004 Feet Formation at Total Depth: Mississippian
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? ☐Yes ☒No
	· · · ·
	If Yes, proposed zone:
	RECEIVED
•	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT RECEIVED
•	RECEIVED Aging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COM
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED KANSAS CORPORATION COM JUN 0 2 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 2 2008 drilling rig; In conservation division of the top; in all cases surface pipe shall be separation division.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. IUN 0 2 2008 drilling rig; In the comply with the top; in all cases surface pipe shall be separation division.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	RECEIVED KANSAS CORPORATION COM JUN 0 2 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set WICHITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the infimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges.	IDAVIT giging of this well will comply with K.S.A. 55 et. seq. JUN 0 2 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be seponservation DIVISION underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set NICHITA, KS into toffice on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved and the same and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set NSERVATION DIVISION UNCHITA, KS into toffice on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COM JUN 0 2 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be separation Division will confide the pipe shall be separation division will be separation. Will be separation below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a complete that the statements made herein are true and correct to the best of the spud date.	RECEIVED KANSAS CORPORATION COM JUN 0 2 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be separation DIVISIO underlying formation. ict office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best order to the specific production of the specific producti	RECEIVED KANSAS CORPORATION COM JUN 0 2 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be separation Division will confide the pipe shall be separation division will be separation. Will be separation below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the beside the statements of the spud date or the well shall be a set to the set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the well shall be a set of the spud date or the spud da	RECEIVED KANSAS CORPORATION COM JUN 0 2 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be separation DIVISIO underlying formation. ict office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between May 30, 2008 Signature of Operator or Agent: For KCC Use ONLY	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 2 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be separation Division with the sequential programment is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Please Title: Operations Manager File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the inimimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best may 30, 2008. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 123 5 - 316 54 - 00000	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ONSERVATION DIVISION Underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Claim Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the thick of the specified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best may 30, 2008. Signature of Operator or Agent: For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be separation come with the separation come with the separation come with the separation come with the separation of the separation
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete that the statements of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31654 - OCCO Conductor pipe required feet	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set ONSERVATION DIVISION Underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Claim Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the statements of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31654 - OCCO Conductor pipe required feet Minimum surface pipe required feet per ALT.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be separation come with the top; in all cases surface pipe shall be separation DIVISION UNCHITA, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 20 of the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: May 30, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - 125 - 31654 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I III	drilling rig; y circulating cement to the top; in all cases surface pipe shall be senservation Division underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Claim Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the statements of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31654 - OCCO Conductor pipe required feet Minimum surface pipe required feet per ALT.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be senservation Division underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Claim Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: May 30, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - 125 - 31654-0000 Conductor pipe required Minimum surface pipe required Approved by: Must 6-2-08 This authorization expires: 6-2-09	drilling rig; y circulating cement to the top; in all cases surface pipe shall be separation division of the control of the co
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: May 30, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - 125 - 31654-0000 Conductor pipe required Minimum surface pipe required Approved by: Must 6-2-08 This authorization expires: 6-2-09	drilling rig; y circulating cement to the top; in all cases surface pipe shall be separation come with office on plug length and placement is necessary prior to plugging; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Clear Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31654-0000		
Operator: Dart Cherokee Basin Operating Co LLC	Location of Well: County: M	Nontgomery
Lease: C&B Allen	3120	feet from N / S Line of Section feet from E F / W Line of Section
Well Number: B4-34	860	feet from X E / W Line of Section
Field: Cherokee Basin Coal Gas Area	Sec. 34 Twp. 33	S. R. <u>14</u> 🔀 E 🔲 W
Number of Acres attributable to well: 40 QTR/QTR/QTR/QTR of acreage: _ SW - SE - NE	Is Section: Regular of	or Irregular
	• • •	ate well from nearest corner boundary. NENWSESW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Name to the second of the seco					
Operator Name: Dart Cherokee Basin (Operating Co LL	С	License Number: 33074		
Operator Address: 211 W Myrtle		Independence	KS	67301	
Contact Person: Bill Barks		Phone Number: 620-331-7870			
Lease Name & Well No.: C&B Allen B4-34		-34	Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW</u> _ <u>SE</u>	NE	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 34 Twp. 33 R.		st West
Settling Pit Drilling Pit	If Existing, date co	onstructed:	3120 Feet from	North / Sout	th Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		860 Feet from	East / Wes	st Line of Section
If WP Supply API No. or Year Drilled)	926	(bbis)	Montgomery		County
s the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration:		mg/l
- (h. h. (h. m. h.) (h. m. (h. m. h.) (h. m. h.)	Adistin Lines		(For Emergency F	Pits and Settling Pits	
s the bottom below ground level? Yes No	Artificial Liner?	No	Natural Clays	C mer is not used	1:
Tit dimensions (all but working nits):	5 Length (fe	30	Width (feet)	N/A:	Steel Pits
Pit dimensions (all but working pits):	om ground level to de		5 (feet)	No.	
naterial, thickness and installation procedure					g
		liner integrity, ii	ncluding any special monitoring	i.	-
Distance to nearest water well within one-mile		Depth to shallo	west fresh water3 o	, feet.	
elistance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water3 o		KDWR
istance to nearest water well within one-mile 3037feet Depth of water well	of pit	Depth to shallo Source of infor measu	west fresh water3 o	feet.	
istance to nearest water well within one-mile 3037 feet Depth of water well	of pit	Depth to shallo Source of infor measu Drilling, Work	west fresh water 3 o mation: red well owner	feet.	() KDWR
istance to nearest water well within one-mile 3037feet Depth of water well mergency, Settling and Burn Plts ONLY: roducing Formation:	of pit	Depth to shallo Source of information measure. Drilling, Worker Type of material	west fresh water 30 mation: red well owner cover and Haul-Off Pits ONLY	feet. lelectric log (r: None Air Rig	() KDWR
Distance to nearest water well within one-mile 3037 feet Depth of water well	of pit	Depth to shallo Source of informeasu Drilling, Work Type of material Number of wor	west fresh water 30 mation: red well owner cover and Haul-Off Pits ONLY	feet. lelectric log r: None Air Rig 0	() KDWR
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	west fresh water3 o mation: red well owner over and Haul-Off Pits ONLY al utilized in drilling/workover: king pits to be utilized:	feet. electric log none Air Rig ckfill	KDWR
Distance to nearest water well within one-mile 3037feet Depth of water well Emergency, Settling and Burn Plts ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	of pit feet spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	west fresh water	feet. electric log none Air Rig ckfill	KDWR RECEIVINGS CORPORATION
Distance to nearest water well within one-mile 3037 feet Depth of water well Emergency, Settling and Burn Plts ONLY: Producing Formation: Jumber of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all low into the pit?	spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must I correct to the best	west fresh water	feet. electric log none Air Rig ckfill	KDWR
Distance to nearest water well within one-mile 3037 feet Depth of water well Emergency, Settling and Burn Plts ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all low into the pit?	spilled fluids to	Depth to shallo Source of information measurement. Drilling, Worker Type of material Number of wor Abandonment. Drill pits must learned to the best correct to the best correct.	west fresh water	feet. electric log none Air Rig ckfill	KDWR RECEIVINGS CORPORATION
Distance to nearest water well within one-mile 3037feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all low into the pit? I hereby certify that the above state May 30, 2008	spilled fluids to	Depth to shallo Source of information measurement. Drilling, Worker Type of material Number of wor Abandonment. Drill pits must learned to the best correct to the best correct.	west fresh water	feet. electric log none Air Rig ckfill	RECEIVE SAS CORPORATION D 2 2
Distance to nearest water well within one-mile 3037feet Depth of water well Emergency, Settling and Burn Plts ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all low into the pit? I hereby certify that the above state May 30, 2008	spilled fluids to	Depth to shallo Source of information measured brilling, Work Type of material Number of work Abandonment Drill pits must be correct to the best SOFFICE USE Of SOFFICE USE Of Source of the shall be sha	west fresh water	feet. l electric log (': None Air Rig 0 ckfill bud date. KAN	RECEIVESAS CORPORATION DE WICHITA, K