For KCC Use: Effective Date: _ District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (
Expected Spud Date: June 04, 2008	Spot Description:
month day year	NE NE Sec. 36 Twp. 27 S. R. 9 XE W
31772	(QOQQQ) 330 feet from N / S Line of Section
OPERATOR: License#	330 feet from E / W Line of Section
Address 1: 5705 NW 90th Terrace	is SECTION: Regular irregular?
Address 2:	
City: Kansas City State: MO Zip: 64154 +	(Nate: Locate well on the Section Plat on reverse side) County: Greenwood
Contact Person: Jim Pryor	Lease Name: Klausmeyer Well #: 1
Phone: 816-560-7300	فصادات
33217	
CONTRACTOR: License#33217 Name: Three Rivers Exploration, LLC	
Name:	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'
◯ Oil ✓ ☐ Enh Rec ☐ Infield ☑ Mud Rotary ✓	Ground Surface Elevation: n/a feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100'
Other:	Depth to bottom of usable water:
The course of the selection of the course	Surface Pipe by Alternate: II II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): none /
Well Name:	Projected Total Depth: 2,840'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle /
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	1 Mag 1/18/a
	Will Cores be taken?
	If Yes, proposed zone:
	If Yes, proposed zone:
	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSICA:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED NAVIT KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	Trilling rig; RECEIVED KANSAS CORPORATION COMMISSION: MAY 3 0 2008 CONSERVATION DIVISION:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION: ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/ Interpretation of the content of the top; in all cases surface pipel/ Interpretation of the content of the top; in all cases surface pipel/ Interpretation of the content of
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	RECEIVED CANSAS CORPORATION COMMISSION WAY 3 0 2008 Itrilling rig; Conservation Division Concident to the top; in all cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the top; and cases surface pipel/with the content to the content to the cases surface pipel/with the content to the cases surface pipel/with the content to the content to the cases surface pipel/with the cases sur
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district.	RECEIVED NAVIT KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/ anderlying formation. at office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.	RECEIVED NAVIT KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/ underlying formation, at office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/with the next underlying formation. anderlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/with the next underlying formation. anderlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the shall be provided to the set of the shall be provided to the shall be	RECEIVED CANSAS CORPORATION COMMISSION Gring of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Arilling rig; CONSERVATION DIVISION Conderlying formation, anderlying formation, at office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing llugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements are true and correct to the statements are true	RECEIVED CANSAS CORPORATION COMMISSION Gring of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Arilling rig; CONSERVATION DIVISION Conderlying formation, anderlying formation, at office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing llugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the distriction of the set of the s	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Inilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/ underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the best may 30, 2008. Signature of Operator or Agent:	RECEIVED NAVIT KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/ or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing studged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the beautiful shall be placed. Signature of Operator or Agent: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/#104/fixe.get underlying formation, at office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing llugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the best may 30, 2008. Signature of Operator or Agent: For KCC Use ONLY API # 15 - D73 - 24084 - 00 - 00	RECEIVED NAVIT KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Initing rig; CONSERVATION DIVISION Initing formation, Interpretation casing is cemented in; If or production casing is cemented in; If or production casing is cemented in; If or mobile water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. If of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office prlog as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the beat may 30, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D13 - 24084 - 00 - 00 Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/#104/fixe.get underlying formation, at office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing llugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the best may 30, 2008. Signature of Operator or Agent: For KCC Use ONLY API # 15 - D73 - 24084 - 00 - 00	RECEIVED NANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/ or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing slugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CPR-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second structure of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the second structure of the second structure	RECEIVED NAVIT KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Inilling rig; CONSERVATION DIVISION In circulating cement to the top; in all cases surface pipel/ Inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or production casing is cemented in; If or mobelow any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate if cementing slugged. In all cases, NOTIFY district office prior to any cementing. If of my knowledge and belief. Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state. 1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 3. The appropriate district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the dry of the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or th	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irrilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipelwith the set underlying formation, at office on plug length and placement is necessary prior to plugging; or or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate If cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the beater. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 013 - 24084 - 00 - 00 Conductor pipe required	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Inilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/activities and underlying formation. It office on plug length and placement is necessary prior to plugging; do production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state. 1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 3. The appropriate district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the dry of the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or th	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. MAY 3 0 2008 Irrilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipelwith the set underlying formation, at office on plug length and placement is necessary prior to plugging; or or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate If cementing slugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the beater. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 013 - 24084 - 00 - 00 Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION MAY 3 0 2008 Irilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipel/attrition act office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate it cementing stugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 073 - 24084 - 00-00 Operator: Black Star 231 Corporation	Landing of Male October Greenwood
Lease: Klausmeyer	Location of Well: County: Greenwood 330 Feet from N / S Line of Section
Well Number:	330 feet from X E / W Line of Section
Field: wildcat	Sec. <u>36 Twp. 27</u> S. R. 9 🔀 E 🔲 W
Number of Acres attributable to well: QTP/QTR/QTR/QTR of acreage: NE _ NE _ NE	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:	:			:	Ė	: L
	:	:			:	:	· •
	:	:			:	:	:
		• • • • • • • • • • • • • • • • • • • •			,,,,,,,		
	:	:			:	:	:
	:	: :			:	:	:
	:	•	:		:	•	:
	:	:				:	:
		:				:	:
	: 	:				:	:
	:				:		<u>.</u>
	:			l	:		:
	:	: :	:			:	:
		:		;			:
						•	:
]			:
						:	:
:	:						:
							:
		: :			;		:
:		:					<u>:</u>
				:			:
:	;	: :		:	;	:	:



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Black Star 231 Corporation		License Number: 31772	-			
Operator Address: 5705 NW 90th			Kansas City MO 6	64154		
Contact Person: Jim Pryor		Phone Number: 816-560-7300				
Lease Name & Well No.: Klausmeyer	1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE NE NE	İ		
Emergency Pit Burn Pit	Proposed	Existing	Sec36_ _{Twp} 27_ _R 9_ East We			
Settling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:	.	Feet from East / West Line of Section			
(if WP Supply API No. or Year Drilled)	500	(bbls)	Greenwood	County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	_ mg/l		
is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? native clay			
Pit dimensions (all but working pits):	25 Length (fe	eet)10	Width (feet) N/A: Steel Pit	s		
	rom ground level to de		6 (feet) No Pit	1		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	dures for periodic maintenance and determining RECE CANSAS CORPORAT	IVED TON COM-		
			MAY 30 CONSERVATION WICHITA,	2008		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.	(5		
n/afeet Depth of water well	feet		red well owner electric log KD	WR		
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY:			
		ial utilized in drilling/workover: drilling mud wrking pits to be utilized: 2				
		t procedure: Let air dry and backfill				
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.				
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.			
May 30, 2008 Date	ω	onna	Manda ignature of Applicant or Agent			
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS			
Date Received: <u>১/১০/০৯</u> Permit Num	nber:	Perm	it Date: 5/さ0/08 Lease Inspection: Yes 🖪	JNo		