For KCC Use: 6-8-08 District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commence

Expected Spud Date: 6-2-08	
th when some	Spot Description:
month day year	NE. NE SE Sec. 14 Twp. 34 S. R. 16 XE W
32887	(Q/Q/Q/Q) 2,310 feet from N / X S Line of Section
OPERATOR: License# Superior Su	330 feet from E / W Line of Section
Address 1: PO Box 40	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Delaware State: OK Zip: 74027 +	County: Montgomery
Contact Person: Joe Driskill	Lease Name: Campbell Well #: 14-4
Phone: 918-467-3111	Field Name: Coffeyville
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling	Target Formation(s): Weir
	Nearest Lease or unit boundary line (in footage): 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 724.5 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 20'
Seismic ; # of Holes Other	Depth to bottom of usable water: 150
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
	Length of Conductor Pipe (if any): none
Operator: NA	Projected Total Depth: 1000'
Well Name: NA	Formation at Total Depth: Mississippi
Original Completion Date: NA Original Total Depth: NA	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air Drilled
If Yes, true vertical depth: NA	DWR Permit #:
Bottom Hole Location: NA	(Note: Apply for Permit with DWR)
KCC DKT #: NA	Will Cores be taken?
	If Yes, proposed zone:
AFFI	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	RECEIVED ging of this well will comply with K.S.A. 55 et. seg. ANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	A MONO COLLI OLOGINANOSIO
Notify the appropriate district office <i>prior</i> to spudding of well;	HILL CO. O. O
2. A copy of the approved notice of intent to drill shall be posted on each of	JUN 0 2 2008
	anility ng,
	y circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	y circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION ct office on plug length and placement is necessary prior to which the set confice on plug length and placement is necessary prior to which the set confice on plug length and placement is necessary prior to which the set confice on plug length and placement is necessary prior to which the set confice of the set confi
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plug fines d or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	y circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to wild fings of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	y circulating cement to the top; in all cases surface pipe shall be set conservation. conservation division of office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and correct to the be	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p	y circulating cement to the top; in all cases surface pipe shall be set conservation. conservation division of office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the be	y circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION of office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Operations Superintendent
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the be Date: 5-23-08 Signature of Operator or Agent: For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION of office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Operations Superintendent
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the be Date: 5-23-08 Signature of Operator or Agent: For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. District 3 area, alternate II cementing. Title: Operations Superintendent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of soud date:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the be Date: 5-23-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 316 58 - ODD April 15 - /25 - 316 58 - ODD	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to braygings do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. District Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the be Date: 5-23-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 316 58-0000 Conductor pipe required None feet	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to braygings do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. District Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the because Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 316 58 - OCC Conductor pipe required Signature of Operator of Agent: feet Minimum surface pipe required feet per ALT.	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to braygings of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. District Operations Superintendent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the because of the statements of the product of the statements of the statements of the statements of the statements of the statement of the statem	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to braygings do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. District Operations Superintendent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the be Date: 5-23-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 316 58-000 Conductor pipe required Minimum surface pipe required Approved by: AHH 6-3-08 This authorization expires: 6-3-09 This authorization expires: 6-3-09	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Operations Superintendent Title: Pile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. It this permit has expired (See: authorized expiration date) please
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the because in the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the shall be placed by the statement of the spud date or the shall be placed by the statement of the spud date or the sh	recirculating cement to the top; in all cases surface pipe shall be set CONSERVATION DIVISION ct office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief. District office prior to any cementing. Set of my knowledge and belief. District office prior to any cementing. Title: Operations Superintendent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 31658-0000 Conductor pipe required Minimum surface pipe required Approved by: AHH (-3-08) This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plug length and placement in the surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. District Operations Superintendent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: """ """ """ """ """ """ """
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the be Date: 5-23-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 316 58-000 Conductor pipe required Minimum surface pipe required Approved by: AHH 6-3-08 This authorization expires: 6-3-09 This suthorization expires: 6-3-09	v circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Operations Superintendent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31658-0000	
Operator: Endeavor Energy Resources, LP	Location of Well: County: Montgomery
Lease: Campbell	
Well Number: 14-4	2,310 feet from N / X S Line of Section 330 feet from E / W Line of Section
Field: Coffeyville	Sec. <u>14 Twp. <u>34</u> S. R. <u>16</u> X E W</u>
Number of Acres attributable to well: 80 QTR/QTR/QTR/QTR of acreage: se	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

JUN 0 2 2008

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
 CONSERVATION DIVISION
 4 sections, etc.

 WICHITA, KS
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Endeavor Energy Resources, LP		License Number: 32887				
Operator Address: PO Box 40		Delawa	re OK	74027		
Contact Person: Joe Driskill		Phone Number: 918-467-3111				
Lease Name & Well No.: Campbell 14-4		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Proposed Existing Sec. 14 Twp. 34 R. 16 East We			/est	
Settling Pit Drilling Pit	If Existing, date constructed:		2,310 Feet from North / South Line of Section		Section	
Workover Pit Haul-Off Pit	ff Pit Pit capacity:		Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery		County	
Is the pit located in a Sensitive Ground Water	Area? Yes	<mark>∃</mark> no	Chloride concentration:	and Settling Pits only)	mg/l	
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic lineatural clay / earth	iner is not used?		
Pit dimensions (all but working pits):	30 Length (fo	•	Width (feet)	N/A: Steel Pi	ts	
	rom ground level to de	I		No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure		1	edures for periodic maintenance a ncluding any special monitoring.	and determining		
NA		NA				
					<u></u>	
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water				
N/A Source of info		ormation:				
unknown feet Depth of water well Emergency, Settling and Burn Pits ONLY:		t measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: air				DWR OCC		
"		orking pits to be utilized:1				
Barrels of fluid produced daily:		Abandonment procedure: dewater and backfill				
Does the slope from the tank battery allow al flow into the pit? Yes No	I spilled fluids to	Drill pits must be closed within 365 days of spud date.			VED	
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	KANSAS CORPORATI		
5-23-08		$\bigcap_{\mathbf{z}}$	x Dinkell	JUN 0 2	2008	
		T's	ignature of Applicant or Agent	CONSERVATION WICHITA		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 6/3/08 Permit Num	ber:	Perm	it Date: 4/2/08 Lease I	Inspection: Yes	No.	