For KCC Use:	6-8-08	
Effective Date: _	3	
District #		
CC 42	T.7Ns	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Contact Parson. Joe Driskill Phone. 9184-97 3111 CONTRACTOR: License# 33072 Nome. Well Refined Dilling Well Dillidof For. Well Class:		FENT TO DRILL (5) days prior to commencing well	All blanks must be Filled
Name. Estasavor Chergy Resources. LP Name. Starkenov Chergy Resources. LP Address 1: P O Box 40 Address 1: P O Box 40 Address 2: P O Box 40 Address 2: P O Box 40 Address 2: Starkenov Chergy Resources. LP Starkenov C	month day year	W1 SE SE Sec. 10 Twp. 34	
Is SECTION Regular Irregular?			
Address 2 Oncome State: 9K Zpp: 74927 + Country: Monigomery Contact Person: Joe Drakkii Contact Person: Joe Drakkiii Contact Person: Joe Drakkiiii Contact Person			
Counter Peanor Joe Driskill Phone: 914-407-3111 CONTRACTOR: Licensee 33072 Name: Well Retained orbiting Well Drillod For: Well Class: Type Equipment: Type Equipment: Tool Est. Air Potated Fleit/ Target Formation(s); Aboutste Science: if of Holes Drillod For: Well Class: Type Equipment: Mod Rottary Air Potate Drillod For: Well Class: Well Cl			reverse side)
Contract Person. Job Driskill Ponce. 918-473 111 CONTRACTOR: Licensey. 33072 Name. Well Refined Drilling Well Drilled For. Oil Enit Rec Storage Special Drilling Tippe Equipment: Storage Special Drilling Tippe Equipment: Storage Disposal Dispos	City: Delaware State: OK Zip: 74027 +		
Filed Name. Coffeyalle. Is this a Prorated / Spaced Field? Name. Well Refined Drilling. **New Borlied For.** **Well Class:** Well Class:** District Distric	Contact Person: Joe Driskill	Lease Name: Dennis SWD	Well #: #1
State a Prostate of Space of Field? Target Formation (s): Abutable State of Prostate of Space of Field? Target Formation (s): Abutable State of Prostate of Space of	/	Field Name: Coffeyville	
Well Drilled For: Well Class: Type Equipment. Type Equipme	CONTRACTOR: License# 33072 *		Yes X No
Set Marker Plant Set Marker	Name: Well Refined Drilling	Target Formation(s): Arbuckle	
Gas Storage Pool Ext Wold Rotary Water well within one-quarter mile: Yes N Public water supply well within one-quarter mile: Yes N Public water supply well within one-quarter mile: Yes N Public water supply well within one-quarter mile: Yes N Public water supply well within one-quarter mile: Yes N Public water supply well within one-quarter mile: Yes N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well within one-quarter mile: Yes N N Public water supply well water supply water supply water supply water supply we	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 650	
Gas Storage Pool Ext Disposal Pool Ext Disposal Wildcat Cable Disposal Wildcat Disposal Disposal Wildcat Disposal Disposal Wildcat Disposal Disposal Disposal Disposal Disposal	□Oil □Enh Rec □Infield □Mud Rotary	Gidulio Sullace Ligration.	
Seismic: w of Holes Other Other Depth to bottom of tresh water: 1907- Depth to bottom of usable water: 2007- Depth to bottom of tresh water: 2007- Depth to bottom of usable water: 2007- Depth to bottom of tresh water: 2007- Depth to bottom of usable water: 2007- Depth to bottom of tresh water: 200		·	
Depth to bottom of usable water: Depth to bottom of usable water Depth to bottom of usable water: Depth to bottom of usable water Depth to bottom of usable water Depth to bottom of usable water Depth to be water Depth to be water: Depth to be water Depth to be water Depth to be water Depth to be water Depth to bottom of usable water Depth to bottom of usable water Depth to bottom of usable Depth to bottom of usable Depth to bottom of usable water Depth to bottom of usable Depth to bottom Depth to bottom of usable Depth to			
If towwords and the following minimum requirements will be met:		Dooth to bottom of usable water: 200-150	
Length of Surface Pipe Planned to be set 20 Length of Surface Pipe Planned to be set 20 Length of Conductor Pipe (if any); none Projected Total Depth: 1560 Pormation at Total Depth: Arbuckle Materials Pipe Planned to be set 20 Length of Conductor Pipe (if any); none Projected Total Depth: Arbuckle Materials Pipe Planned Total Depth: Arbuckle Materials Pipe Planned Total Depth: Arbuckle Materials Pipe Planned Materials Plann	Other:		
Operator: NA Woll Name: na Original Completion Date: na Original Completio	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Well Name: na Original Completion Date: № Original Total Depth: na Original Completion Date: № Original Total Depth: na Directional, Deviated or Horizontal wellbore?	Operator, NA	Length of Conductor Pipe (if any): none	
Pirrectional, Deviated or Horizontal wellbore? Yes No		Projected Total Depth: 1150'	mass or a second of the second
Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: West Farm Pond Other: Air Drilled		Formation at Total Depth: Arbuckle	made 1 80 1
Noticy that the statements made herein are true and correct to the best of my knowledge and belief. Noticy that the statements made herein are true and correct to the best of my knowledge and belief. Por KCC Use ONLY API # 15 - 125 - 3100 - 0000 Signature of Operator or Agent: This authorization expires: U - 3-09 This		Well Farm Pond Other: Air Drilled	
Will Cores be taken? Yes No No No No No No No N		DWR Permit #:(Nate: Apply for Permit with DWF	ر ا
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: For KCC Use ONLY API # 15			
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: For KCC Use ONLY API # 15 - / 25 - 3 / Uso - OOOO Conductor pipe required Approved by: Late - Operator or Agent: With authorization expires: U-3-09 This authorization expires and the started within 12 months of approval date.)			
Signature of Operator or Agent: Signature of Operation Superintenden Title: Signature of Operator or Agent: Signature of Operator or Age	It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the se	drilling rig; by circulating cement to the top; in all cases surface pip underlying formation. ict office on plug length and placement is necessary p ed or production casing is cemented in; I from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alte plugged. In all cases, NOTIFY district office prior to	rior to plugging; AYS of spud date. ernate II cementing
For KCC Use ONLY API # 15 - 25 - 31660-0000 Conductor pipe required Minimum surface pipe required Approved by: Full 6-3-09 This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	i hereby certify that the statements made herein are true and correct to the be		
For KCC Use ONLY API # 15 - 125 - 31660-0000 Conductor pipe required	Date: 5-23-08 Signature of Operator or Agent:	Title:	
API # 15 - 125 - 31660-0000 API # 15 - 125 - 31660-0000 Conductor pipe required	F KOO !! - ON!! Y		10
Conductor pipe required Minimum surface pipe required Approved by: **Land Conductor pipe required	12 Ca 21/01/0-000		ud date:
Conductor pipe required Minimum surface pipe required Approved by: Approved by: This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) Test I viii Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting sait water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	Moss	ļ	L)
Approved by: full U-3-QP This authorization expires: U-3-09 (This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	Osinaacia pipe required	 Notify appropriate district office 48 hours prior to wo 	orkover or re-entry;
This authorization expires: U-3-09 (This authorization void if drilling not started within 12 months of approval date.)			
This authorization expires: check the box below and return to the address below. (This authorization void if drilling not started within 12 months of approval date.)		••	-
Tanta tanta and a salar and a	(This authorization void if drilling not started within 12 months of approval date.)	Well Not Drilled - Permit Expired Date:	M
Spud date: Agent: Signature of Operator or Agent:	Soud date: Agent:	Signature of Operator or Agent:	
RECEIVED	,	PF(CEIVED TE

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31660-0000	
Operator: Endeavor Energy Resources, LP	Location of Well: County: Montgomery
Lease: Dennis SWD	660 feet from N / X S Line of Section
Well Number: #1	825 feet from X E / W Line of Section
Field: Coffeyville	Sec. 10 Twp. 34 S. R. 17 🔀 E 🔲 W
Number of Acres attributable to well: 80 QTR/QTR/QTR/QTR of acreage: sE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Endeavor Energy Resources, LP		License Number: 32887			
Operator Address: PO Box 40		Delaware OK 7402			
Contact Person: Joe Driskill			Phone Number: 918-467-3111		
Lease Name & Well No.: Dennis SW[) #1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u> ωα sε</u> se		
Emergency Pit Burn Pit	Proposed Existing		Sec. 10 Twp. 34 R. 17 East West		
Settling Pit Drilling Pit	If Existing, date co	onstructed:	660 Feet from North / South Line of Secti		
Workover Pit Haul-Off Pit	Pit capacity:		825 Feet from East / West Line of Secti		
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery Cour		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	natural clay / earth		
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet)		Width (feet) N/A: Steel Pits			
, , , , , , , , , , , , , , , , , , , ,	om ground level to de	•			
If the pit is lined give a brief description of the liner Describe proce		edures for periodic maintenance and determining ncluding any special monitoring.			
NA	,	NA	industria diriy opeoda memering.		
		west fresh waterfeet.			
unknown feet Depth of water well feet		Source of information: measured well owner electric log KDWR			
		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	al utilized in drilling/workover: air		
Number of producing wells on lease: Number of wo		Number of wor	r of working pits to be utilized:1		
Barrels of fluid produced daily: Abandonmer		Abandonment	procedure: Dewater and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mi		Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSIO					
			- / // HIM 0 2 2000		
5-23-08 Date			jun 0 2 2008		
Date Signature of Applicant or Agent CONSERVATION DIVISION WIGHTS 15					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: <u>၆/೨/ ೧ಕ</u> Permit Num	ber:	Perm	it Date: 6/2/08 Lease Inspection: Yes No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.