

Form C-1 October 2007 Form must be Typed Form must be Signed

SGA? Yes No NOTICE OF INT	ENT TO DRILL 5) days prior to commencing well All blanks must be Filled
	-, val,
Expected Spud Date: June 26 2008	Spot Description
month day year	NW SW Sec. 10 Twp. 28 S. R. 23 XE W
OPERATOR: License#	(a/a/a/a) 990 feet from N / S Line of Section
Name: JayHawk Energy, Inc.	feet from E / W Line of Section
Address 1: P. O. Box 191	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Girard State: KS Zip: 66743 _ +	County: Crawford
Contact Person: Bill Wax	Lease Name: S Johnson Well #: 10-2
Phone:620-724-3400	Field Name: Wildcal
CONTRACTOR: License# 9684	Is this a Prorated / Spaced Field?
Name: M S Drilling	Target Formation(s): niverton coal
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
	Ground Surface Elevation:feet MSL
Coll	Water well within one-quarter mile:
Gas Storage Pool Ext. X Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 50'
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II /
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator: n/a	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 600'
Original Completion Date: Original Total Depth:	Formation at Total Depth: _riverton coal
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
ΔFFI	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	And the same of th
It is agreed that the following minimum requirements will be met:	ging of this well will comply with K.S.A. 55 et. seq. KANDAT CORPORATION COMMISSION
·	l l
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 	trilling rig: JUN 0 4 2008
2. Acopy of the approved in the second secon	Hilling fig.
The minimum amount of surface pipe as specified below snail be set by	circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri-	voirculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION of office on plug length and placement is necessary prior tolylights ,
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge	voirculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION conficted on plug length and placement is necessary prior to plug length and plug length a
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	v circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION CONSERVATION DIVISION of prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	v circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION CONSERVATION DIVISION of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted.	voiculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION CONSER
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure the control of the statements made herein are true and correct to the beautiful or the statements made herein are true and correct to the beautiful or the statements made herein are true and correct to the beautiful or the statements made herein are true and correct to the beautiful or the statements made herein are true and correct to the beautiful or the statements made herein are true and correct to the beautiful or the statements made herein are true and correct to the beautiful or the statements made herein are true and correct to the beautiful or the statements are true and correct to the beautiful or the statements are true and correct to the beautiful or the statements.	voiculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION CONSER
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted.	voiculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION CONSERVATION DIVISION of office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure the product of the statements made herein are true and correct to the beside of the statements.	v circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION act office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure the product of the statements made herein are true and correct to the beside of the statements.	v circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION CONSERVATION DIVISION and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Stormy knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure in the product of the statements made herein are true and correct to the beginning of the product of the product of the statements of Operator or Agent: O5/29/08	v circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION act office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is not production from CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of soud date:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the beginning of the spud date. Signature of Operator or Agent: For KCC Use ONLY API #15 - O37 - 22035 OCCO	v circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION of office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure in the production of the statements made herein are true and correct to the beginning to the statements of Operator or Agent: Date: O5/29/08	v circulating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION of office on plug length and placement is necessary prior to will be set or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the beginning to the spud date. Signature of Operator or Agent: For KCC Use ONLY API #15 - 037 - 22035 - OOOO Conductor pipe required feet Minimum surface pipe required feet per ALT.	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION CONSERVATION DIVISION of office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit alluming report (CPR4) after plugging is completed (within 60 days):
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be pure in the production of the statements made herein are true and correct to the beginning of the production of the product	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION confice on plug length and placement is necessary prior to will be set or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and correct to the beginning of the production of the polymers. Date:	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION act office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is provided by the production (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the statements of Operator or Agent: Date: Signature of Operator or Agent: Signature of Operator or Agent: OS/29/08	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION of office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the beginning of the spud date or Agent: Date:	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION act office on plug length and placement is necessary prior to any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be purely certify that the statements made herein are true and correct to the beginning of the production of	recirculating cement to the top; in all cases surface pipe shall be set underlying formation. CONSERVATION DIVISION of office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-22035-0000	
Operator: JayHawk Energy, Inc.	Location of Well: County: Crawford
Lease: S Johnson	990 feet from N / N S Line of Section
Well Number: 10-2	330 feet from E / X W Line of Section
Field: Wildcat	Sec. <u>10</u> Twp. 28 S. R. <u>23</u> X E W
Number of Acres attributable to well:	ls Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				· · · · · · · · · · · · · · · · · · ·	r			
		:	:	:			:	:
		:	:	:			:	:
		:	:	:		:	:	:
		:	:	:		:	:	:
						:		
		•	;	:		•	•	:
						,		• • • • • • • • • • • • • • • • • • •
			:	:		:	:	:
	!			:		:		:
	:	:		:		:	:	:
			* * * * · · · · ·					********
		:	:	:		:	:	:
		:	:	:		:	:	:
		:	:	,	<i>U</i>	:	:	:
		:	;	<u></u> /	-	· · · · · · · · · · · · · · · ·	:	:
	:							:
				,,,,				
			, , , , , , , , , , , , , , , , , , ,	,				
				,				
ю	O							
.0	0							
10	O							
	J							
	O							

NOTE: In all cases locate the spot of the proposed drilling locaton.



JUN 0 4 2008

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, SERVATION DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JayHawk Energy, Inc.			Lice	nse Number: 34102	
Operator Address: P. O. Box 191				Girard KS 66743	
Contact Person: Bill Wax	· · · · · · · · · · · · · · · · · · ·		Phon	e Number: 620-724-3400	
Lease Name & Well No.: S Johnson 10-2			Pit L	ocation (QQQQ):	
Type of Pit:	Pit is:		 	. NW . SW . SW	
Emergency Pit Burn Pit	Proposed	Existing	Sec.	10 _{Twp.} 28 _{R.} 23 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		9	90 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		3	30 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	80	(bbls)	Cra	wford County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chlori	de concentration: mg/l	
is the bottom below ground level?	Artificial Liner?		How	(For Emergency Pits and Settling Pits only) s the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	i	e clay	
Pit dimensions (all but working pits):	5 Length (fe	eet)3	W	idth (feet) N/A: Steel Pits	
	om ground level to de	•	6	(feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure		1		or periodic maintenance and determining any special monitoring.	
n/a		n/a			
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor		sh waterfeet.	
n/a feet Depth of water well	feet	measu	Г	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over an	d Haul-Off Pits ONLY:	
Producing Formation:	<u> </u>	Type of materia	al utilize	d in drilling/workover: air	
Number of producing wells on lease:		Number of wor	king pits	to be utilized:1	
Barrels of fluid produced daily:		Abandonment	procedu	re: backfill when dry	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must l	oe close	d within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
		A. And	1	JUN 0 4 2008	
05/29/08		T UUG	MIC	TUBE CONSTRUCTION DIVISION	
Date			ignature	of Applicant or Agent WICHITA, KS	
	KCC	OFFICE USE OI	NLY	Steel Pit RFAC RFAS RFAS	
Date Received: 6/4/08 Permit Numb	per:	Permi	it Date:_	6 4 c8 Lease Inspection: Yes No	