For KCG-Use: Effective Date: District # SCA2 | Vec | VNc

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:June10, 2008	Spot Description:
month day year	<u>S2 \$2 SESec. 2Twp. 31S. R. 16</u> XEW
33365	(C/C/C/C/C) 331 feet from N / X S Line of Section
OPERATOR: License#	1,229 feet from FE / Line of Section
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Mission Woods State: KS Zip: 66205 + 2001	County: Montgomery
Contact Person: Timothy H. Wright	Lease Name: Falke Well #: 13-2
Phone: 913-748-3960	Field Name: Cherokee Basin Coal
<i>F</i> :	
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?
Name: Thornton Air	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 368'
Oil Enh Rec XInfield Mud Rotary	Ground Surface Elevation: 815 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water: 450- /05
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 X II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1200'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	, , , , , , , , , , , , , , , , , , ,
ACE	DECENTED.
	DAVIT RECEIVED
F 7- 7 -	DAVII KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	DAVII KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; y circulating cement to the top; in all cases surface pipe sharehases.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; y circulating cement to the top; in all cases surface pipe significants and conservation.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge	General to the top; in all cases surface pipe short and surface on plug length and placement is necessary prior to plugging; do or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges if an ALTERNATE II COMPLETION, production pipe shall be cemented.	General to the top; in all cases surface pipe share and and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	GONSERVATION COMMISSION Trilling rig; CONSERVATION DIVISION Conse
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; conservation division y circulating cement to the top; in all cases surface pipe shall make as sunderlying formation. ot office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall head. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distripution of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the be	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall head. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; y circulating cement to the top; in all cases surface pipe strate and sequence or pipe
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distripution of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the be	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall head. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beautiful of the statements of the spud date or the well shall be gotted. Signature of Operator or Agent:	GONSERVATION DIVISION Trilling rig: CONSERVATION DIVISION CONSERV
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beautiful of the statements of the spud date or the well shall be gotted. Signature of Operator or Agent:	Gonservation commission JUN 0 5 2008 drilling rig: Conservation Division y circulating cement to the top; in all cases surface pipe structure. Rs underlying formation. ct office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second and the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district of an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the because. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3 1 6 68 - 00000	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe structure. Rs underlying formation. In office on plug length and placement is necessary prior to plugging; or or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing or plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the statements of the operator of the statements. For KCC Use ONLY API # 15 - 125 - 3 1 6 6 8 - 0000000000000000000000000000000	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe share and a considerable of the complete
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best Date: June 3, 2008	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe structure. Rs underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the elements of the statements made herein are true and correct to the best place. I hereby certify that the statements made herein are true and correct to the best place. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3 1 lo lo 8 - 00000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	ging of this well will comply with K.S.A. 55 et. seq. JUN 05 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe structure. Rs underlying formation. It office on plug length and placement is necessary prior to plugging; or or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing or plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning of the spud date or the well shall be approved by: June 3, 2008	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe standards. ot office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing olugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the elements of the statements made herein are true and correct to the best place. I hereby certify that the statements made herein are true and correct to the best place. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 3 1 lo lo 8 - 00000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	ging of this well will comply with K.S.A. 55 et. seq. JUN 05 2008 drilling rig; CONSERVATION DIVISION CONSERVATION CONSER
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning and the statement of the spud date or the well shall be greatly approved by: Signature of Operator or Agent: Signature of Operator or A	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe stationary and content of complete stationary and content of complete stationary and content of complete stationary and complete
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning and the statement of the spud date or the well shall be greatly approved by: Signature of Operator or Agent: Signature of Operator or A	ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shall make the control of complete to the top; in all cases surface pipe shall make the circulating cement to the top; in all cases surface pipe shall make the circulating cement to the top; in all cases surface pipe shall make the circulating cement to the top; in all cases surface pipe shall make the circulation of the control of the control of the control of the circulation of the control of the circulation of

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31668-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Falke	331 feet from N / X S Line of Section
Well Number: 13-2	1,229 feet from LE / Line of Section
Field: Cherokee Basin Coal	Sec. 2 Twp. 31 S. R. 16 E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	:	: :				:	
		:					
i :	•	:					
		;			:		:
! :		: :					
	*******		*******	********		,	
	_						
	-	•				:	:
		:					
l :	•						
		:			•		: !
	•	•	'	,		•	
	*******			********	*******		
i							
1	•						
1	•			:		:	
1	:	:				;	
1	•	•				:	
1	:	:				•	:
1 .	•		'	'	•	-	
				*******		,	
1	-					-	_
	:	•	:	1	:	:	•
	:	:			•	•	:
	:	: :	;		;	:	:
1	:	: ,			:	:	:
	:	:		i		:	: 1
		•	'	,	•	•	-
1		: :			;		
	:	: :		:			
1		:		,		:	
1	:	:					
	•			Ι ,	•	•	
ł							
********		********					
		•				•	-
1	;						
1				•		•	
	:						
ì							
	:						
			,				
				••••	 ,		
				••••	 .		
					 .		
			,4	•••••	•••••		
							
							a '
						1994	3 ′
						ρ 1 22 ⁰	a '
						0 122°) /
							3 ′
						0 133 ⁰	3 '

RECEIVED KANSAS CORPORATION COMMISSION

JUN 0 5 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway			Mission Woods KS 66205		
Contact Person: Timothy H. Wright			Phone Number: 913-748-3960		
Lease Name & Well No.: Falke	13-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>S2 _ S2 _ SE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 2 Twp. 31 R. 16 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		331 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,229 Feet from East / Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l		
		<u></u>	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Is the bottom below ground level? Yes No	Artificial Liner?	No	self-sealing		
D's discourse (all but unadiscourse)	BO Length (fe	20	Width (feet) N/A: Steel Pits		
Pit dimensions (all but working pits).	om ground level to de	•	3 (feet) No Pit		
If the pit is lined give a brief description of the			edures for periodic maintenance and determining		
material, thickness and installation procedure			ncluding any special monitoring.		
Distance to nearest water well within one-mile	e of pit	Source of info	owest fresh waterfeet.		
feet Depth of water well _	feet measu		ured well owner electric log KDWR		
		cover and Haul-Off Pits ONLY:			
Producing Formation: Type of materi		al utilized in drilling/workover: <u>fresh water mud</u>			
		rking pits to be utilized: 2			
		procedure: Let evaporate until dry, then backfill and restore			
Does the slope from the tank battery allow at flow into the pit? Yes No			be closed within 365 days of spud date.		
			st of my knowledge and belief. KANSAS CORPORATION COMMISS		
hereby certify that the above state	Thereby database and the database and th				
June 3, 2008			JUN 0 5 2008		
Date			Signature of Applicant or Agent CONSERVATION DIVISION WICHITA. KS		
	ксс	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: 45 08 Permit Nun	nber:	Perm	nit Date: 6/5/08 Lease Inspection: Yes X No		