For KCC Use: Effective Date: U-11-08 District # Ves V No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 6-15-08	Spot Description:
month day year	S/2 - S/2 - ME/4 - Sec. 3 Twp. 19 S. R. 29 EXW
5474 /	(a/a/a/a) 2,310 feet from N / S Line of Section
PERATOR: License# lame: NORTHERN LIGHTS OIL CO., LC	1,320 feet from E / W Line of Section
ddress 1: _P.O. BOX 164	is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State: KS Zip: 67202 +	County: LANE
Contact Person: KURT SMITH	Lease Name: KEENAN Well #: 1
hone: 316-733-1515	Field Name: WC
ONTRACTOR: License# 4958 ame: MALLARD JV INC.	Is this a Prorated / Spaced Field? Target Formation(s): LKC MARMATON
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
	Ground Surface Elevation: 2810 feet MSL
☐ Gas ☐ Storage ☐ Pool Ext. ☐ Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water:
	Outron Dina hu Albanata
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 350'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 4650
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
lottom Hole Location:	(Note: Apply for Permit with DWR)
CCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:RECEIVED
AFF	KANSAS CORPORATION COMMISSI
•	TIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008
is agreed that the following minimum requirements will be met:	COMPANIATION SWIFTING
Notify the appropriate district office <i>prior</i> to spudding of well;	drilling rig: CONSERVATION DIVISION drilling rig: WICHITA, KS
2. A copy of the approved notice of intent to drill shall be posted on each	
0. The minimum emount of surface nine as specified below chall he set	
The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist.	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugger 	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cementer 	by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; different below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the be 	by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. Frict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements made herein are true and correct to the between the statements. 	by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; different below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Exploration Mngr
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: 	by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. In the production casing is cemented in; all cases surface pipe shall be set by underlying formation. If the production casing is cemented in; all cases and surface within 120 DAYS of spud date. If the production casing is cemented in; all cases are alternated in the surface within 120 DAYS of spud date. If the production casing is cemented in; all cases, sometimes are alternated in the surface within 120 DAYS of spud date. If the production is the surface prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. If the production is the surface prior to any cementing. If the production is the surface prior to any cementing. If the production is the surface prior to any cementing. If the production is the surface prior to any cementing. If the production is the surface prior to any cementing. If the production is the surface prior to any cementing. If the production is the surface prior to any cementing. If the production is the surface prior to any cementing. If the production is the surface prior to any cementing. If the production is the surface prior to any cementing prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: 	by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. In this price on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Exploration Mngr Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dist. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: For KCC Use ONLY API # 15 - /OI - 22107-0000	by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. In this production casing is cemented in; all cases are prior to plugging; and or production casing is cemented in; all from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Exploration Mngr Title: Exploration Mngr Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: Gradient	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Exploration Mngr Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: Graph	by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. Frict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Exploration Mngr Title: Exploration Mngr Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: G	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Exploration Mngr Title: Exploration Mngr Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: G	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Exploration Mngr Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: G	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Exploration Mngr Title: Exploration Mngr Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: Gradient	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Exploration Mngr Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101-22 107-0000	
Operator: NORTHERN LIGHTS OIL CO., LC	Location of Well: County: LANE
Lease: KEENAN	2,310 feet from N / S Line of Section
Well Number: 1	1,320 feet from E / W Line of Section
Field: WC	Sec. 3 Twp. 19 S. R. 29 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: NORTHERN LIGHTS OIL CO., LC		License Number: 5474	
Operator Address: P.O. BOX 164			ANDOVER KS 67202
Contact Person: KURT SMITH			Phone Number: 316-733-1515
Lease Name & Well No.: KEENAN	1		Pit Location (QQQQ):
Type of Pit:	Pit is:		s/2 _ s/2 _ ne/4
Emergency Pit Burn Pit	Proposed	Existing	Sec. 3 Twp. 19 R. 29 East West
Settling Pit Drilling Pit	If Existing, date constructed:		2,310 Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Drilling mud and shale from well bore
Pit dimensions (all but working pits):	Length (fe	•	Width (feet) N/A: Steel Pits 3 (feet) No Pit
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh water 66 feet. rmation: ured well owner electric log KDWR sover and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH
N/a feet Depth of water well_	feet		ured well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation: Type of mater		al utilized in drilling/workover: FRESH	
		Truing pits to be disized.	
Barrels of fluid produced daily:		Abandonment	procedure: Evaporate and Backfill
Does the slope from the tank battery allow al flow into the pit? Yes No	spilled fluids to	Drill pits must	be closed within 365 days of spud date. RECEIVED
I hereby certify that the above state	ements are true and o	correct to the bes	kt of my knowledge and belief. KANSAS CORPORATION COMMISS JUN 0 5 2008
6-4-08 Date			CONSERVATION DIVISION Signature of Applicant or Agent WICHITA, KS
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS
Date Received: 6/5/08 Permit Num	nber:	Perm	nit Date: ゅ/ら/ oを Lease Inspection: Yes い