For KCC Use: Effective Date: District

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 October 2007 Form must be Typed Form must be Signed Il blanks must be Filled		
	7 €	

40,0000	
Expected Spud Date: June 10, 2008 month day year	Spot Description:
	. N2 . SW . NE Sec. 11 Twp. 31 S. R. 14 XE W
OPERATOR: License# 33365	feet from X N / S Line of Section
Name: Layne Energy Operating, LLC	Rect from [2] 2 / [11 2 ino or occusion
Address 1: 1900 Shawnee Mission Parkway	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Timothy H. Wright	County: Montgomery 7-11
Phone: 913-748-3960	Lease Name: Raymond Well #: 7-11 Field Name: Cherokee Basin Coal
CONTRACTOR: License#33606 Name:Thornton Air	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary line (in footage): 592'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 887 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic; # of Holes Other	Depth to bottom of fresh water: 150'
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1500' Formation at Total Depth: Mississippian
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
445 5 5 1 CT 11	
KCC DKT #:	Will Cores be taken?
KCC DK1 #:	
	Will Cores be taken? Yes No If Yes, proposed zone:
AFF	Will Cores be taken? If Yes, proposed zone: RECTIVED KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: RECTIVED KANSAS CORPORATION COMMISSING GORDS WILL COMMISSING GO
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECTIVED KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSING Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IN DESCRIPTION DIVISION CONSERVATION DIVISION Y circulating cement to the top; in all cases surface pipe shall block.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION In ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division Yes Zino RECEIVED KANSAS CORPORATION COMMISSION Conservation division Yes Zino RECEIVED COMMISSION CONSERVATION DIVISION Ye circulating cement to the top; in all cases surface pipe shall NESSEA. KS underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division y circulating cement to the top; in all cases surface pipe shall be shall be surface. KS underlying formation. ct office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: RECTIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division Yes X No RECTIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION Ye circulating cement to the top; in all cases surface pipe shall MS WAY. KS underlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division Yes X No RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION Ye circulating cement to the top; in all cases surface pipe shall NOS WAY. KS underlying formation. It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. IS,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division y circulating cement to the top; in all cases surface pipe shall be taken. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second and the complete as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the second and the distriction of the second and the second and the distriction of the second and	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division y circulating cement to the top; in all cases surface pipe shall be sea. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best of the spud date or the well shall be a like the statements made herein are true and correct to the best of the spud date or the well shall be a like the statements made herein are true and correct to the best of the spud date or the well shall be a like the statements made herein are true and correct to the best of the spud date or the well shall be a like the statements made herein are true and correct to the best of the spud date or the well shall be a like the statements made herein are true and correct to the second date or the well shall be a like the statements made herein are true and correct to the second date or the well shall be a like the statements made herein are true and correct to the second date or the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division y circulating cement to the top; in all cases surface pipe shall be sea. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION In ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division Yes X No Conservation commission Conservation division Yes X No Received Conservation commission Conservation division Yes X No Conservation division Yes Yes Yes Conservation division Yes X No Conservat
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: June 3, 2008 Signature of Operator or Agent: June 3, 2008 Sig	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION In Description of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division If Yes No Note of the complete of
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: June 3, 2008 Signature of Operator or Agent: June 3, 2008 Sig	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION In ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: CONSERVATION DIVISION If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION If Yes, proposed zone: AND If Yes ZONE AND If Yes ZONE
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best Date: June 3, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division If yes in the conservation of the conservation
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the statements of the spud date or Agent: June 3, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division Yes ZNO Conservation commission Conservation division Yes Conservation commission Conservation division Yes ZNO RECEIVED KANSAS CORPORATION COMMISSION Ye circulating rig: Conservation division Yes ZNO Conservation commission Yes ZNO Conservation commission Yes Conservation commission Yes Conservation commission Yes ZNO Ansas Corporation commission Conservation division Yes ZNO Reconstruction Conservation division Yes ZNO Ansas Corporation commission Conservation division Yes ZNO Reconstruction Conservation division Yes ZNO Ansas Corporation commission Ansas Corporation commission Ansas Corporation commission Ansas Corporation division Ansas Corporation commission Ansas Corporation Ansas Corporation Ansas Corporation Ansas Cor
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: June 3, 2008	Will Cores be taken? If Yes, proposed zone: RECKIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division Yes Conservation commission Yes Conservation division Yes Conservation commission Yes Conservation division Yes Conservation commission Yes Conservation division Yes Conservation commission Yes Conservation division Yes Conservation commission Yes Conservation
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: June 3, 2008	Will Cores be taken? If Yes, proposed zone: RECKIVED KANSAS CORPORATION COMMISSION Iging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division Yes conservation commission Yes conservation commission Yes conservation division Yes conservation commission Yes conservation commission Yes conservation division Yes conservation commission Yes conservation division Yes conservation commission Yes conservation division Yes division Yes conservation divis
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the operator or Agent: June 3, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall NOGULA. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Title: Agent Title: Agent Title: Agent Title: Agent Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the operator or Agent: June 3, 2008	Will Cores be taken? If Yes, proposed zone: RECTIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig: CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall MISSION, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 13 Extended to the completion form ACO-1 within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date: June 3, 2008	Will Cores be taken? If Yes, proposed zone: RECTIVED KANSAS CORPORATION COMMISSING ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig: CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall will will comply with K.S.A. 55 et. seq. JUN 0 5 2008 drilling rig: CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall will will will be underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 13

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31667-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Raymond	1,752 feet from N / S Line of Section
Well Number: 7-11	1,904 feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. 11 Twp. 31 S. R. 14 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

				:			
********		1		1752			
	••••		•••••	6		19041	
••••					*******		
			<u> </u>				
		********	********		•••••		7*************************************
		••••	*******			*****	
	,,,,,,,,,,	********					
				:			

RECEIVED KANSAS CORPORATION COMMISSION

JUN 05 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365			
Operator Address: 1900 Shawnee Mission Parkway		Mission Woods KS 66205			
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960			
Lease Name & Well No.: Raymond	7-	11	Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>N2</u> . <u>SW</u> . <u>NE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 11 Twp. 31 R. 14 East West		
Settling Pit Drilling Pit	If Existing, date or	onstructed:	1,752 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,904 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l		
	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
is the bottom below ground level? Yes No	Yes X	No	self-sealing		
Sit discouries (all host supplying pito):	0 Length (fe	20	Width (feet) N/A: Steel Pits		
Pit dimensions (all but working pits):	om ground level to de		3 (feet) No Pit		
If the pit is lined give a brief description of the			edures for periodic maintenance and determining		
material, thickness and installation procedure		liner integrity, i	ncluding any special monitoring.		
			forth days		
Distance to nearest water well within one-mile	e of pit	Source of info	owest fresh waterfeet.		
nonefeet Depth of water well	feet	measu	uredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY:		
Producing Formation:			al utilized in drilling/workover: fresh water mud		
		r of working pits to be utilized: 2 ponment procedure: Let evaporate until dry, then backfill			
		and restore			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED			
hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
JUN 0 5 2008					
June 3, 2008		1	CONSERVATION DIVISION		
Date			Signature of Applicant or Agent WICHITA, KS		
	ксс	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: 6/5/08 Permit Num	nber:	Perm	nit Date: <u>も/5/08</u> Lease Inspection: Yes 私No		