For KCC Use:	10-11-08
Effective Date: _	3 11 40
District #	<u> </u>

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

4/20/00	
Expected Spud Date: 4/20/08 month day year	Spot Description:
	NW/4 SE/4 Sec. 2 Twp. 13 S. R. 10 XE W
OPERATOR: License# 30345	2,310 feet from N / X S Line of Section
Name: Piqua Petro., Inc.	rection \(\subseteq \)
Address 1: 1331 Xylan Road	Is SECTION: Regular Inregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Piqua, KS 66761 State: KS Zip; 66761 +	County: Wabaunsee
Contact Person: Greg Lair	Lease Name: Thowe A Well #. 03-08
Phone: 620-433-0099	Field Name: Mill Creek
CONTRACTOR: License#33557	Is this a Prorated / Spaced Field?
Name: SKYY Drilling	Target Formation(s): Simpson
	Nearest Lease or unit boundary line (in footage): 880'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a
◯ Oil C Enh Rec	
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	····
Seismic ; # of Holes Other	Depth to bottom of fresh water: 75'
Other:	Depth to bottom of usable water:
The process of the state of the	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300'
Operator:	Length of Conductor Pipe (if any): Hone
Well Name:	Projected Total Depth: 3200'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Simpson
<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
ff Yes, true vertical depth:	DWR Permit #:
	DVVR Permit #
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:KCC DKT #:	(Note: Apply for Permit with DWR (Yes X N
KCC DKT #:	(Note: Apply for Permit with DWR (1) Will Cores be taken?
AFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the total surface of the statements of the surface of the statements of the surface of the statements made herein are true and correct to the surface of the surfa	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below arry usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Secretary/Agent Title:
AFI The undersigned hereby affirms that the drilling, completion and eventual plats is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the provided intention of the posted on each of the intention of t	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Secretary/Agent Title: Remember to:
AFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the sec	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
AFI The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interval of the well is dry hole, an agreement between the operator and the distant appropriate district office will be notified before well is either pluggenerated in the interval of the interval of the interval of the spund that the statements of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the well shall be appropriated within 30 days of the spund date or the sp	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the temporary for the statements of the surface of the spud date of the statements of the spud date of the statements of the surface of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below arry usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
AFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 197-20273-0000	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below arry usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
AFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the total plus in the statement of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15/97 20 273	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below arry usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFI The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet minimum surface pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT agging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the distant ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the temporal of the statements of the statement of	Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; By circulating cernent to the top; in all cases surface pipe shall be set e underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cernented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Secretary/Agent Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFI The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet into the serithrough all unconsolidated materials plus a minimum of 20 feet minimum surface pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Peet of my knowledge and belief. Secretary/Agent Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
AFI The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the intervention of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set set of the well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be set to the set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the set of the spud date or the well shall be set of the spud date or the set of the spud date or	Will Cores be taken? If Yes, proposed zone: FIDAVIT Lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; By circulating cernent to the top; in all cases surface pipe shall be set e underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Description of the prior of the prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 197-20273-0000		
Operator: Piqua Petro., Inc.	Location of Well: County: Wabaunsee	_
Lease: Thowe A		
Well Number: 03-08	1,290 feet from X E / W Line of Section	
Field: Mill Creek	Sec. 2 Twp. 13 S. R. 10 X E W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NW/4 - NW/4 - SE/4 -	Is Section: Regular or Irregular	
NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections. 4 sections, etc.

JUN 0 6 2008

WICHITA, KS

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

CONSERVATION DIVISION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Piqua Petro., Inc.			License Number: 30345	
Operator Address: 1331 Xylan Roa	ad		Piqua, KS 66761 KS 66761	
Contact Person: Greg Lair			Phone Number: 620-433-0099	
Lease Name & Well No.: Thowe A 03-08		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW/4 NW/4 SE/4 _	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 2 Twp. 13 R. 10 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		2,310 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			1,290 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Wabaunsee County	
Is the pit located in a Sensitive Ground Water	Area? Yes X		Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
			clay soil	
Pit dimensions (all but working pits):	15 Length (fe	eet)8	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	eepest point:	(feet) No Pit	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. n/a		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.		
		Watch that clay soil is holding water		
· · · ·				
			•	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water		
1000		Source of information: measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: shale and limestone Number of working pits to be utilized: 1		
teet Depth of water wellleet		Drilling, Workover and Haul-Off Pits ONLY:		
Emergency, Settling and Burn Pits ONLY: Producing Formation:		Type of material utilized in drilling/workover: shale and limestone		
Number of producing wells on lease:		Number of working pits to be utilized:1		
Barrels of fluid produced daily:		1	Abandonment procedure: back fill back in	
Does the slope from the tank battery allow all spilled fluids to			procedure: Dack IIII Dack III	
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	MANDA O O O O O O O O O O O O O O O O O O O	
		\sim Λ	JUN 0 6 2008	
4/18/08		-the	A KZW	
Date		/	Signature of Applicant or Agent CONSERVATION DIVISION DI VISION DIVISION DIVISION DIVISION DIVISION DIVISION DIVISION DI VISION DIVISION DI VISION DIVISION DI VISION DIVISION DI VISIONI DIVISIONI DI VISIONI DI VISIONI DI VISIONI DI VISIONI DIVISIONI DI VISIONI	
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: 4/6/05 Permit Nun	nher	Perm	nit Date: 4/6/05 Lease Inspection: Yes XNo	
Date (Control - Control Notice)	·~ - · ·	3111	=	