For KCt Use: 6 -14-09 Westive Date: 3 SGA2 Types | No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: June 13,2008	Spot Description:	_
month day year	SE SW SE Sec. 12 Twp. 34 S. R. 13 XE V	1
33874	(0/0/0/0) 300 feet from N / X S Line of Section	n
OPERATOR: License#	1125 /505 feet from VE / WW Line of Section	
Name: Custer Oil & Gas		
Address 1: PO Box 628	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Barnsdall State: Ok Zip: 74002 +	County: Montgomery	
Contact Person: Dustin Kerbs	Lease Name: Fobian Well #: 08-29	
Phone: (918) 847-2531	Field Name: Wayside-Havana	_
CONTRACTOR: License# Must be licensed by KCC		
Name: Advise on ACD-1	Is this a Prorated / Spaced Field?	•
Name: Advise di Presi	Target Formation(s): Wayside Pennsylvanian Coals, Bartlesville, Mississippi Chat	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 300	
	Ground Surface Elevation: 782.7 feet MS	L
	Water well within one-quarter mile:	<i></i>
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:	0
Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Seismic ; # of Holes Other	Depth to bottom of usable water: 175	
Other:		_
TIS CHARGO, and well information as follows:	Surface Pipe by Allernate:	
if OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 42	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1500	_
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi Chat	_
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Rick's Tank Trucks	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR)	/
KCC DKT #:		
	Will Cores be taken?	IQ.
	If Yes, proposed zone: RECEIVE	7
	KANSAS CORPORATION	
AFFI	DAVIT	· Commission
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.	00
It is agreed that the following minimum requirements will be met:	JUN 0 6 20	UÖ
4. Matifu the annuagiate district office pulsaria encoding of wells		
Notify the appropriate district office <i>prior</i> to spudding of well; A convertible appropriate district of intent to drill chall be perfect on each of	CONSERVATION DE	ISION
2. A copy of the approved notice of intent to drill shall be posted on each of	crilling rig; WICHITA KS	/ISION
 A copy of the approved notice of intent to drill shall be posted on each of The minimum amount of surface pipe as specified below shall be set by 	criling rig; WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set	/ISION
 A copy of the approved notice of intent to drill shall be posted on each of The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 	crilling rig; WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation.	/ISION
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distribution. 	WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ;	/ISION
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 	WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in;	/ISION
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in;	/ISION
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate II cementing	/ISION
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented. 	WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	YISION
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the distribution. If the well is dry hole, an agreement between the operator and the distribution. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the statements made herein are true and correct to the be 	WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	YISION
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the beside of the set of the set. 	WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	YISION
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the distribution. If the well is dry hole, an agreement between the operator and the distribution. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the statements made herein are true and correct to the be 	withing rig; y circulating cement to the top; in all cases surface pipe shall be set y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title:	
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the beautiful plate. Signature of Operator or Agent:	WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	rision 12
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the beat considered. Signature of Operator or Agent: For KCC Use ONLY	withing rig; y circulating cement to the top; in all cases surface pipe shall be set y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Why were Title: File Drill Pit Application (form CDP-1) with Intent to Drill;	
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the beginning of the spud date. Signature of Operator or Agent:	withing rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 st of my knowledge and belief. Why Merchanian Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	12
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Signature of Operator or Agent: Signature of Oper	withing rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Why Memory Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Signature of Operator or Agent:	wichita, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	12
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25-3/6-76-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	y circulating reg; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	12 34 1
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the beginning to the spud date of the spud date or the well shall be plusted by the spud date or Agent: Signature of Operator or Agent: Signature of Operator or Agent: Approved by: Feet Date: Signature Signa	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: **Title:** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	12 34
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the spud shall be plate: Signature of Operator or Agent:	wichita, KS yeirculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Title: **Title:** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please	12 34 1
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the beginning to the spud date of the spud date or the well shall be plusted by the spud date or Agent: Signature of Operator or Agent: Signature of Operator or Agent: Approved by: Feet Date: Signature Signa	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: **Title:** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	12 34 1
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the beat conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125-31676-0000 Conductor pipe required feet per ALT. Feet proved by: Fund Green Poperator of Poperator of Agent Feet per ALT. This authorization expires: 6-9-09	wichita, KS yeirculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Title: **Title:** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please	12 34 1
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted that the statements made herein are true and correct to the between the complete statements are foreigned feet. Por KCC Use ONLY	y circulating rig; y circulating cement to the top; in all cases surface pipe shall be set y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It it is Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	12 34 1


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31676-0000	
Operator: Custer Oil & Gas	Location of Well: County: Montgomery
Lease: Fobian	300 feet from ☐ N / ☒ S. Line of Section
Well Number: 08-29	1,385 /505 feet from VE / W Line of Section
Field: Wayside- Havana	Sec. 12 Twp. 34 S. R. 13 X E W
Number of Acres attributable to well: OTR/OTR/OTR/OTR of acreage: NE SE SW SE	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: SE SW SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Custer Oil & Gas		License Number: 33874	
Operator Address: PO Box 628			Barnsdall Ok 74002
Contact Person: Dustin Kerbs	· · · · · · · · · · · · · · · · · · ·		Phone Number: (918) 847-2531
Lease Name & Well No.: Fobian	08-	29	Pit Location (QQQQ):
Type of Pit:	Pit is:		NE SE SW SE
Emergency Pit Burn Pit	Proposed [Existing	Sec. 12 Twp. 34 R. 13 East West
Settling Pit Drilling Pit	If Existing, date co	onstructed:	300 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			1,185 /505 Feet from East / Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbis)	Montromery
Is the pit located in a Sensitive Ground Water	^2[₹v- ∇		Chloride concentration:mg/l
is the pit located in a densitive Ground water.	Alear of tes	140	(For Emergency Pits and Settling Pits only)
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	5 Length (fe	et)10	Width (feet) N/A: Steel Pits
	om ground level to de		A r
Distance to nearest water well within one-mile	of pit	Depth to shall	owest fresh water Feet.
Source of it		F1	ormation: sured well owner electric log KDWR
· · · · · · · · · · · · · · · · · · ·		Drilling, Worl	kover and Haul-Off Pits ONLY:
Producing Formation: Type of mater		rial utilized in drilling/workover: Freshwater	
		orking pits to be utilized:1	
Barrels of fluid produced daily:		Abandonment	t procedure: Fluids will be hauled off and pit will be back-filled
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must	t be closed within 365 days of spud date.
I hereby certify that the above state	ements are true and	correct to the be	VANCAS CODDORATION CO
		/ Do	M. JUN 0 6 200
6/2/08		NIVON	Signature of Applicant or Agent CONSERVATION DIVIS
Date		T	Signature of Applicant or Agent WICHITA, KS
	ксс	OFFICE USE O	
			, , , Dit