| For KCC Use: Effective Date: | 6-14-08 |
|---------------------------------|---------|
| District # | 3 |
| SGA? Ye | s No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| Must be approved by KCC five | |
|--|--|
| Expected Spud Date: 6-10-2008 | Spot Description: |
| month day year | NW - SW - NE - Sec. 7 Twp. 22 S. R. 24 XE W |
| 4339 / | (G/G/G/G) 3,795 feet from N / X S Line of Section |
| OPERATOR: License# | 2,310 Feet from E / W Line of Section |
| Address 1: P.O.266 | Is SECTION: Regular Irregular? |
| Address 2: | |
| City: Mound City State: KS Zip: 66056 + | (Note: Locate well on the Section Plat on reverse side) County: Linn |
| Contact Person: Dale Jackson | |
| Phone: 620-363-2683 | Lease Name: Fountain Well #: 1 Field Name: Mound City |
| CONTRACTOR: License# 4339 | Field Name: |
| Name: Dale Jackson Production Co. | Is this a Prorated / Spaced Field? |
| Natio. | Target Formation(s): Squirrel |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| ⊠Oil | Ground Surface Elevation: \$\frac{\xi40}{20}\$ feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: nowe 50 |
| Other: | Depth to bottom of usable water: |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: I I I I |
| | Length of Surface Pipe Planned to be set: 20 |
| Operator: | Length of Conductor Pipe (if any): |
| Well Name: | Projected Total Depth: 300 |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Squirrel |
| Provided By State Co. Co. | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes No | Well Farm Pond Other: |
| If Yes, true vertical depth: Bottom Hole Location: | DWR Permit #: |
| | (Note: Apply for Permit with DWR |
| KCC DKT #: | |
| KCC DKT #: | Will Cores be taken? |
| KCC DKT #: | |
| | Will Cores be taken? If Yes, proposed zone: |
| AFFI | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMM |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plug | Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COMM KANSAS CORPORATION COMM |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: | Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMM |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | Will Cores be taken? If Yes, proposed zone: PAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of | Will Cores be taken? If Yes, proposed zone: PAVIT Ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION COMM CONSERVATION DIVISION |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | Will Cores be taken? If Yes, proposed zone: PAVIT ging of this well will comply with K.S.A. 55 et. seq. PUN 0 5 2008 drilling rig; conservation division of circulating cement to the top; in all cases surface pipe shall be set in a line of the conservation of t |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by | Will Cores be taken? If Yes, proposed zone: PAVIT ging of this well will comply with K.S.A. 55 et. seq. PAVIT Ging of this well will comply with K.S.A. 55 et. seq. JUN 0 5 2008 Conservation division of circulating cement to the top; in all cases surface pipe shall be ARCHITA, KS underlying formation. |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger | Will Cores be taken? If Yes, proposed zone: PAVIT Ging of this well will comply with K.S.A. 55 et. seq. PUN 0 5 2008 Conservation division of circulating cement to the top; in all cases surface pipe shall be referred. KS underlying formation. Cot office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plugilities agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | Will Cores be taken? If Yes, proposed zone: PAVIT Ging of this well will comply with K.S.A. 55 et. seq. PUN 0 5 2008 Conservation division of circulating cement to the top; in all cases surface pipe shall be referred. KS underlying formation. Cot office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the second of the sec | Will Cores be taken? If Yes, proposed zone: DAVIT Ging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMM JUN 0 5 2008 drilling rig; CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shall bevise HITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intent | Will Cores be taken? If Yes, proposed zone: PAVIT ging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMM JUN 0 5 2008 drilling rig; circulating cement to the top; in all cases surface pipe shall be reference. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the second to the second state of the second state of the second se | Will Cores be taken? If Yes, proposed zone: PAVIT ging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMM JUN 0 5 2008 drilling rig; circulating cement to the top; in all cases surface pipe shall be reference. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the second to the second state of the second state of the second se | Will Cores be taken? If Yes, proposed zone: PAVIT ging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMM JUN 0 5 2008 drilling rig; circulating cement to the top; in all cases surface pipe shall be received. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be p | Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COMM Trilling rig; Conservation Division Conservatio |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will set the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be poster. Signature of Operator or Agent: | Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COMM Conservation common plus of this well will comply with K.S.A. 55 et. seq. Conservation division of the top; in all cases surface pipe shall be referred. KS underlying formation. Conservation division of the top; in all cases surface pipe shall be referred. KS underlying formation. Conservation division of the top; in all cases surface pipe shall be referred. KS underlying formation. Conservation division division division of the top; in all cases surface pipe shall be referred. KS underlying formation. Conservation division d |
| The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drilling and the approved notice of intent to drill <i>shall be</i> posted on each of the drilling and the approved and the district office and an amount of 20 feet into the state of the drilling and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented of the completed within 30 days of the spud date or the well shall be posted. I hereby certify that the statements made herein are true and correct to the best posted. Signature of Operator or Agent: | Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COMM Conservation common price in all cases surface pipe shall be referred in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing shugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual plugilit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be poster. I hereby certify that the statements made herein are true and correct to the best of the complete of the statements of the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - \(\int \frac{107}{27} = \frac{23931}{23931} = \frac{10000}{2000} | Will Cores be taken? If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shall be referred. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; |
| The undersigned hereby affirms that the drilling, completion and eventual plugilities agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uniform the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugger. 5. The appropriate district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be poster. 7. Description of Operator or Agent: 8. Signature of Operator or Agent: 8. Signature of Operator or Agent: 8. Onductor pipe required 8. One feet | Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COMM Conservation common price in all cases surface pipe shall be referred in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing sugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will set in the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be plate: Description | Will Cores be taken? If Yes, proposed zone: Percent |
| The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the provents of th | Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COMM RECEIVED KANSAS CORPORATION COMM Conservation Division Conservation Community Conservation Conservation Conservation Conservation Conservation Conservation Con |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Description of the production of the shall be plate: Description of the production of the | Will Cores be taken? If Yes, proposed zone: PRECEIVED RECEIVED RANSAS CORPORATION COMM RECEIVED KANSAS CORPORATION COMM AND DESCRIPTION DIVISION Conservation domination Conservation domination Conservation domination Conservation domination Conservation comm Conservation domination Conservation comm Conservation comm Conservation domination Conservation comm Conservation comm Conservation comm Conservation comm Conservation comm Conservation comm Conservation domination Conservation comm C |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Date: | Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED KANSAS CORPORATION COMM RECEIVED KANSAS CORPORATION COMM Conservation Division Conservation Community Conservation Conservation Conservation Conservation Conservation Conservation Con |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: Description of the production of the shall be plate: Description of the production of the | Will Cores be taken? If Yes, proposed zone: Percent |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the unit | Will Cores be taken? If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMM RECEIVED KANSAS CORPORATION COMM AND S 2008 drilling rig; CONSERVATION DIVISION Circulating cement to the top; in all cases surface pipe shall beysething, KS underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 107-23931-0000 | | | | | |
|---|--|--|--|--|--|
| Operator: Dale Jackson Production Co. | Location of Well: County: Linn | | | | |
| Lease: Fountain | 3,795 feet from N / S Line of Section | | | | |
| Well Number: 1 | 2,310 feet from X E / W Line of Section | | | | |
| Field: Mound City | Sec. 7 Twp. 22 S. R. 24 X E W | | | | |
| Number of Acres attributable to well: SW _ NE | Is Section: Regular or Irregular | | | | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | | | | |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

| | | 1 | | • | | | | _ |
|-----|----------|--------|----------|-----------|---------|----------|---------|---|
| | l . | • | • | • | | • | I | i |
| | | • | • | • | | | - | |
| | t . | • | • | • | | | _ | |
| | | • | • | | | | Ī | _ |
| | t | | - | | | | 7 | • |
| | ſ | • | | | | 1 | • | |
| - 4 | 1 | | - | | | • | • | • |
| - 1 | 1 | 1 | • | • |) | • | • | • |
| | 1 | • | • | • | i e | • | | • |
| | 1 | | | | | | | |
| | 1 | | | | 1 | | | |
| | | | | | | | | |
| | 1 | | | | | | | |
| | 1 | | | | | | | |
| | , | _ | 7 | _ | | • | • | • |
| | i | - | • | • | | • | • | • |
| | (| : | • | • | | * | • | • |
| | (| • | • | • | | • | | |
| | (| | • | • | | | | |
| - 4 | 4 | | | | | | | |
| - 1 | í | | <u> </u> | | | | | |
| - 1 | i | | I : | | | • | • | • |
| | i | | • | • | | • | • | • |
| | i | | | | | | | |
| | | ****** | | | ******* | | | |
| | 4 | | | | | | | |
| | i | | | | | | | |
| | i | | | | | | | |
| - 1 | i | | | | - | | • | |
| - 1 | 1 | | | | _ | 1 | • | |
| | | | • | | | - | | |
| - 1 | 1 | : | | • | | • | | |
| - 1 | | - | | | | | | |
| - 1 | | • | | | | • | | |
| - 1 | | • | | | | | | |
| 1 | | • | | | | _ | | |
| - 1 | | | : | | | <u>.</u> | | • |
| - 1 | | - | | | | • | | • |
| - 1 | | | | | | | | |
| - 1 | | ****** | | | | | | |
| - 1 | | | | | | | | |
| - 1 | | | | | | _ | | |
| | | | : . | | | | | |
| - 1 | | | | | | • | | |
| - 1 | | • | | | | • | | |
| - 1 | | • | | . , | | • | | |
| - 1 | | | | | | | | |
| - 1 | . ' | • | | | | | | |
| - 4 | | • | | , | | | | |
| - 1 | | | | | | | | ' |
| - 1 | | | • | | | • | | |
| - 1 | | • | | | | | | |
| - 1 | | • | | | | | | |
| ŀ | | | | | | | | |
| - E | | | | | | | | |
| - [| | | t : | | | | | |
| - 1 | | | , . | | - | | | |
| - 1 | | | , | | • | | | |
| - 1 | • | | | | | | | |
| - 1 | | | | | | | _ | |
| | | | | | | | | |
| -1 | | | | 1 | _ | | | |
| - 1 | | | | | | • | | |
| - 1 | | | | I | • | • | • | |
| - 1 | | | | - 1 | | • | | |
| - 1 | | | | 1 | | | | |
| - 1 | | | | I | | | | |
| - 1 | | | ******* | | | | | |
| | | | | I | | | | |
| - 1 | | | | | | ****** | ******* | |
| 1 | | | | | _ | ******* | | |
| ш | | | | | | • | | |
| П | | | | | : | : | : | |
| - 1 | | | : | | : | : | : | |
| | | : | : | | : | | ; | |
| П | | | | | | | ; | |
| 1 | : | | | | | | | |
| 1 | | | | | | | | |
| | | | | | | | | |
| i | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | •••••• | | | | | | | |
| | | | | | | | | |
| | : | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | ,,,,,,,,, | | | | |
| | ••••• | | | , | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

RECEIVED KANSAS CORPORATION COMMISSION

JUN 05 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Dale Jackson Production Co. | | | License Number: 4339 | | | |
|--|--------------------------------|---|--|--|--|--|
| Operator Address: P.O.266 | | | Mound City KS 66056 | | | |
| Contact Person: Dale Jackson | | | Phone Number: 620-363-2683 | | | |
| Lease Name & Well No.: Fountain 1 | | | Pit Location (QQQQ): | | | |
| Type of Pit: | Pit is: | | NW SW NE _ | | | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 7 Twp. 22 R. 24 East West | | | |
| Settling Pit Drilling Pit | If Existing, date constructed: | | 3,795 Feet from North / South Line of Section | | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 2,310 Feet from East / West Line of Section | | | |
| (If WP Supply API No. or Year Drilled) | 80 | (bbls) | Linn County | | | |
| Is the pit located in a Sensitive Ground Water | Area? Yes X | No | Chloride concentration: mg/l | | | |
| | | | (For Emergency Pits and Settling Pits only) | | | |
| Is the bottom below ground level? Yes No | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? natural clay | | | |
| Pit dimensions (all but working pits): | CO Length (fe | eet) 12 | Width (feet) N/A: Steel Pits | | | |
| Depth fr | om ground level to de | | 3 (feet) No Pit | | | |
| If the pit is lined give a brief description of the material, thickness and installation procedure | | | dures for periodic maintenance and determining | | | |
| material, inickness and installation procedure | | inter integrity, ii | ncluding any special monitoring. | | | |
| | | | | | | |
| | | | | | | |
| Distance to nearest water well within one-mile | of pit | Depth to shallo | west fresh water0 feet. | | | |
| None | | Source of infor | | | | |
| Emergency, Settling and Burn Pits ONLY: | | | over and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: fresh water | | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized:1 | | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: evaporate and fill in | | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must t | pe closed within 365 days of spud date. RECEIVED | | | |
| KANSAS CORPORATION COMMISS hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | | |
| | | \bigcap | JUN 0 5 2008 | | | |
| 6-2-08 | | L'ale | CONSERVATION DIVISION WICHITA, KS | | | |
| Date | | Si | grature of Applicant or Agent | | | |
| | KCC (| OFFICE USE ON | | | | |
| Date Received: 4/5/08 Permit Number | ber: | Permi | t Date: 6/5/08 Lease Inspection: Yes No | | | |