For KCC Use:	/ ME .5D
Effective Date:	6-15-40
District #	4
COAC	. 17/1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	e (5) days prior to commencing well
Expected Spud Date: September 15th 2008 month day year	Spot Description: _60' W of W/2 of NW of N =
5145	(Q/Q/Q/Q/Q) 1.320 Sec. 35 Wp. 5 S R. 25 Line of Section
OPERATOR: License#	feet from E / X W Line of Section
Name: Dreiling Oil, Inc. Address 1: P.O. Box 550	Is SECTION: Regular Irregular?
Address 2: City: Hays State: Ks. Zip: 67601 + 0550	(Note: Locate well on the Section Plat on reverse side) County: Sheridan
Contact Person: Terry W. Piesker	Lease Name: Sulor Well #: 9
Phone: 785-625-8327	Field Name: Overlook
CONTRACTOR: License#_33575	Is this a Prorated / Spaced Field?
Name: _WW Drilling, LLC	Target Formation(s): Lansing/Kansas City
Mall Deillard France Mall Classes Time Foreignments	Nearest Lease or unit boundary line (in footage): 570'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Est.2500' feet MSL
⊠Oil Enh Rec ⊠Infield ⊠Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water: 13807 / 250
	Surface Pipe by Alternate: I XII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 4000'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Conglomerate
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #;
Bottom Hole Location:	
	(Note: Apply for Permit with DWR
	Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:
KCC DKT #:AFF	Will Cores be taken?
KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken?
KCC DKT #: AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	Will Cores be taken?
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COM
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. A drilling rig; by circulating cement to the top; in all cases surface pipe shall be set conservation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. A drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Fict office on plug length and placement is necessary prior to plugging; ITA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Addilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Fict office on plug length and placement is necessary prior to plug Wilgti TA, KS led or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plut t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; By circulating cement to the top; in all cases surface pipe shall be set conservation. First office on plug length and placement is necessary prior to pluggifieth to the doring of the complete shall be set conservation. First office on plug length and placement is necessary prior to pluggifieth to the doring of the pluggifieth to the surface within 120 DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the constant of the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Addilling rig; by circulating cement to the top; in all cases surface pipe shall be set conservation. First office on plug length and placement is necessary prior to pluggiff. TA, KS are deed or production casing is cemented in; and placement in the set conservation of the top; in all cases surface pipe shall be set conservation. First office on plug length and placement is necessary prior to pluggiff. TA, KS are deed or production casing is cemented in; and placement in the set conservation of the top; in all cases surface pipe shall be set conservation. First office on plug length and placement is necessary prior to pluggiff. TA, KS are deed or production casing is cemented in; and placement in the top; in all cases surface pipe shall be set conservation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Addilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Fict office on plug length and placement is necessary prior to plugging; ITA, KS led or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Addilling rig; By circulating cement to the top; in all cases surface pipe shall be set conservation division. Find office on plug length and placement is necessary prior to pluggiff. TA, KS and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Addilling rig; By circulating cement to the top; in all cases surface pipe shall be set conservation division. Find office on plug length and placement is necessary prior to pluggiff. TA, KS and or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. First office on plug length and placement is necessary prior to pluggiffell TA, KS and or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Explor Man.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. A drilling rig; By circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Fict office on plug length and placement is necessary prior to plugylight TA, KS led or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Explor Man.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: Date: Signature of Operator or Agent.	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Fict office on plug length and placement is necessary prior to plugging! TA, KS led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B". Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the boundary. Signature of Operator or Agents. For KCC Use ONLY API # 15 - 179 - 2 12 00 - 0000	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. First office on plug length and placement is necessary prior to plug length and placement on the surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders;
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the distriction of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the because of the spud state of t	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Incit office on plug length and placement is necessary prior to plug Will HTA, KS and or production casing is cemented in; do from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Explor. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the distriction of the intensity of the spropriate distriction of the sproduction pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the boundary. For KCC Use ONLY API # 15 - 179 - 21200-0000 Conductor pipe required 1900 feet per ALT. If I I I I I I I I I I I I I I I I I I	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. First office on plug length and placement is necessary prior to plugging; ITA, KS led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date: - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 50 days):
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the broate: Signature of Operator or Agent. For KCC Use ONLY API # 15 - 179 - 2 12 00 - 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I Fill Approved by: Minimum surface pipe required feet per ALT.	Will Cores be taken? If Yes, proposed zone: FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be set to set of plug length and placement is necessary prior to plug length and placement in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing applugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the distriction of the intensity of the spropriate distriction of the sproduction pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the boundary. For KCC Use ONLY API # 15 - 179 - 21200-0000 Conductor pipe required 1900 feet per ALT. If I I I I I I I I I I I I I I I I I I	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; By circulating cement to the top; in all cases surface pipe shall be set conservation DIVISION of the confice on plug length and placement is necessary prior to plugsing. If the production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Pest of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the both Date: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; By circulating cement to the top; in all cases surface pipe shall be set to underlying formation. First office on plug length and placement is necessary prior to plugging. If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boundary. For KCC Use ONLY API # 15 - 179 - 2 12 00 - 0000 Conductor pipe required Nove feet Minimum surface pipe required feet Approved by: Well 1009 This authorization expires: Union9	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ingging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; By circulating cement to the top; in all cases surface pipe shall be set conservation DIVISION of the confice on plug length and placement is necessary prior to plugsing. If the production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Pest of my knowledge and belief. File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 179-21200000	
Operator: Dreiling Oil, Inc.	Location of Well: County: Sheridan
Lease: Sutor	1,320 feet from N / S Line of Section
Well Number: 9	570 feet from E / X W Line of Section
Field: Overlook	Sec. 30 Twp. 8 S. R. 26 E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: 60'W - W/2 - NW - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

r								1
	1	:				:		١.
	3	;	:		:	:	:	Ι.
	1 .	;	:		:	:	:	
	1320	•	•	1	•	•	•	
*******	I - John Sel.			*******	*******		******	
	1	:	:			:		
	ł	:	:			:	:	1
Em'	Ŀ		:		:	:	:	
- XA	Sutro	C #4	•		•	•	•	
70	Suto		*********					
	:	:	:		:	:	:	i
1	:	:	:				:	ŀ
	:	:	:	:	:	:	:	Ì
	:	:	:	:		-	:	١.
*******					,		********	:
	1	:	:		:		:	
	:	:	:		:		:	i
	:	:		!		:	:	
	:			~			:	
ļ			3	<i>O</i>				1 :
		•	_					
		:						
	:		:	:			:	
!	•	•				•		
				:			•••••	
	:		:					
	:		:	:			:	
	:	-			:			
1				<i></i>				
1							:	
:	:		:				:	
			•				.	
	1 * * * * * * *			,,,,,,,,,	********			1
:	:		:	:			:	
\			:				:	
1		:	:	;			;	

RECEIVED KANSAS CORPORATION COMMISSION

JUN 0 9 2008

CONSERVATION DIVISION WICHITALKS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections at
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

	5-W	<u> </u>				
Operator Name: Dreiling Oil, Inc.			License Number: 5145			
Operator Address: P.O. Box 550			Hays	Ks. 67601		
Contact Person: Terry W. Piesker			Phone Number: 785-625-	8327		
Lease Name & Well No.: Sutor	9		Pit Location (QQQQ):			
Type of Pit:	Pit is:		wa wa	New		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 30 Twp. 8 R. 26	East West		
Settling Pit Drilling Pit	If Existing, date of	onstructed:	1 220	rth / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		570 Feet from Eas	st / West Line of Section		
(If WP Supply API No. or Year Drilled)	2,500	(bbls)	Sheridan	County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: (For Emergency Pits at	ŭ		
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic line			
Yes No	Yes X	No	Native Mud and Fresh Wate	er Mud		
Pit dimensions (all but working pits):8	O Length (fe	eet)80	Wildth (feet)	N/A: Steel Pits		
Depth fro	om ground level to de	eepest point:	5(feet)	No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and ncluding any special monitoring.	d determining		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	3	feet.		
feet Depth of water well	90 feet	measu		ectric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	ectric log KDWR		
Producing Formation:		Type of materia	al utilized in drilling/workover: Fresh	Water Mud		
Number of producing wells on lease:		Number of wor	king pits to be utilized:3			
Barrels of fluid produced daily:		Abandonment	procedure: Evaportation and	l Backfill		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must	pe closed within 365 days of spud d	late.		
I hereby certify that the above state	ments are true and o	correct to the bes	t of my knowledge and belief.	RECEIVED		
6-5-68 Date	O	Terry !	U Rieskon ignature of Applicant or Agent	JUN 0 9 2008 SONSERVATION DIVISION		
	KCC	OFFICE USE O	NLY Steel Pit	RFAC RFAS RFAS		
Date Received: 6 9 08 Permit Number	ber:	Perm	it Date: ৬ (৭ (১১ Lease Ins	pection: Yes No		