For KCC Use: 6-10-08 Effective Date: District # SGA? Tyes Tho KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION NOTICE OF INTENT TO DRILL

Form C-1 October 2007 Form must be Typed
Form must be Signed

and the absence of the contract of the contrac	(5) days prior to commencing well
Expected Spud Date: June 16 2008 month day year	Spot Description
	G se1/4 se1/4 Sec 27 Twp 4 S. R. 39 ☐ E 🗙 W
OPERATOR: License#	660 teet from N / X S Line of Section
Name: Onesource Financial Services inc	660 feet from X E / W Line of Section
Address 1: 5800 Padre Blvd	Is SECTION: Regular Inregular?
Address 2: suite 210	(Note: Locate well on the Section Plat on reverse side)
City: South Padre island State: * Zip: 78597 +	County: Cheyenne
Contact Person. Justin McAtee	Lease Name: Andrist Well #: 2-27
Phone: 785 332 4260	Field Name: Wheeler
CONTRACTOR: License# 8273	is this a Prorated / Spaced Field?
Name: EXCELL Services INC	Target Formation(s): Niobrara
	Nearest Lease or unit boundary line (in footage): 660
Well Drilled For: Well Class: Type Equipment:	3510
Oil Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 270'
Seismic , # of Holes Other Other:	Depth to bottom of usable water. 270'
CRIES.	Surface Pipe by Alternate: XI Tu
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 350'
Operator:	Length of Conductor Pipe (if any)
Operator: Well Name:	Projected Total Depth; 1500'
Original Completion Date Original Total Depth:	Formation at Total Depth: Cretaceous system
	Water Sourge for Drilling Operations
Directional, Deviated or Horizental wellbore? Yes No	Well Farm Pond Other:
Yes, true vertical depth:	
Sottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR
CC DKT #:	Will Cores be taken? ☐ Yes ☒ No
	If Yes, proposed zone:
	RECEIVED
	IDAVIT KANSAS CORPORATION COMMI
he undersigned hereby affirms that the drilling, completion and eventual plug	rating of this well will abrordy with K.S. & S.E. at and
	gging or the wor win spright with K.O.A. 35 Bt. Sec.
is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	JUN 1 0 2008
Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each to	JUN 1 0 2008
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 6. The minimum amount of surface pipe as specified below <i>shall be set</i> b. 	JUN 1 0 2008 drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall begrefitta. KS
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each if The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 	JUN 1 0 2008 drilling rig: CONSERVATION DIVISION underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each if The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feel into the If the well is dry hole, an agreement between the operator and the distri 	drilling rig: CONSERVATION DIVISION by circulating cement to the top: in all cases surface pipe shall boxechita, KS underlying formation. ict office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each in the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall boxechita, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of sound date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each if the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feel into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig: CONSERVATION DIVISION by circulating cement to the top: in all cases surface pipe shall boxechita, KS underlying formation. Interpret of plug length and placement is necessary prior to plugging; and or production casing is demented in; Inform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be elemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted. 	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall benefitta, KS underlying formation. Interpret of the top; in all cases surface pipe shall benefitta, KS underlying formation. Interpret of the top; in all cases surface pipe shall benefitta, KS underlying formation. Interpret of the top; in all cases surface pipe shall benefit to plugging; Interpret of the top; in all cases surface pipe shall benefit to plugging; Interpret of the top; in all cases surface pipe shall benefit to plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each orange. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig: CONSERVATION DIVISION by circulating cement to the top: in all cases surface pipe shall benefitta, KS underlying formation. Interpret of plug length and placement is necessary prior to plugging; and or production casing is cemented in: If om below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the spud that the statements made herein are true and correct to the be	drilling rig: CONSERVATION DIVISION by circulating cement to the top: in all cases surface pipe shall benefitta, KS underlying formation. Interpret of plug length and placement is necessary prior to plugging; and or production casing is cemented in: If om below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the state of the shall be proceed to the state of the shall be proceed to the shall	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall benefitta, KS underlying formation. Interpret of the top; in all cases surface pipe shall benefitta, KS underlying formation. Interpret of the top; in all cases surface pipe shall benefitta, KS underlying formation. Interpret of the top; in all cases surface pipe shall benefit to plugging; Interpret of the top; in all cases surface pipe shall benefit to plugging; Interpret of the top; in all cases surface pipe shall benefit to plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because. Signature of Operator or Agent:	drilling rig: CONSERVATION DIVISION by circulating cement to the top: in all cases surface pipe shall benefitta, KS underlying formation. Interpret of plug length and placement is necessary prior to plugging; and or production casing is cemented in: If om below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because. Signature of Operator or Agent: For KCC Use ONLY	drilling rig: CONSERVATION DIVISION by circulating cement to the top: in all cases surface pipe shall boundfilta, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because. Signature of Operator or Agent: For KCC Use ONLY API # 15 2 3 - 2 10 40 - 00000	drilling rig: CONSERVATION DIVISION by circulating cement to the top: in all cases surface pipe shall benefit A, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is demented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Part of the prior to any cementing. Title: If a graphication (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O23 - 21040-0000 Conductor pipe required.	drilling rig: CONSERVATION DIVISION by circulating cement to the top: in all cases surface pipe shall benefitta, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is gemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. and the prior to any cementing. Title: If a case of the prior to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of the surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: Complete the completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: Complete the completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: Complete the completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because of the spud date or the well shall be provided by the complete of the spud date or the well shall be provided by the complete of the spud date or the well shall be provided by the complete of the spud date or the well shall be provided by the complete of the spud date or the well shall be provided by the complete of the spud date or the well shall be provided by the complete of the spud date or the well shall be provided by the complete of the spud date or the well shall be provided by the complete of the spud date or the well shall be provided by the complete of the spud date or the provided by the complete of the spud d	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall benefitta, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: If you have to brill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be ceremited Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. Signature of Operator or Agent: For KCC Use ONLY API #15	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by defitta, KS underlying formation. Interpretation of the top; in all cases surface pipe shall by defitta, KS underlying formation. Interpretation casing is demented in; Interpretation cases, NOTIFY district office prior to any dementing plugged. In all cases, NOTIFY district office prior to any dementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the becate: Signature of Operator or Agent: For KCC Use ONLY API #15	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall benefitta, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 Elle Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field protation orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the becate: Signature of Operator or Agent: For KCC Use ONLY API #15 - O23 - 21040-000 Conductor pipe required	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by defitta, KS underlying formation. Interpretation of the top; in all cases surface pipe shall by defitta, KS underlying formation. Interpretation casing is demented in; Interpretation cases, NOTIFY district office prior to any dementing plugged. In all cases, NOTIFY district office prior to any dementing. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the becate: Signature of Operator or Agent: For KCC Use ONLY API #15	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall benefitta, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is demented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II dementing plugged. In all cases, NOTIFY district office prior to any dementing. Best of my knowledge and belief. Title: Title: Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field protation orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the becate: Signature of Operator or Agent: For KCC Use ONLY API #15 - O23 - 21040 - OOO Conductor pipe required	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by defilta, KS underlying formation. Interpretation of the top; in all cases surface pipe shall by defilta, KS underlying formation. Interpretation casing is demented in; Interpretation cases, NOTIFY district office prior to any dementing plugged. In all cases, NOTIFY district office prior to any dementing. Interpretation casing is demented in; Interpretation date: Interpretation plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the between the control of the spud date or the well shall be produced by the control of the spud date or the well shall be produced by the control of the spud date or the well shall be produced by the control of the spud date or the well shall be produced by the control of the spud date or the well shall be produced by the control of the spud date or the shall be produced by the control of the spud date or the spud date or the well shall be produced by the control of the spud date or the spud date or the date or the date or the spud date or the spud date or the da	drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall benefitta, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is demented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II dementing plugged. In all cases, NOTIFY district office prior to any dementing. Best of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field protation orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the

proposed a	icreage attributio	in unit for oi	wells.									
************	023-8	1040	-000C)								
API No. 15	Onesource Financ	al Services in	c			1 1 73		Chowanaa				
Operator: Oriesource Financial Services inc Lease: Andrist						Location of V	Well: Co	County: Cheyenne				
Well Number: 2-27 Field: Wheeler					VA.FA (MFC/F/FALFL)	** 1171.581 THE RESIDENCE AND ADDRESS OF THE PARTY OF THE		feet from N / X S Line of Section				
											e of Section	
Field: Y	***************************************	., ,,	/A			Sec. <u>27</u>	Twp	s. <u>4</u> S. I	R. 39	€ 🔀] w	
Number of	Acres attributab	le to well: 1	0			(n. 0- m)	5					
QTR/QTR/	QTR/QTR of ac	eage: _C	_ se1/4	, se1/4 _		Is Section:	M He	egular or 🔲 In	regular			
		_				If Caption is	Imaaii	lar, locate well f				
								I: NE N			dary.	
						Section com	ier useu	, ME MIN	w∟s⊧∟	sw		
										,		
					PL	ΔT						
		(Show	location of th	ie well and st			or prorat	ted or spaced we	elle)			
		1 400 1400				lease or unit bo						
			,				,					
		:	į		;	•						
							1					
						į			100.00	RE	CEIVED	
	:	:	:		:	:			KANS	AS CORPO	RATION COMMISSIO	
			:	:		:				11.164		
										JUN	1 0 2008	
		;	:	!	:	;				COMOTO		
					:	:	`			CONSERVA	ATION DIVISION HITA, KS	
		:				1				****	mira, KS	
		:	: 2	7	•	:		EXAMPLE				
			: 2	1	1	•				:		
		;			:	•		*********		7		
	·						.		o-	1980		
	ŧ	;	:	;	;	:						
		<u>;</u>							10 = =	J		
					·····(^)		6/2/2	<i>U</i>	3390	:		
		:			Ţ	:						
	A	drist 1	.27	:	ŧ					******		
	,,,,,,,	A115		********		***** *******		:		:		
	<u>ال</u> م ا		:	:		:			Ė	:		
	· · · · · · · · · · · · · · · · · · ·	7		•	ļ	:		SEWARD CO			1	
	·	*		*	ş.	-						

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Onesource Financial Services inc				Number: 34077	
Operator Address: 5800 Padre Blv	d	e 210	South Padre island tx 7859	7	
Contact Person: Justin McAtee				Number: 785 332 4260	
Lease Name & Well No.: Andrist 2-27				ition (QQQQ):	
Type of Pit:	Pit is:		С	se1/4 se1/4 .	
Emergency Pit Burn Pit	Proposed	Existing		7 Twp. 4 R. 39 East West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:		Feet from North / South Line of Section	on
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		660	Feet from East / West Line of Section	on
(II We Joppy At The Green Common		(bbls)	Cheye	Onne Coun	ty
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride	concentration: mg/	
is the bottom below ground level?	Artificial Liner?		How is t	(For Emergency Pits and Settling Pits only) he pit lined if a plastic liner is not used?	Total calculate
Yes No	Yes XI	No			
Pit dimensions (all but working pits):					
Depth fi	rom ground level to de	epest point:	5	(feet) No Pit	_
If the pit is lined give a brief description of the material, thickness and installation procedure		,		periodic maintenance and determining ny special monitoring.	
plastic		N/A			2
					023-
					1
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor		water 135 feet	10
n/a 1054 feet Depth of water well	⊋67 feet	measu	ured 🔀	well owner electric log KDWR	21040-000
Emergency, Settling and Burn Pits ONLY:	:	-		Haul-Off Pits ONLY:	\dot{g}
Producing Formation:		1		n drilling/workover: Gel	- X
Number of producing wells on lease:		i		be utilized: 4 sairdry and back fill	
Barrels of fluid produced daily: Does the slope from the tank battery allow al		roansonnen	procedure	MINIT MINITED	
flow into the pit? Yes No		Drill pits must	be closed	within 365 days of spud date. RECE KANSAS CORPORAT	
I hereby certify that the above state	ements are true and o	correct to the bes	st of my kn	owledge and belief.	
Le 5 108	(Lewis) Signature o	JUN 1 (CONSERVATION Applicant or Agent WICHIT	ON DIVISION
	KCC	OFFICE USE O	NLY	Steel Pit RFAC RFAS RFAS	
Date Received: 6 to 8 Permit Nun	nber:	Perm	nit Date:	6/10/08 Lease Inspection: Yes No	