

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form Ci October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing we

	i	
Expected Spud Date: June 25, 2008	Spot Description: 30' North and 450' East of	
month day year	C NE NE Sec. 36 Two 17 S. R. 14	w
OPERATOR: License#	(Q/Q/Q/Q) 630 feet from N / S Line of Sect	
Name: Teton North America LLC	1,110 feet from XE / W Line of Sect	ion
Address 1: P.O. Box 1378	Is SECTION: Regular Inregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Hays State: KS Zip: 67601 +	County: Barton	
Contact Person: Brian Karlin	Lease Name: Patton Trust Well #: 2-36	
Phone: 785-623-3290	Field Name: Boyd	
CONTRACTOR: License#5142	Is this a Prorated / Spaced Field?	in
Name: Sterling Drilling Company	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 630'	
☑Oil ☐ Enh Rec ☑Infield ☑ Mud Rotary	Ground Surface Elevation: 1857 feet MS	SL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Vo
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 200'	
Other:	Depth to bottom of usable water: 360'	
	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: +/- 825'	
Operator:	Length of Conductor Pipe (if any): none	_
Well Name:	Projected Total Depth:+/- 3500'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	WellFarm PondOther:	
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR	
	Will Cores be taken?	No.
	If Yes, proposed zone:	_
A F-F-	If Yes, proposed zone:RECEIVED	
	If Yes, proposed zone: RECEIVED RANSAS CORPORATION CO	
The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone: #ECEIVED **ANSAS CORPORATION CO gging of this well will comply with K.S.A. 55 et. seq.	 PMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED RANSAS CORPORATION CO	 PMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: ###################################	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: RECEIVED **ANSAS CORPORATION CO gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig;	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: ###################################	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	If Yes, proposed zone: RECEIVED **ANSAS CORPORATION CO Grilling rig; ONSERVATION DIVIS Output of the top; in all cases surface pipe shall be s	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg.	If Yes, proposed zone: RECEIVED **ANSAS CORPORATION CO Grilling rig; ONSERVATION DIVIS Output drilling cement to the top; in all cases surface pipe shall be defitta. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: **RECEIVED** **CEIVED** **CANSAS CORPORATION CO **CONSERVATION DIVIS **DY circulating cement to the top; in all cases surface pipe **shall be*** **In underlying formation.** ict office on plug length and placement is necessary **prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within **120 DAYS** of spud date.**	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either pluggen. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: **RECEIVED** **RANSAS CORPORATION CO.* **JUN 16 200** **ONSERVATION DIVIS* **ONSERVA	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	IT Yes, proposed zone: RECEIVED KANSAS CORPORATION CO Grilling rig; ONSERVATION DIVIS Output office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	ITEMAIN ASSET OF PORATION OF CONSERVATION DIVISOR OF PORATION CONSERVATION DIVISOR OF PORATION CONSERVATION DIVISOR OF PORATION DIVISOR DIVISOR OF PORATION DIVISOR OF PORATION DIVISOR OF PORATION DIVISOR DI	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	IT Yes, proposed zone: RECEIVED KANSAS CORPORATION CO Grilling rig; ONSERVATION DIVIS Output office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be 6.13 2008.	TIDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with ITA. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Production Foreman Title:	MMISSION 8 SION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be 6.13 2008.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig: ONSERVATION DIVIS oy circulating cement to the top; in all cases surface pipe shall be shift A. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Production Foreman Title: Production Foreman	MMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with ITA. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Production Foreman Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	MMISSION 8 SION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the complete of the statements of the production of the pluggent of the statements of the spud date or the well shall be surface to the statements of the spud date or the well shall be sufficiently that the statements made herein are true and correct to the best of the spud date of the well shall be sufficiently that the statements made herein are true and correct to the best of the spud date of the well shall be sufficiently that the statements made herein are true and correct to the best of the sufficient of the spud date of the well shall be sufficiently that the statements made herein are true and correct to the best of the spud date of the well shall be sufficiently that the statements made herein are true and correct to the best of the spud date of the well shall be sufficiently that the statements made herein are true and correct to the spud date of the well shall be sufficiently that the statement of the sufficiently that the statement of the spud date of the sufficiently that the statement of the sufficiently that the statement of the sufficient	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with ITA. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Production Foreman Title: Production Foreman File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	9 8 5 5 1 3 1
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the broader. Signature of Operator or Agent: **DACE** For KCC Use ONLY API # 15 - OO 9 - 2 S 2 1 9 - OOOO feet.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with ITA. KS anderlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Production Foreman Title: Production Foreman File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	MMISSION 8 SION
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the broader. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO 9 - 2 S 2 1 9 - OOOO feet. Conductor pipe required feet. Minimum surface pipe required feet per ALT.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig; by circulating cement to the top; in all cases surface pipe shall be 6617A. KS anderlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Production Foreman Title: Production Foreman Title: Production Foreman File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	9 8 5 5 1 3 1
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be compented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the boundary. For KCC Use ONLY API # 15 - OO 9 - 2 5 2 1 9 - OOOO	TIDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with ITA. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Production Foreman Title: Production Foreman Title: Production Foreman File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	98 Sion 36 17
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the broader. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO 9 - 2 S 2 1 9 - OOOO feet. Conductor pipe required feet. Minimum surface pipe required feet per ALT.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig; by circulating cement to the top; in all cases surface pipe shall be shift A.KS and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Production Foreman Title: Production Foreman Title: Production Foreman Title: Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	96 17 1
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugging 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of Operator or Agent: For KCC Use ONLY	TIDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with ITA. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Production Foreman Title: Production Foreman Title: Production Foreman Title: Production Foreman Title: Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	96 17 1
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the broader. For KCC Use ONLY	IDAVIT Grant San Corporation of Comply with K.S.A. 55 et. seq. Grant San Corporation of Conservation of Conservation of Conservation Division Division of Conservation Division Divisi	96 17 1
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be completed. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be into the spud date or the well shall be into the spud date or the well shall be into the spud date or the well shall be into the spud date or the well shall be into the spud date or the well shall be into the spud date or the well shall be into the spud date or the well shall be shall be into the spud date or the well shall be shall be remarked to the spud date or the spud date or the well shall be shall be shall be remarked to the shall be shall be shall be remarked to the shal	TIDAVIT gging of this well will comply with K.S.A. 55 et. seq. JUN 16 200 drilling rig; by circulating cement to the top; in all cases surface pipe shall be with ITA. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Production Foreman Title: Production Foreman Title: Production Foreman Title: Production Foreman Title: Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	96 17 1

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-25219-0000		
Operator: Teton North America LLC	Location of Well:	County: Barton
Lease: Patton Trust	630	feet from X N / S Line of Section
Well Number: 2-36	1,110	feet from X E / W Line of Section
Field: Boyd	Sec. 36 T	wp. <u>17</u> S. R. <u>14</u> E 🔀 W
Number of Acres attributable to well:		
QTR/QTR/QTR/QTR of acreage: C _ NE _ NE	Is Section:	Regular or Irregular
	If Section is Irreg Section corner us	gular, locate well from nearest corner boundary. ed: NE NW SE SW
	PLAT d shade attributable acreage for pro- to the nearest lease or unit bounda	
	: 4.781 :	
	630'	
	1177	
	1410	RECEIVED
		KANSAS CORPORATION COMMISSION
		JUN 16 2008
	· · ·	CONSERVATION DIVISION WICHITA, KS
		EXAMPLE
		0—1980
		100
		3390'
		SEWARD CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Teton North America LLC		Lice	nse Number: 34110	
Operator Address: P.O. Box 1378			Hays KS 67601	
Contact Person: Brian Karlin		Phor	e Number: 785-623-3290	
Lease Name & Well No.: Patton Trust 2-36		Pit L	ocation (QQQQ):	
Type of Pit:	Pit is:		app	C _ NE _ NE
Emergency Pit Burn Pit	Proposed	Existing	Sec.	
Settling Pit Drilling Pit	If Existing, date of	constructed:		30 Feet from North / South Line of Section
☐ Workover Pit ☐ Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:			Feet from East / West Line of Section
	3,000	(bbis)	Ваг	ton County
Is the pit located in a Sensitive Ground Water	Area? Yes	No-	Chlori	de concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	No	1	is the pit lined if a plastic liner is not used? With soil and fresh mud.
Pit dimensions (all but working pits):7	O Length (fr	Pet) 70	<u> </u>	idth (feet) N/A: Steel Pits
Pit dimensions (all but working pits): Length (feet) W Depth from ground level to deepest point:5			5	(feet) No Pit
		or periodic maintenance and determining any special monitoring.		
				sh water <u>'7</u> feet.
			sh water '7feet.	
Source of information 353 (feet Depth of water well			well owner electric log KDWR	
		over an	l ,	
Producing Formation: Type of material		al utilize	d Haul-Off Pits ONLY: d in drilling/workover: fresh mud	
1		-	to be utilized: 3	
Barrels of fluid produced daily: Abandonment p		procedu	re: Allow liquid to evaporate. Let cuttings dry and then backfill.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must t		be close	d within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my k			nowledge and belief. KANSAS CORPORATION COMMISSI	
6-13-2008 Date		Brian	/ 19 ignature	JUN 16 2008 of Applicant or Agent CONSERVATION DIVISION WICHITA. KS
KCC OFFICE USE ONLY		NLY	Steel Pit RFAC RFAS	
Date Received: ၆/۱५ (ರ್. Permit Numi	ber:	Permi	it Date:_	6 17 08 Lease Inspection: Yes No