# For KCC Use: Effective Date: District #

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

October 2007 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

# NOTICE OF INTENT TO DRILL

Must be approved by NCC live (	5) days prior to commencing well
Expected Spud Date: July 9, 2008	Spot Description:
month day year	SE - SW - NE Sec. 21 Twp. 23 S. R. 21 XE W
OPERATOR: License# 31322 ✓	(Q/O/Q/Q) 2,952 feet from N / X S Line of Section
Name: Larry Hoepker	2,296 feet from E / W Line of Section
Address 1: 1745 Georgia Road	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Humboldt State: KS Zip: 66748 +	County: Allen
Contact Person: Larry Hoepker	Lease Name: Rife Well #: 1
Phone: (620) 473-3557	Field Name: wildcat
CONTRACTOR: License# 33977	Is this a Prorated / Spaced Field?
Name: E.K. Energy, LLC	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 312'
	Ground Surface Elevation: n/a feet MSL
Oil / DEnh Rec Dinfield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Rine by Alternate:
lif OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any): none
Well Name:	Projected Total Depth: 860'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:  RECEIVED
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  y circulating cement to the top; in all cases surface pipe shaft WESTA. KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall WE WEA. KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall WENDA. KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition. If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall WENDA. KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the distriction of the dist	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  crilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall WEWA. KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall WE WEA. KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the inte	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  conservation division y circulating cement to the top; in all cases surface pipe shall WE WHA. KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing obugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the inte	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  crilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall WE WHA. KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  Conservation division y circulating cement to the top; in all cases surface pipe shall WE BHA. Ks underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Agent  Title:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the inte	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  CONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe shall WE WHA. KS  underlying formation.  of office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing brugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Title:  Remember to:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office <i>prior</i> to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be completed. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the production of the statements made herein are true and correct to the best of the complete of the spud date.  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  conservation division  conservation  conservation division  conservation division  conservation division
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the best plane 19, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - DOI - 29 777 7 - 0000	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall WE WHA. KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the driving that the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in hereby certify that the statements made herein are true and correct to the because.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - DOI - 29 777 - OOOO  Conductor pipe required feet	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  Conservation division or circulating cement to the top; in all cases surface pipe shall WE WHA. Ks underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  St of my knowledge and belief.  Agent  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the beat materials.  For KCC Use ONLY  API # 15 - DOI - 29 777 - OCCO  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  Conservation division or circulating cement to the top; in all cases surface pipe shall WE WHA. KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It is a file Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the because.  For KCC Use ONLY  API # 15 - DOI - 29 777 7 - OOOO  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  Conservation division  confice on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the intent of the shall be posted on each of the intent of the intent of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the shall be well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the statements made herein are true and correct to the best puncture.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the statements made herein are true and correct to the best of the puncture of Operator or Agent:  For KCC Use ONLY  API #15 - DOI - 29 77 7 - OOO  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  CONSERVATION DIVISION  or circulating cement to the top; in all cases surface pipe shall WE WA. KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  st of my knowledge and belief.  Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the beautyper of return to the address below at the second of the place and return to the address below at the place and solvers to the address below at the place and solvers and return to the address below at the place and solvers and s
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the destrict office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the between the plant of the pla	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  conservation division cit office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing brugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the become become and the district office will be plate:  For KCC Use ONLY  API # 15 - DOI - 29 777 - 0000  Conductor pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet  Approved by:  Public - 23 - 08  This authorization expires: 6 - 23 - 09  (This authorization void if drilling not started within 12 months of approval date.)	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  CONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe shall WE WA. KS  underlying formation.  ot office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:  "Title: In this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Drilled - Permit Expired Date:  "Title: In this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Drilled - Permit Expired Date:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the intent of the shall be posted on each of the intent of the intent of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the shall be well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the statements made herein are true and correct to the best puncture.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the statements made herein are true and correct to the best of the puncture of Operator or Agent:  For KCC Use ONLY  API #15 - DOI - 29 77 7 - OOO  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.  JUN 2 0 2008  drilling rig;  conservation division cit office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing brugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29777-0000	
Operator: Larry Hoepker	Location of Well: County: Allen
Lease: Rife	2,952 feet from N / X S Line of Section
Well Number: 1	2,952 feet from N / X S Line of Section 2,296 feet from X E / W Line of Section
Field: wildcat	Sec. 21 Twp. 23 S. R. 21 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: SE - SW - SW - NE	——————————————————————————————————————
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

	****	
Operator Name: Larry Hoepker		License Number: 31322
Operator Address: 1745 Georgia Road		Humboldt KS 66748
Contact Person: Larry Hoepker		Phone Number: (620) 473-3557
Lease Name & Well No.: Rife 1		Pit Location (QQQQ):
Type of Pit:  Pit is:    Emergency Pit	posed Existing	SE _ SW _ SW _ NE _ Sec 21 _ Twp 23 _ R 21 _ XEast _ West
	, date constructed:	2,952 Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capaci 240	ty: (bbls)	2,296 Feet from East / West Line of Section Allen County
Is the pit located in a Sensitive Ground Water Area?	es No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No  Artificial L	5.71	How is the pit lined if a plastic liner is not used?  native clay
,	ength (feet) 8	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		edures for periodic maintenance and determining including any special monitoring.  RECEIVED KANSAS CORPORATION CO  JUN 20200
Distance to nearest water well within one-mile of pit	Depth to shall Source of info	
Emergency, Settling and Burn Pits ONLY:	_	cover and Haul-Off Pits ONLY:
Producing Formation:		al utilized in drilling/workover: Drilling Mud
Number of producing wells on lease:  Barrels of fluid produced daily:	ł	procedure: Let air dry and backfill
Does the slope from the tank battery allow all spilled fluids flow into the pit? Yes No	os to Drill pits must	be closed within 365 days of spud date.
I hereby certify that the above statements are tr	rue and correct to the bes	st of my knowledge and belief.
6-19-08 Date	Donna	be closed within 365 days of spud date.  It of my knowledge and belief.  Manda  Signature of Applicant or Agent
	KCC OFFICE USE C	NLY Steel Pit RFAC RFAS
Date Received: 6/20/08 Permit Number:	Perm	nit Date 4/20/08 Lease Inspection: Yes Mo