For KCC Use:	6-29-08
Effective Date:	7 - 100
District #	2

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# October 2007 Form must be Typed Form must be Signed

Form C-1

SGA? Yes VNo  NOTICE OF INTENT TO DRILL  Must be approved by KCC five (5) days prior to commencing well					Form must be Signed All blanks must be Filled		
Eupoatad Caud Date:	JULY	18	2008	Spot Description: 991/4-rw1/4-ne1/4-se1/4			
Expected Spud Date:	month	day	year	se1/4 mv1/4 ne1/4 se1/4 Sec. 11 Twp. 35	. n 11	7	
	32049				S. R. 11 XE		
OPERATOR: License#			a programma is a contract of the state of th	leet non	E / W Line of Se	ction	
70111701	reeman Oil Compa	7		Is SECTION: Regular Irregular?	ZE / M DIRE OL 26	CUON	
Address 1: 2505 Globe Ave	3100		TO THE THE STREET OF THE SETTINGS TO THE ASSESSMENT OF THE SET	is occinon. Anegular Integular:			
Address 2: City: Dallas	State: Texa	8 Zip: 75228	3 +	(Note: Locate well on the Section Plat	on reverse side)		
Contact Person: Eddie Bar	mington / Charles Barr	ington		County: CHAUTAUQUA Lease Name: LARRYY JONES	4.4		
Phone: 608-712-1020 / 214-				DCDI (CEDAN	Well #: 14	— ,	
CONTRACTOR: License#	5831			rieid Ivallie.		1./	
Name: MOKAT DRILLING	·			Is this a Prorated / Spaced Field?  Target Formation(s): Mississippi, Wieser, Peru	∐Yes X	ÎI <b>N</b> O	
				larger Formation(s):	20 Z		
Well Drilled For:	Well Class:	Type 5	quipment:	Nearest Lease or unit boundary line (in footage): 6  Ground Surface Elevation: 900		401	
Oil Fenh F	Rec XInfield		ud Rotary	Water well within one-quarter mile:	feet f		
Gas Store	* <b>=</b>		r Rotary	Public water supply well within one mile:	Yes X	INO L	
☐ ☐ ☐ Dispo		L_ICa	able	Depth to bottom of fresh water: 100		1140	
Seismic ; # c	of Holes Other			Depth to bottom of usable water:			
Coner :::				Surface Pipe by Alternate:			
If OWWO: old well	information as follows	<b>s</b> :		Length of Surface Pipe Planned to be set: 40 feet			
Operator: N/A				Length of Conductor Pipe (if any): n/a			
Well Name: N/A			w	Projected Total Depth: 2,500 feet	<del></del>		
Original Completion Da	ate: N/A Or	iginal Total De	epth: N/A	Formation at Total Depth: Mississippi			
<b>.</b>		<b>J</b>	/	Water Source for Drilling Operations:			
Directional, Deviated or Ho			Yes X No	Well Farm Pond Other:			
Yes, true vertical depth: N	VA.			DWR Permit #: N/A			
Bottom Hole Location: NA		<del></del>		(Note: Apply for Permit with DV	VR 🗹)		
KCC DKT #: NA				Will Cores be taken?	Yes X	No	
				If Yes, proposed zone:			
The undersigned hereby a t is agreed that the follow			n and eventual plug	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.	RECEIVE KANSAS CORPORATION	COMMIS	
<del>-</del>	-				JUN 2 3 20	300	
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> </ol>	•		· .	drilling rig:	0011 5 - 2		
through all unconso	olidated materials pli	us a minimum	elow shall be set b	y circulating cement to the top; in all cases surface pi	CONSERVATION OF	IVISION	
<ol> <li>The appropriate dis</li> <li>If an ALTERNATE !!</li> <li>Or pursuant to Appe</li> </ol>	strict office will be no I COMPLETION, pro endix "B" - Eastern I	tified before v eduction pipe Kansas surfac	erator and the distri well is either plugge shall be cemented ce casing order #13	underlying formation. ict office on plug length and placement is necessary ped or production casing is cemented in; from below any usable water to surface within 120 D 13,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to	WICHITA, KS prior to plugging; AYS of spud date. ternate II cementing	5	
<ol> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Appermust be completed</li> </ol>	strict office will be no I COMPLETION, pro endix "B" - Eastern I within 30 days of th	tified before v eduction pipe Kansas surfac e spud date c	erator and the distri well is either plugge shall be cemented be casing order #13 or the well shall be p	ict office on plug length and placement is necessary per or production casing is cemented in; from below any usable water to surface within 120 D is 3,891-C, which applies to the KCC District 3 area, all	WICHITA, KS prior to plugging; AYS of spud date. ternate II cementing	3	
The appropriate dis     If an ALTERNATE II     Or pursuant to Appenust be completed hereby certify that the sta	strict office will be no I COMPLETION, pro endix "B" - Eastern I within 30 days of th	tified before v eduction pipe Kansas surface e spud date c ein are true au	erator and the distri well is either plugge shall be cemented be casing order #13 or the well shall be p and correct to the be	ict office on plug length and placement is necessary per or production casing is cemented in; from below any usable water to surface within 120 D B3,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to the knowledge and belief.	WICHITA, KS prior to plugging; AYS of spud date. ternate II cementing	3	
The appropriate dis     If an ALTERNATE II     Or pursuant to Appropriate to Example the completed thereby certify that the states:  6/10/08	strict office will be no I COMPLETION, pro endix "B" - Eastern I within 30 days of the aternents made here	tified before v eduction pipe Kansas surface e spud date c ein are true au	erator and the distri well is either plugge shall be cemented be casing order #13 or the well shall be p and correct to the be	ict office on plug length and placement is necessary jed or production casing is cemented in; from below any usable water to surface within 120 D 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Vice F	WICHITA, KS  prior to plugging;  AYS of spud date.  remate II cementing o any cementing.	<b>1</b>	
The appropriate dis     If an ALTERNATE II     Or pursuant to Appring the completed thereby certify that the state:  6/10/08  For KCC Use ONLY	strict office will be not a COMPLETION, pro- endix "B" - Eastern it within 30 days of the aternents made here Signature of O	tified before voluction pipe (Ansas surface spud date ce ein are true and perator or Ag	erator and the distri well is either plugge shall be cemented be casing order #13 or the well shall be p and correct to the be	ict office on plug length and placement is necessary pad or production casing is cemented in; from below any usable water to surface within 120 D 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.    Company   Vice F	WICHITA, KS  prior to plugging;  AYS of spud date, remate II cementing o any cementing.  President  Drill;	11	
The appropriate dis     If an ALTERNATE II     Or pursuant to Appropriate to Example the completed thereby certify that the state:  6/10/08	strict office will be not I COMPLETION, preendix "B" - Eastern I within 30 days of the atements made here	tified before voluction pipe (Ansas surface spud date ce ein are true and perator or Ag	erator and the distri well is either plugge shall be cemented be casing order #13 or the well shall be p and correct to the be	ict office on plug length and placement is necessary jed or production casing is cemented in; from below any usable water to surface within 120 D 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Vice F  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp	WICHITA, KS  prior to plugging;  AYS of spud date, semate II cementing or any cementing.  President  Drill;  ud date;	11	
The appropriate dis     If an ALTERNATE II     Or pursuant to Appropriate distance di	strict office will be not I COMPLETION, preendix "B" - Eastern I within 30 days of the atements made here.  Signature of O	tified before voluction pipe (Ansas surface spud date ce ein are true and perator or Ag	erator and the distri well is either plugge shall be cemented ce casing order #13 or the well shall be p and correct to the be gent:	ict office on plug length and placement is necessary plus or production casing is cemented in; from below any usable water to surface within 120 D 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.    Vice F	WICHITA, KS  prior to plugging;  AYS of spud date, sernate II cementing or any cementing.  President  Drill; ud date; tion orders;	11 35	
5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate dis hereby certify that the state that:  6/10/08  For KCC Use ONLY  API # 15 - OS ONLY  Conductor pipe required Minimum surface pipe rec	strict office will be not a COMPLETION, properties "Eastern Formation and Completion atternents made here a Completion attended to Completion attended	tified before voluction pipe (ansas surface spud date cein are true and perator or Ag	erator and the distri well is either plugge shall be cemented ce casing order #13 or the well shall be p and correct to the be gent:	ict office on plug length and placement is necessary jed or production casing is cemented in; from below any usable water to surface within 120 D 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Vice F  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp File acreage attribution plat according to field prora	WICHITA, KS  prior to plugging;  AYS of spud date, sernate II cementing orany cementing.  President  Drill; ud date; tion orders; prkover or re-entry;	11 35	
5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate dis hereby certify that the state  6/10/08  For KCC Use ONLY  API # 15 - OP Conductor pipe required Minimum surface pipe rec	strict office will be not a COMPLETION, properties "Eastern Formation and Completion atternents made here a Completion attended to Completion attended	tified before voluction pipe (ansas surface spud date cein are true and perator or Ag	erator and the distri well is either plugge shall be cemented ce casing order #13 or the well shall be p and correct to the be gent:	ict office on plug length and placement is necessary plus or production casing is cemented in; from below any usable water to surface within 120 D 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.    Vice F	WICHITA, KS  prior to plugging;  AYS of spud date, ternate II cementing orany cementing.  President  Drill; ud date; tion orders; prior to re-entry; uppleted (within 60 days);	11	
5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate dis hereby certify that the state  6/10/08  For KCC Use ONLY  API # 15 - OP Conductor pipe required Minimum surface pipe rec Approved by: WH Conductor by: OP Conductor Diperecuried	strict office will be not I COMPLETION, preendix "B" - Eastern I within 30 days of the atements made here.  Signature of O	tified before voluction pipe (ansas surface spud date cein are true and perator or Ag	erator and the distri well is either plugge shall be cemented ce casing order #13 or the well shall be p and correct to the be gent:	ict office on plug length and placement is necessary jed or production casing is cemented in; from below any usable water to surface within 120 D 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Vice F  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is con	WICHITA, KS  prior to plugging;  AYS of spud date, ternate II cementing o any cementing.  President  Drill; ud date; tion orders; prkover or re-entry; upleted (within 60 days); g salt water.	11 35 1	
5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Experiment to Experiment to Experiment to Experiment to Experiment to Experiment Experimen	strict office will be not a COMPLETION, preendix "B" - Eastern is within 30 days of the atements made here.  Signature of O  None.  quired 40  1-34-08	tified before voluction pipe (ansas surface spud date cein are true as perator or Ag	erator and the distri- well is either plugge shall be cemented be casing order #13 or the well shall be p and correct to the be gent:	ict office on plug length and placement is necessary jed or production casing is cemented in; from below any usable water to surface within 120 D 13,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Vice F  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is con Obtain written approval before disposing or injecting	WICHITA, KS prior to plugging;  AYS of spud date, ternate II cementing any cementing.  President  Drill; ud date; tion orders; pricover or re-entry; tipleted (within 60 days); tig salt water. In date) please	11 35 1	
5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate dis hereby certify that the state of	strict office will be not a COMPLETION, preendix "B" - Eastern is within 30 days of the atements made here.  Signature of O  None.  quired 40  1-34-08	tified before voluction pipe (ansas surface spud date cein are true as perator or Ag	erator and the distri- well is either plugge shall be cemented be casing order #13 or the well shall be p and correct to the be gent:	ict office on plug length and placement is necessary jed or production casing is cemented in; from below any usable water to surface within 120 Disa,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Vice F  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is con Obtain written approval before disposing or injecting. If this permit has expired (See: authorized expiration check the box below and return to the address below Well Not Drilled - Permit Expired Date:	WICHITA, KS prior to plugging;  AYS of spud date, ternate II cementing any cementing.  President  Drill; ud date; tion orders; prkover or re-entry; tipleted (within 60 days); g salt water. In date) please w.	11 35 1	
5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate dis hereby certify that the state of	strict office will be not a COMPLETION, preendix "B" - Eastern is within 30 days of the atements made here.  Signature of O  None.  quired 40  1-34-08	tified before a policition pipe (ansas surface spud date cein are true as perator or Agreement feet feet and months of	erator and the distri- well is either plugge shall be cemented ce casing order #13 or the well shall be p and correct to the be gent:  per ALT. I VIII	ict office on plug length and placement is necessary jed or production casing is cemented in; from below any usable water to surface within 120 D 33,891-C, which applies to the KCC District 3 area, all plugged. In all cases, NOTIFY district office prior to est of my knowledge and belief.  Vice F  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is con Obtain written approval before disposing or injecting if this permit has expired (See: authorized expiration check the box below and return to the address below	WICHITA, KS prior to plugging;  AYS of spud date, ternate II cementing any cementing.  President  Drill; ud date; tion orders; prkover or re-entry; tipleted (within 60 days); g salt water. In date) please w.	11 35 1	

KANSAS CORPORATION COMMISSION Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

LARRY JONES	eman Oil	<del>****</del> 2010	feet from S Line of Section
lumber: 14 PERU-SEDAN	WARRY TO THE PARTY OF THE PARTY	900 Sec. 11 Twp. 35	feet from X E / W Line of Sect S. R. <sup>11</sup> X E W
er of Acres attributable to	e: se1/4 - mr1/4 - ne1/4 - se1/4	Is Section: Regular of	or Irregular
RECEIVED S CORPORATION COMMISS	SION	Section corner tilted: []	NE NW SE SW
JUN 13 2008	(Show location of the well and shade a	PLAT attributable acreage for prorated or s	paced wells.)
ONSERVATION DIVISION WICHITA, KS	(Show footage to the ne	earest lease or unit boundary line.)	
:			
:	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	: : : : : : : : : : : : : : : : : : : :	RECEIVED KANSAS CORPORATION CO
			WHITE CONTROL CO
			JUN 2 3 <b>200</b>
			CONSERVATION DIVIS
		; ; ;	WICHITA, KS
			WICHITA, KS
		EX	AMPLE
		1630' EX	
			AMPLE
			AMPLE
			AMPLE 1980

#### In piotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

			Ι		
Operator Name: RATEX CORP. Dba Freeman Oil			License Number: 32049		
Operator Address: 2505 Globe Ave	enue		Dalias	Texas 75228	
Contact Person: Eddie Barrington / Charles Barrington			Phone Number: 608-712-102	20 / 214-213-4085	
Lease Name & Well No.: LARRY JONES 14		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE NW NE SE	<del>-</del>	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 11 Twp. 35 R. 11  636 2010 Feet from Feet from	East West	
Settling Pit Drilling Pit	If Existing, date of	constructed:	Feet from Freet from	South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		900 Feet from East /	West Line of Section	
(If WP Supply API No. or Year Drilled)	80	(bbls)	CHAUTAUQUA	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and S  How is the pit lined if a plastic liner is		
Yes No	Yes X	No	N/A	not useu?	
Pit dimensions (all but working pits):	40 Length (f	eet) 40	Width (feet)	N/A: Steel Pits	
	rom ground level to d		4	No Pit	
N/A		N/A			
Distance to nearest water well within one-mil	e of pit	Depth to shallo	west fresh water		
N/A ろうな Depth of water well _	So feet	Source of infor		c log KDWR	
Emergency, Settling and Burn Pits ONLY		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation: N/A		Type of material utilized in drilling/workover: Fresh water			
Number of producing wells on lease:		Number of working pits to be utilized:1			
Barrels of fluid produced daily:		Abandonment	procedure: drain and close		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must t	pe closed within 365 days of spud date. ຂ	RECEIVED	
I hereby certify that the above state	ements are true and	correct to the best			
6/10/08 Date	<u> </u>	ddie of	Barrington gnature of Applicant on Agent	JUN 2 3 2008  CONSERVATION DIVISION WICHITA, KS	
	KCC	OFFICE USE ON	NLY Steel Pit RFA	C RFAS	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

JUN 13 2008