# For KCC Use: Effective Date: District # SGA? Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

,,	
Expected Spud Date: 08 09 2008 month day year	Spot Description:
	- NW - SE - SE Sec. 23 Twp. 18 S. R. 16 EXW
OPERATOR: License# 30535 ✓	990 feet from N / X S Line of Section
Name: HARTMAN OIL CO., INC	990 feet from ∑E / W Line of Section Is SECTION: ☐ Regular ☐ Irregular?
Address 1: 12950 E. 13TH ST. N	<del></del>
Address 2:  City: WICHITA State: KS Zip: 67230 + 1457	(Note: Locate well on the Section Plat on reverse side)
Contact Person: STAN MITCHELL	County: RUSH  Lease Name: SCHROEDER Well #: 1-23
Phone: 620-277-2511	Field Name: OTIS-ALBERT
CONTRACTOR: License# 33793	Is this a Prorated / Spaced Field?
Name: H2 DRILLING LLC	Target Formation(s): REAGAN SAND
	Nearest Lease or unit boundary line (in footage): 990
	Ground Surface Elevation: 1930 - feet MSL
◯ Oil ☐ Enh Rec ☐ Infield ☐ ☑ Mud Rotary ☐ Gas ☐ Storage ☐ Pool Ext. ☐ Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposat Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 200
Other:	Depth to bottom of usable water:
UK OMBANO, and well information on follows:	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:  NONE
Operator:	Length of Conductor Pipe (if any): NONE
Well Name:	Projected Total Depth:3600'
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Fond Other:
If Yes, true vertical depth:	DWR Permit #:
Detter Hele Language	
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	(Note: Apply for Permit with DWR Yes No
	Will Cores be taken? Yes No
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Prints of this well will comply with K.S.A. 55 at sec.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSIN
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSING  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Graph of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSIGN  aging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  IDAVIT  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging;
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  Y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the proof of the spud correct to the best of the spud correct to the second correct to	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; do or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the proof of the spud correct to the best of the spud correct to the second correct to	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Reging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  ESTOL OGIST
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  GEOLOGIST
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best of the statements.  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  Y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  EST OF TITLE:  GEOLOGIST  Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the beside.  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  do or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  GEOLOGIST  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the best of the statements of the spud date or Agent:    For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  Y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  BEGOLOGIST  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the best of the statements of the operator of Agent:    For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  RECIPIED  KANSAS CORPORATION COMMISSION  RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  WICHITA, KS  Y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Peter Title:  GEOLOGIST  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 fet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1. hereby certify that the statements made herein are true and correct to the best of the set of the statements of the operator of Agent:    For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  GEOLOGIST  Title:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the spud shall be signature of Operator or Agent:  For KCC Use ONLY API # 15 - 105 - 34835 - 00 - 00 Conductor pipe required feet Minimum surface pipe required feet per ALT. III III Approved by: White O-34-08	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  GEOLOGIST  Title:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the statements of the operator of Agent:    For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  ging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  Ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  GEOLOGIST  Title:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION WICHTA, KS  y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  GEOLOGIST  Remember to:  Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the statements of the operator of Agent:    For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  giging of this well will comply with K.S.A. 55 et. seq.  JUN 1 7 2008  CONSERVATION DIVISION  WICHITA, KS  y circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  lot office on piug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 165 - 21825 -00-00	
Operator: HARTMAN OIL CO., INC	Location of Well: County: RUSH
Lease: SCHROEDER	990 feet from N / X S Line of Section
Well Number: 1-23	990 feet from X E / W Line of Section
Field: OTIS-ALBERT	Sec. 23 Twp. 18 S. R. 16 E 🔀 W
umber of Acres attributable to well: TR/QTR/QTR/QTR of acreage: NW _ SE _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

## RUSH CO.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: HARTMAN OIL CO., INC		License Number: 30535		
Operator Address: 12950 E. 13TH ST. N		WICHITA KS 67230		
Contact Person: STAN MITCHELL		Phone Number: 620-277-2511		
Lease Name & Well No.: SCHROEDER 1-23		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW SE SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 23 Twp. 18 R. 16 East X West	
Settling Pit Drilling Pit	If Existing, date constructed:		990 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	RUSH County	
Is the pit located in a Sensitive Ground Water	s the pit located in a Sensitive Ground Water Area? Yes		Chloride concentration: mg/l	
		<b></b>	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	O Length (fe	et) 70	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	epest point:	5 (feet) No Pit	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
material, thickness and installation procedure	•	inier integrity, ii	loldang any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water 24 ② (feet.		
Source of infor				
·		over and Haul-Off Pits ONLY:		
* · · ·		al utilized in drilling/workover: DRILLING MUD/CHEMICAL		
		king pits to be utilized:1		
		KEEP FLUID LEVEL BELOW 2' OF GROUND, ALLOW procedure: FLUIDS TO EVAPORATE, CLOSE PIT WITHIN 1 YR.		
Does the slope from the tank battery allow all spilled fluids to				
		pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSION				
JUN 17 2008				
6//6/08 Date		Mr. 8	ignature of Applicant or Agent CONSERVATION DIVISION	
WICHITA KS				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS RFAS				
Date Received: 6 17 08 Permit Number: Permit Date: 6 23 08 Lease Inspection: 4 Yes No				



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

June 23, 2008

Mr. Stan Mitchell Hartman Oil Co., Inc. 12950 E 13<sup>th</sup> N Wichita, KS 67230-1457

RE: Drilling Pit Application

Schroeder Lease Well No. 1-23

SE/4 Sec. 23-18S-16W Rush County, Kansas

Dear Mr. Mitchell:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes
Department of Environmental Protection and Remediation

cc: File