KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

OWWO

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: July 30 2008	Spot Description:
month day year	
33979	(0/0/0/0) 1,650 feet from N / S Line of Section
OPERATOR: License#	990 feet from E / X W Line of Section
Address 1: 3838 Oak Lawn #1310 Dallas, TX.75219	Is SECTION: Regular Irregular?
Address 2:	_
City: Dallas State: TX Zip: 75219 +	(Note: Locate well on the Section Plat on reverse side) County: Rooks
Contact Person: Bill Robinson	
Phone: 214-220-1080	O Park
CONTRACTOR: License# 39346 34082	rieu Naille.
Name: Alliance Well Service (TR Service & Rental)	Is this a Prorated / Spaced Field? Target Formation(s): Arbuckle Yes X No
Name -	Nearest Lease or unit boundary line (in footage): 990
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2242 feet MSL
√ XOil Enh Rec V Infield Mud Rotary	F
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes X No V
Disposal Wildcat Cable	Depth to bottom of fresh water: 180
Seismic ; # of HolesOther	Depth to bottom of treat water: 980
Other:	Surface Pipe by Alternate:
✓ XIIf OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 194 (per old well) 2(5)
	Length of Conductor Pipe (if any): na
Operator: Great Eastern Energy & Dev. Corp. Well Name: Copeland #8, Harold Copeland #8	Projected Total Depth:
	Formation at Total Depth: Arbuckle
Original Completion Date: 6-15-51 Original Total Depth: 3788	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: truck
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
AFF	IDAVIT KANSAS CORPORATION COMMISSK
The undersigned hereby affirms that the drilling, completion and eventual plug	
It is agreed that the following minimum requirements will be met:	JUN 25 2008
 Notify the appropriate district office prior to spudding of well; 	
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be set to	by circulating cement to the top; in all cases surface pipe shall buckerA, KS
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	
5. The appropriate district office will be notified before well is either pluggi	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	from below any usable water to surface within 120 DAYS of spud date.
, ,,	33,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	· · · · · · · · · · · · · · · · · · ·
I hereby certify that the statements made herein are true and correct to the bo	•
Date: 6-24-08 Signature of Operator or Agent: 5-1	Title: geologist
Signature of Operator of Agent.	
For KCC Use ONLY	Remember to:
	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 163-0221-00-01	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Conductor pipe requiredfeet	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 215 feet per ALT. I	Submit plugging report (CP 4) after plugging is completed (within 60 days):
Approved by: Kus 6-25-08	Obtain written approval before disposing or injecting salt water.
This authorization expires: 6-25-09	If this permit has evalved (Coar authorized evalvation data) places
(This authorization void if drilling not started within 12 months of approval date.)	If this permit has expired (See: authorized expiration date) please
(7110 But 7011 Editor Fold II of Ming 101 Did 100 Thin 12 The File of Epp 10 File of Exp	check the box below and return to the address below.
(This address and a state of the state of th	check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
Spud date: Agent:	check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 163-02751-00-01	
Operator: Clipper Energy, LLC	Location of Well: County: Rooks
Lease: Copeland	1,650 feet from N / S Line of Section
Well Number: 8	990 feet from E / W Line of Section
Field: Gra-Rook	Sec. 19 Twp. 9 S. R. 20 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	, 5	•	:	i :		:
	٠ ١		•	١ .	•	•
1	: 4	•	:	I :	:	:
	:	:	;		;	:
	٠ ١	•	•	I :	•	•
ı	: 1	:	:	:	:	:
ļ.	. 1	•		1	•	
ľ	3					
				1	 	
l .		20				•
l .		a o		! :	•	•
i	; } ~~	-	:	1 :	:	-
	. 1	1	•			•
Į.	. 1	•	•	!:	•	:
ŀ	; 1	:	,		:	
l .	1			l		
		,	•			-
942	: 1	•	:	! :	•	:
990			,	;	:	
	- d					•
!	: •	:	:	! :	:	:
l .	:		;	:	:	
1	•				-	•
1				1	 	
		,,,,,,,,,			 	
		-				
ľ	•	•	:	1 :	•	:
	7	:			:	:
1					•	•
1	<u>'</u>	•	:	' :	•	:
i	;		;	:	:	
1	•					•
1	•			a .	•	•
				7		
	•		··· (7		•
				7	•	:
			ſ	۶	•	:
		:	ſ	J	:	:
			ſ	1		· • • •
			ſ	7 		•
					•	•
				7	 	
				1	 	
				7	 	
				7	 	
				7	 	
				7	 	
				7	 	
				7		
				7	 	
				7		
				7		
				7	 	
				7	 	
				7	 	
				7		
				7	 	
				7	 	

RECEIVED KANSAS CORPORATION COMMISSION

JUN 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Clipper Energy, LLC			License Number: 33979			
Operator Address: 3838 Oak Lawn #1310 Dallas, TX.75219			Dallas TX 7521	19		
Contact Person: Bill Robinson			Phone Number: 214-220-1080			
Lease Name & Well No.: Copeland	8		Pit Location (QQQQ):			
Type of Pit:	Pit is:		ne _ sw _ nw			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 19 Twp. 9 R. 20 East West			
Settling Pit	If Existing, date constructed:		1,650 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbls)	Rooks	nty		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg	_{//}		
	<u> </u>		(For Emergency Pits and Settling Pits only)	_		
Is the bottom below ground level? Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	0 Length (fe	et)25				
Depth fr	om ground level to de					
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining nocluding any special monitoring.	•		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water 180 50 feet.				
1835feet Depth of water well	/05 feet	measu	ured well owner electric log KDWR			
			over and Haul-Off Pits ONLY:			
Producing Formation: Type of materia		al utilized in drilling/workover: chemical mud	- 8			
1		king pits to be utilized:3	-			
		procedure: evaporation then back-filled	-			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED				
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief. KANSAS CORPORATION COMM	IISSID		
6-24-08 Date	3 .	S	JUN 2 5 2008 CONSERVATION DIVISION WICHITA, KS	N		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 6/25/08 Permit Num	ber:	Perm	it Date: <u>ら/タ5 / σ を</u> Lease Inspection: Yes へNo			

TO:

STATE CORPORATION COMMISSION **CONSERVATION DIVISION - PLUGGING**

130 SOUTH MARKET, SUITE 2078

WICHITA, KANSAS 67202

API Well Number: 15-163-02251-00-00

Spot: NESWNW

Sec/Twnshp/Rge: 19-9S-20W

3630 feet from S Section Line,

4290 feet from E Section Line

Lease Name: COPELAND

Well #: 8

County: ROOKS

Total Vertical Depth: 3788 feet

Operator License No.: 9449

Op Name: GREAT EASTERN ENERGY & DEV. CO

Address: 550 W. TEXAS STE 660

MIDLAND, TX 79702

PROD Size: 7

feet: 3788

SURF Size: 10.75

feet: 215

#123"

Well Type: OIL

UIC Docket No:

Date/Time to Plug: 04/04/2002 12:00 PM

Plug Co. License No.: 99996

Plug Co. Name: ALLIED CEMENT COMPANY

Proposal Rcvd. from: MIKE DAVIGNON

Company: GREAT EASTERN ENERGY & DEV. Phone: (915) 682-1178

Perfs:

Proposed Ordered 350 sxs 60/40 pozmix - 10% gel - 700# hulls - 25 sxs gel.

Plugging | Perfs 2300' - 1825' - 1100' - 200'.

Method:

Plugging Proposal Received By: HERD DETAILS Date/Time Plugging Completed: 04/04/2002 5:00 PM

WitnessType: COMPLETE (100%)

KCC Agent: <u>DENNIS HAMEL</u>

Actual Plugging Report:

Ran tubing to 3780' - pumped 25 sxs gel plus 50 sxs cement with 300# hulls.

Pulled to 2300' - pumped 100 sxs cement with 200# hulls.

Pulled to 1100' - circulated to surface with 125 sxs cement with 200# hulls.

Pulled tubing. Pumped 20 sxs down casing.

Pumped 20 sxs cement down 10 3/4" surface pipe.

RECEIVED APR 2 2 2004

KCC WICHITA

Remarks:

ALLIED CEMENTING COMPANY.

Plugged through: TBG

District: 04

Signed

Hamie (TECHNICIAN)

Form CP-2/3

APR 14 2004