For KCC Use:	Q
Effective Date: 0-30-0	O.
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

07/04/0000		
Expected Spud Date: 07/01/2008 month day year	Spot Description:	
·	SW - NW - SE Sec. 34 Twp. 32 S. R. 43 EX	
OPERATOR: License#	feet from N/X S Line of Sect	
Name: _OXY USA, Inc.	2,310 feet from E / W Line of Sect	tion
Address 1: P O Box 2528	Is SECTION: X Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Liberal State: KS Zip: 67905 +	County: Morton	
Contact Person: Jarod Powell	Lease Name: Williams "E" Well #: 1	
Phone:	Field Name: Greenwood	
CONTRACTOR: License# 34000 ✓		No
Name: Kenai Mid-Continent., Inc.	Target Formation(s): Morrow	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330	
<u></u>	Ground Surface Elevation: 3598 feet M	IS J _
✓ XOII Enh Rec Infield X Mud Rotary ✓	Water well within one-quarter mile:	Nο
Gas Storage X Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 200	
Other:	Depth to bottom of usable water:	
	6 / 6 / 40 / 15/11 10 /	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1750'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 5100 V	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Morrow	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Motor Apply for Pormit with OM/P IVI)	
	- (Note: Apply for Permit with DWR 🔀)	
KCC DKT #:	Will Cores be taken?	No L
KCC DKT #:		No
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: RECEIVE	
PRORATEO ; SPACEO: HUBOTON ; breenwood.	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION	
PROPATED SPACED: HUBOTON Scheenwood. AF The undersigned hereby affirms that the drilling, completion and eventual p	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION (lugging of this well will comply with K.S.A. 55 et. seq.	D COMMIS
PRORATEO ; SPACEO: HUBOTON ; breenwood.	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION	D COMMIS
PROPATED SPACED: HULOTON Screenwood. The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 4 20	— D СОММІЗ
PROPATED SPACED: HULOTON Screenwood. The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: FFIDAVIT RECEIVE KANSAS CORPORATION OF A CONSERVATION	D COMMIS 008
PROPATEO SPACEO: HULOTON Screenwood. The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of this well will comply with K.S.A. 55 et. seq. JUN 2 4 20 Ch drilling rig; CONSERVATION DI If by circulating cement to the top; in all cases surface pipe shall be MACHITA, KS	D COMMIS 008
PROPATEO SPACEO: HULOTON Screenwood. The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of this well will comply with K.S.A. 55 et. seq. JUN 2 4 20 Ch drilling rig; CONSERVATION DI If by circulating cement to the top; in all cases surface pipe shall be MACHITA, KS	D COMMIS 008
PROPATEO : SPACEO: HUBOTON : breenwood: The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in;	D COMMIS 008
PROPATEO : SPACEO: HUBOTON : breenwood: The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date.	D COMMIS 008
PROPATEO : SPACEO: HUBOTON : breenwood: The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of KANSAS CORPORATION of CONSERVATION of the drilling rig; CONSERVATION of the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.	D COMMIS 008
PROPATEO SPACEO: HUBOTON Sureenwood. The undersigned hereby affirms that the drilling, completion and eventual politic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION of the top in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	D COMMIS 008
PROPATEO : SPACEO: HUBOTON : breenwood: The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION RECEIVE KANSAS CORPORATION In the drilling rig; CONSERVATION DI If by circulating cement to the top; in all cases surface pipe shall be SECHITA, KS The underlying formation. Strict office on plug length and placement is necessary prior to plugging; Iged or production casing is cemented in; The drilling rig; The drilling rig; CONSERVATION DI The underlying formation. Strict office on plug length and placement is necessary prior to plugging; Iged or production casing is cemented in; The drilling rig; The drilli	D COMMIS 008
PRORATEO SPACEO: HUBOTON Sureenwood. The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus in a half end of the well is completed within 30 days of the spud date or the well shall the set of the well shall the set of the well shall the statements made herein are true and correct to the	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION RECEIVE KANSAS CORPORATION It by circulating cement to the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Capital Assets	D COMMIS 008
PRORATEO : SPACEO: HUBOTON : breenwood: The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall to the repeat of the statements made herein are true and correct to the	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION RECEIVE KANSAS CORPORATION It by circulating cement to the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Capital Assets Title:	D COMMIS 008 VISION
PRORATEO: SPACEO: HUGOTON: breenwood: The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the place of the spud date or the well shall the place of the spud date or the well shall the place. Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION Illugging of this well will comply with K.S.A. 55 et. seq. JUN 2 4 20 Ch drilling rig; CONSERVATION DI If by circulating cement to the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Capital Assets Title:	D COMMIS 008
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall to I hereby certify that the statements made herein are true and correct to the Date: O6/23/2008 Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION RECEIVE KANSAS CORPORATION It by circulating cement to the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Capital Assets Title:	D COMMIS 008 VISION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall to I hereby certify that the statements made herein are true and correct to the Date: O6/23/2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 139 - 31848 - 00 - 00	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION RECEIVE KANSAS CORPORATION It by circulating cement to the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Capital Assets Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	D COMMISS
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall to I hereby certify that the statements made herein are true and correct to the Date: O6/23/2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 139 - 31848 - 00 - 00 Conductor pipe required 1900 - 00	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION Local Set of this well will comply with K.S.A. 55 et. seq. JUN 2 4 20 Conservation of the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; In ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 1333,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	D COMMIS 008 VISION
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall to I hereby certify that the statements made herein are true and correct to the Date: O6/23/2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 19 - 21848 - 00 - 00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION Local Set of this well will comply with K.S.A. 55 et. seq. JUN 2 4 20 Conservation of the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; In ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 1333,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	D COMMISS 2008 VISION 34 32
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall to I hereby certify that the statements made herein are true and correct to the Date: O6/23/2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 139 - 31848 - 00 - 00 Conductor pipe required 1900 - 00	RECEIVE KANSAS CORPORATION In the drilling rig; The drilling rig; The drilling rig; The underlying formation. Strict office on plug length and placement is necessary prior to plugging; The drilling rig between the street of the top; in all cases surface pipe shall be trachita, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; The great or production casing is cemented in; The drilling rig to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The plugged in the kCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The plugged in this well will comply with K.S.A. 55 et. seq. The prior to plugging: Capital Assets Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	D COMMISS
PRORATEO SPACEO: Huboton Spreenwood. The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet per ALT seen through all through	RECEIVE KANSAS CORPORATION In Unique to the top; in all cases surface pipe shall be MACHITA, KS the underlying formation. Strict office on plug length and placement is necessary prior to plugging; gled or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. H133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	D COMMISS 2008 VISION 34 32
PRORATEO: SPACEO: Huboton: breenwood: The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an intervention of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging in a minimum of 20 feet into the district office will be notified before well is either pluging in a minimum of 20 feet into the district office will be notified before well is either pluging in a national properties of the district office will be notified before well is either pluging in a national properties of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spu	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 4 20 The drilling rig; CONSERVATION DI The underlying formation. Strict office on plug length and placement is necessary prior to plugging; gled or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	D COMMISS 2008 VISION 34 32
PRORATEO: SPACEO: HULOTON: breenwood. The undersigned hereby affirms that the drilling, completion and eventual politic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through a minimum of 20 feet into the set through a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a sepacified before well is either plus and through all unconsolid	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION Illugging of this well will comply with K.S.A. 55 et. seq. JUN 2 4 20 The drilling rig; CONSERVATION DI The underlying formation. Strict office on plug length and placement is necessary prior to plugging; gled or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	D COMMISS 2008 VISION 34 32
PRORATEO SPACEO: Huboton Sureenwood. The undersigned hereby affirms that the drilling, completion and eventual public is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the uniform and the district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is either plus in the appropriate district office will be notified before well is	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 4 20 The drilling rig; CONSERVATION DI The underlying formation. Strict office on plug length and placement is necessary prior to plugging; gled or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	D COMMISS 2008 VISION 34 32

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 129-21848-00-00			
Operator: OXY USA, Inc.	Location of Well: County: Morton		
Lease:	1,325	feet from N / N S Line of Section	
Well Number: 1	2,310	feet from N / S Line of Section feet from E F / W Line of Section	
Field: Greenwood	Sec. 34 Twp. 32		
Number of Acres attributable to well: 160 QTR/QTR/QTR/QTR of acreage: SW _ NW _ SE	Is Section: X Regular	or Irregular	
		cate well from nearest corner boundary. NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: OXY USA Inc.		License Number: 5447			
Operator Address: P. O. Box 2528, Liberal, KS 67901					
Contact Person: Terry Yoder		Phone Number: (620) 697 - 2500			
Lease Name & Well No.: Williams "E" #1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SWNWSE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 Twp. 32S R. 43 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		1325 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2310 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	28,500 (bbls)		Morton County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
is the bottom below ground level? Ves No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?		
1 163 140			Bentonite & Cuttings		
Pit dimensions (all but working pits): 20	DO Length (fe	eet) 200	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 4	(feet)		
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining					
material, thickness and installation procedure. liner integrity, including any special monitoring.			ncluding any special monitoring.		
		west fresh water			
Source of information:					
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		over and Haul-Off Pits ONLY:			
		al utilized in drilling/workover: Fresh Water Mud			
i i		king pits to be utilized:			
Barrels of fluid produced daily: Abandonment procedure: Evaporation and Backfill		procedure: Evaporation and Backfill			
Does the slope from the tank battery allow all spilled fluids to					
flow into the pit? Yes No	? Yes No Drill pits must be closed within 365 days of spud date.				
RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS					
06/23/08		Calto	JUN 2 4 2008		
Date		/ s	ignature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY					
Date Received: 6/24/08 Permit Num	ber:	Perm	it Date: 6/34/08 Lease Inspection: Yes 🗷 No		