For KCC Use: 7-1-08 Effective Date: 3 District # 3 SGA? Tyes Tyes

Kansas Corporation Commission Oil & Gas Conservation Division

October 200° Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day yoar	C - NW - SW - Sec. 28 Twp. 27 S. R. 15 XE W
OPERATOR: License# 33539	(90000) 1,980 feet from N / X S Line of Section
Name: Cherokee Wells, LLC	660 Feet from E / W Line of Section
Address 1. P.O. Box 296	Is SECTION: Regular Inregular?
Address 2:	
City. Fredonia State: KS Zip: 66736 +	(Note: Locato well on the Section Plat on reyerse side) County: Wilson
Contact Person: Tracy Miller	Lease Name D. Sharp 28 Well # A-3
Phone 620-378-3650	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 33072	
Name Well Refined Prilling	Is this a Prorated / Spaced Field?
Name: Well remea bland	Target Formation(s: Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660'
Oil Enh Rec Infield	Ground Surface Elevation: 860 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes No
DisposalWildcat Cable	Public water supply well within one mile. Yes X No
Seismic : # of Holes Other	Depth to bottom of 'resh water: est. 100'
Other:	Depth to bottom of usable water: est. 200°
If OWWO: old well information as follows:	Surface Pipe by Alternate: 1 X 11
TI OWWO. Glo well encommanded as lollows.	Length of Surface Pipe Planned to be set: 20' Minimum
Operator:	Length of Conductor Pipe (if any): N/A
Well Name:	Projected Total Depth: 1350'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:
KCC DKT #.	(Note: Apply for Permit with DWR)
The second secon	Will Cores be taken?
	Will Cores be taken?
	If Yes, proposed zone: RECEIVED
AFFI	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg	If Yes, proposed zone: RECEIVED NAME OF THIS WELL WILL COMMISSION WITH STATE OF THE PROPERTY
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFFID The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DAVIT KANSAS CORPORATION COMMISSION ping of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill the shall the shall the shall the shall	The state of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 Tilling rig; CONSERVATION DIVISION
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe should reason.
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill the shall the shall the shall the shall	RECEIVED KANSAS CORPORATION COMMISSION sing of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 rilling rig; circulating cement to the top; in all cases surface pipe shed frages nderlying formation.
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged.	RECEIVED KANSAS CORPORATION COMMISSION ting of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe should bra; ses nderlying formation. t office on plug length and placement is necessary prior to plugging; for production casing is cemented in;
AFFIC The undersigned hereby affirms that the drilling, completion and eventual pluge It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for	RECEIVED KANSAS CORPORATION COMMISSION ting of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shock frages inderlying formation. It office on plug length and placement is necessary prior to plugging; I or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	RECEIVED KANSAS CORPORATION COMMISSION sing of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe should happen and placement is necessary prior to plugging; to reproduction casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. (891-C, which applies to the KCC District 3 area, alternate II cementing
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the distric 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented f Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl	RECEIVED KANSAS CORPORATION COMMISSION ing of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shed frages nderlying formation. t office on plug length and placement is necessary prior to plugging; I or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing.
AFFIC The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urith the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	RECEIVED KANSAS CORPORATION COMMISSION plant of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shot frags; nderlying formation. toffice on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. (891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. t of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ureast of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the besides.	RECEIVED KANSAS CORPORATION COMMISSION ing of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shed frages nderlying formation. t office on plug length and placement is necessary prior to plugging; I or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill shall be posted on each drill sha	RECEIVED KANSAS CORPORATION COMMISSION ting of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe should brases inderlying formation. toffice on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. (891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. t of my knowledge and belief. Administrative Assistant Title:
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ureast of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE if COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best Date: Signature of Operator or Agent:	RECEIVED KANSAS CORPORATION COMMISSION plans of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 Tilling rig; CONSERVATION DIVISION coinculating cement to the top; in all cases surface pipe should happen formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. 1 of my knowledge and belief. Administrative Assistant Title:
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill strain the proof of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ureast of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE if COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best plate: 6/23/08 Signature of Operator or Agent: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION ing of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe should hapke inderlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. It all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Administrative Assistant Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill:
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling and the set by through all unconsolidated materials plus a minimum of 20 feet into the undersided in the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plugged in the plugged of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSS -	RECEIVED KANSAS CORPORATION COMMISSION sing of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shot frages nderlying formation. It office on plug length and placement is necessary prior to plugging; I or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. R891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Administrative Assistant Title: Remember to: - File Drill Pit Application (form CDP-1) with latent to Drill: - File Completion Form ACO-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill strain the proof of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ureast of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE if COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best plate: 6/23/08 Signature of Operator or Agent: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION ing of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe should hapke inderlying formation. It office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. It all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Administrative Assistant Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill:
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling and the set by through all unconsolidated materials plus a minimum of 20 feet into the undersided in the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be plugged in the plugged of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSS -	RECEIVED KANSAS CORPORATION COMMISSION ting of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe should brases inderlying formation. toffice on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 1,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Administrative Assistant Title: Administrative Assistant Title: File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders:
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urder. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plus thereby certify that the statements made herein are true and correct to the best Date: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION plant of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe should brases inderlying formation. office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. (891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. t of my knowledge and belief. Administrative Assistant Title: Administrative Assistant Title: File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling and inconsolidated materials plus a minimum of 20 feet into the undersided and the inconsolidated materials plus a minimum of 20 feet into the undersided before well is either plugged. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. In hereby certify that the statements made herein are true and correct to the best pate: For KCC Use ONLY	RECEIVED KANSAS CORPORATION COMMISSION plant of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shock tracks inderlying formation. toffice on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. R891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Administrative Assistant Title: Administrative Assistant Title: File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days), Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill shall be posted into the use of the well is drived into the use of the well is drived in the district office will be notified before well is either plugged on pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be posted on the well shall be posted on the shall be posted on the spud date or the well shall be posted on the shall be posted on th	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et seq. JUN 2 5 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shocktrases inderlying formation. toffice on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. (891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Administrative Assistant Title: Administrative Assistant Title: File Completion Form ACO-1 within 120 days of soud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days), Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOS - 27580- OO - OO - Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION ing of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe stand tracks inderlying formation. It office on plug length and placement is necessary prior to plugging; It or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. It,891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Administrative Assistant File Completion form ACO-1 within 120 days of soud date: File acreage attribution plat according to field profation orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days), Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOS - 27580- OO - OO - Conductor pipe required	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et seq. JUN 2 5 2008 rilling rig; CONSERVATION DIVISION circulating cement to the top; in all cases surface pipe shocktrases inderlying formation. toffice on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. (891-C, which applies to the KCC District 3 area, alternate II cementing ugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Administrative Assistant Title: Administrative Assistant Title: File Completion Form ACO-1 within 120 days of soud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days), Obtain written approval before disposing or injecting saft water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please snow all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 205-27582-00-00	
Operator: Cherokee Wells, LLC	Location of Well County: Wilson
Lease D. Sharp 28	
Well Number: A-3	1,980 feet from N / X S Line of Section 660 feet from E / X W Line of Section
Field: Cherokee Basin Coal Gas Area	Sec. 28 Twp. 27 S. R. 15 X E W
Number of Acres attributable to well: OTR/QTR/QTR/QTR of acreage: C NW SW -	ls Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show located to the nearest lease or unit boundary line.)

<u>.</u> (•	•	
			•	 		
1				 	21.11.11	
3						
,,,,,,,	.,,,,,,,,		23	 •••••	*****	
100)		440	2			
	V	K	<i>///</i>	********	***************************************	
	CAS .			 ;		**************************************
	(X)				:	

RECEIVED KANSAS CORPORATION COMMISSION

JUN 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached. (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

· · · · · · · · · · · · · · · · · · ·						
Operator Name: Cherokee Wells, LLC		License Number: 33539				
Operator Address: P.O. Box 296			Fredonia KS 66736			
Contact Person: Tracy Miller		Phone Number: 620-378-3650				
Lease Name & Well No.: D. Sharp 28 A-3		Pit Location (QQQQ):				
Type of Pit:	Pit is:		C NW SW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 28 Twp. 27 R. 15 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		1,980 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson			
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Natural Clay & Earth			
Pit dimensions (all but working pits):	30 Length (fe	eet)40	Width (feet) N/A: Steel Pits			
Depth fi	om ground level to de	eepest point:	6 (feet) No Pit			
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh water100feet.				
N/A / feet Depth of water well feet measu		ured well owner electric log KDWR				
		cover and Haul-Off Pits ONLY:				
Producing Formation: Type of material		ial utilized in drilling/workover: Fresh Water				
		rking pits to be utilized:				
· ·		procedure: Allow to Dry, Level Surface				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
6/23/08 Date		My	JUN 2 5 2008 CONSERVATION DIVISION WICHITA, KS			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 4/25/08 Permit Num	nber:	Perm	it Date: 6/25/08 Lease Inspection: Yes 4No			