For KCC Use:	7-1-08
Effective Date:	1-1-00
District #	<u> </u>
SGA? Yos	No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day yoar	E/2 - SE - SW - Sec. 13 Twp. 27 S. B. 14 XE W
OPERATOR: License# 33539 ~	660 feet from N / X S Line of Section
Name: Cherokee Wells, LLC	1,990 (eer from E / W Line of Section
. C B.O. Poy 206	Is SECTION: Regular Irregular?
Address 1: P.O. Box 290 Address 2:	
City, Fredonia State: KS Zip: 66736 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Tracy Miller	County: Wilson
Phone: 620-378-3650	Lease Name Duckworth Well #: A-4
	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in potage): 660
	Ground Surface Elevation: 865 feet MSL
	Water well within one-quarter mile.
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile.
Disposal Wildcat Cable	Depth to bottom of fresh water: est. 100'
Seismic : # of Holes Other	Depth to bottom of usable water: est. 200'
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum
-	Length of Conductor Pipe Planned to be set: Length of Conductor Pipe (if any): N/A
Operator:	Projected Total Depth: 1350'
Well Name:	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore? Yes No ✓	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #.	(Note: Apply for Permit with DWR)
INVESTIGATE TO THE PROPERTY OF	Will Cores be taken? I Yes XINo ✓
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: PAVIT Ging of this well will comply with K.S.A. 55 et. seq. RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: DAVIT RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: DAVIT RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the state	If Yes, proposed zone: DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge of the state of the state of the complete of the state	IDAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be will be will be will be will be without to office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the state	IDAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be shall be within an electron commission within and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the intention of the state o	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be ERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the state	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be ERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the intention of the state o	PAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be ERVATION DIVISION underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the intention of the state o	FOAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be WATION DIVISION winderlying formation. ct office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cernenting. St of my knowledge and belief. Administrative Assistant
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	FORVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig: y circulating cement to the top; in all cases surface pipe shall be WICHITA, KS and or plug length and placement is necessary prior to plugging; do or plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Administrative Assistant Fittle: Administrative Assistant
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	FOAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be fixed ton Division underlying formation. ct office on plug length and placement is necessary prior to plugging; dorp production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Administrative Assistant Title: Administrative Assistant File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the tollowing minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the electron of the intention o	FOAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be fixed ton Division underlying formation. ct office on plug length and placement is necessary prior to plugging; dorp production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Administrative Assistant Title: Administrative Assistant File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be WiCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	FIGURE RECEIVED KANSAS CORPORATION COMMISSION JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be RECEIVED CONSERVATION DIVISION WICHTA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Administrative Assistant Title: Administrative Assistant Title: File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration orders: Notity appropriate district office 48 hours prior to workover or re-early. Submit plugging report (CP-4) after plugging is completed (within 60 days)
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be WCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Administrative Assistant Femember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the best office of Operator or Agent: For KCC Use ONLY API # 15 - OS - O	PDAVIT ging of this well will comply with K.S.A. 55 et. seq. ### CONSERVATION DIVISION ### CONSERVAT
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the order of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the best of the statements of Operator or Agent: For KCC Use ONLY API # 15 - OS - O	DAVIT ging of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be WiCHITA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry. Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the best office of Operator or Agent: For KCC Use ONLY API # 15 - OS - O	PDAVIT ging of this well will comply with K.S.A. 55 et. seq. ### CORPORATION COMMISSION ### CONSERVATION DIVISION ### Conservation commission ### CONSERVATION DIVISION ### CONSERVATION COMMISSION ### CONSE
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the order of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the best of the statements of Operator or Agent: For KCC Use ONLY API # 15 - OS - O	DAVIT ging of this well will comply with K.S.A. 55 et. seq. CONSERVATION COMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205 - 275 78-00-00	
Operator: Cherokee Wells, LLC	Location of Well: County: Wilson
Lease: Duckworth	
Well Number: A-4	1,990 feet from N / X S Line of Section
Field: Cherokee Basin Coal Gas Area	Sec. 13 Twp. 27 S. R. 14 X E W
Number of Acres attributable to well:	
QTR/QTR/QTR of acreage: E/2 . SE . SW .	ls Section: 🔀 Regular or 🔲 Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)


	~			7***			
i	•			}		_	
1	•	4	•			:	i
1	*		•			-	
	;	*	:	ì	:		
1	•		:	1	:	-	•
		:		?	:	•	:
	•			í		:	
	•		,	j.			*

1							
5				!		_	
ţ	•			i		1	
!	*		-	i			
!	:		•	i	•	-	•
i		:	:	:		•	
1	•	:	:		•	4	
i			•	1	:		•
i							
		******		10110			
				:			
i	_						
i		:	:		•	•	•
1					:	•	:
1	•		-			I	:
	•		•			-	;
	:			!		,	
;	;	1	:	1	!		•
	1	•	-			•	
				ì			
	* * * * * * * * * *				1 * * * * * * * * * * * * * * * * * * *		
		-		i			
	:	-	•		•		-
		•	:		1		•
		1	1		•	•	•
		-		1	:	•	1
						:	
:			*				
	:		•				
:	-	*	•		•		•
		····					
1 :			*				
1		•	:				-
		:	ì				•
1		:	;				
! .							
: .			•				
		•	•	2	۱۸.		•
i '		•	•	/ 1//	17.1		,
!				- 11 X	v		
				(• i -li • • · li •	*	4	
i				1/AW 1.			
			· -11 \ \ \ \ \	1111			
:			: / V VV		1		
:		:	:/ U/Y		٠ .		,
(; 1 1 1 1 1 1	11/10	_ \ \ \ \ \			
i .			. יעג	11 2	-1		
		. \ / V	, .	11	1 :	:	
		· 1/ '	· i	<i>∨</i> √ :	1		
		/	CKW	7 1			
			11111111				
i							
		,					
			٠ ا				
	,		٠ i	•	• ;		
		·	٠,				
, A	4 // Y	· - 1 - 1	y i	,			
: 1.63	10/11	: 1/1/1/	3				
"	[7][/ .		1 . I				
1 1		FW			•		
			 . '				
				*******		* * * * * * * * *	
			٦ :				
				, ,			
			11/20	, ;	2	:	
			11/11/11	:	•		
			WED				
:			1770			•	
			11/1/1	:		-	'
			I VEST	1		:	i
			. 17 -/-	- :	:	:	i
·							

RECEIVED KANSAS CORPORATION COMMISSION

JUN 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cherokee Wells, LLC			License Number: 33539			
Operator Address: P.O. Box 296			Fredonia KS 66736			
Contact Person: Tracy Miller			Phone Number: 620-378-3650			
Lease Name & Well No.: Duckworth A-4			Pit Location (QQQQ):			
Type of Pit:	Pit is:		_E/2 _ SE _ SW _			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 13 Twp. 27 R. 14 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1,990 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson			
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: mg/l			
			(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Natural Clay & Earth			
Pit dimensions (all but working pits):	iO Length (fe	40	Width (feet) N/A: Steel Pits			
· • • • • • • • • • • • • • • • • • • •	om ground level to de	•				
If the pit is lined give a brief description of the		I	edures for periodic maintenance and determining			
· - ·			ncluding any special monitoring.			
			100			
·		•	Depth to shallowest fresh waterfeet. Source of information:			
N/A / feet Depth of water wellfeet		meası	red well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation: Type of r			Type of material utilized in drilling/workover: Fresh Water			
			Number of working pits to be utilized:1			
Barrels of fluid produced daily: Abando		Abandonment	procedure: Allow to Dry, Level Surface			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS						
MARIA MI 1000 JUN 25 2008						
6/23/08 Date		UWU) I live			
Date Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS RFAS						
Date Received: 6/25/08 Permit Num	ber:	Perm	it Date: 4/35 (38 Lease Inspection: Yes \ No			