* Within Bamdaries of Fradonia Gas Storage Field * RECEIVED

For KCC Use: 6-30-	08	İ	KANSAS CORPO	RATION COMMISSION KAN ISERVATION DIVISION	SAS CORPORATION COMMI	SSION Form C-1 October 2007
Effective Date: District #				JUN 13 2008	Form must be Typed Form must be Signed	
SGA? Yes No			NOTICE OF I	NTENT TO DRILL re (5) days prior to commencing v	A	Il blanks must be Filled
		Must b	e approved by KCC fiv	e (5) days prior to commencing v	WEIDONSERVATION DIVISION WICHITA, KS WE	PADDENTE
5	5	8	2008	Spot Description:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	っひひひこうしこ
Expected Spud Date:	month	day	ycar	*X* NW NW NW	Sec. 8 Twp 29 S	R 15
,	33539			10000) 530	teet from XN	S Line of Section
OPERATOR License#				350	eet from E	W Line of Section
C A B AAA				Is SECTION Regular		JES.
Address 2:					vall on the Section Plat on re-	unise side)
City: Fredonia	State KS	Zip:	66736 +	Mileon	Car Or and Goodhory vital Environ	
Contact Person: Shannan S	hinkle			Lease Name Parsons		
Phone: 620-378-3650			E	Field Name Cherokee Basin (Coal Gas Area	and Mark the Control of the Control
CONTRACTOR: License#	33072			Is this a Prora ted / Spaced Fig		Yes X No
Name: Well Refined Drilling				Target Formation(s): Mississip	pian	A 40
Well Drilled For:	Well Class:	79	pe Equipment:	Nearest Lease or unit bounda	ry line (in footage): 660 🗳	<u> </u>
		_	Mud Rotary	Ground Surface Elevation: U	nknown	feet MSL
Oil Enh Re		7	X Air Rotary	Water well within one-quarter	mule	□ Yes 図№ク
Dispos	_	_	Caple	Public water supply well within		☐ Yes 🔀 No
Seismic # of				Depth to bottom of fresh water	est 100'	
Other:				Depth to bottom of usable wat	ter: estate /SV	
The OMERICA intermediate	dormatina no falla	VI:= -		Surface Pipe by Alternate:	20' Million In	1751
E OWWO: old well in	IKKIMARDRAS IONO	NS.		Length of Surlage Pipe Plann	ed to be set	.1.19
Operator:				Length of Conductor Pipe (if a		
				Projected Total Depth: 1350' Formation at Total Depth: Mil		4)
Original Completion Date	e: C	Original To	tal Depth:			
Directional, Deviated or Hori	zantal wellhoze?		Yes X No	Water Source for Drilling Ope	Other:	
If Yes, true vertical depth					Other.	
Bottom Hole Location:				(AAL) Lettier	Apply for Permit with OWR	7,
KCC DKT #:					, , , , , , , , , , , , , , , , , , ,	
5: C-E/2-NE-NE				If Yes, proposed zone:		
S: NW-NW-NW					YANGA	RECEIVED S CORPORATION COMMISSION
3 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -			AF	FIDAVIT	VORUM.	5 CONFORMION COMMISSION
The undersigned hereby a	ffirms that the dri	lling, con	pletion and eventual p	lugging of this well will comply with	r K.S.A. 55 et. seq.	MAY 0 2 2008
It is agreed that the following	ng minimum requ	irements	will be met:			MAL A T TOOR
Notify the appropriat	le district office p a	rior to so	uddina of well:		(CONSERVATION DIVISION
A copy of the approv	ed notice of inter	nt to drift	shall be posted on eac	h driffing rig;		WICHITA, KS
				t by circulating cement to the top:	in all cases surface pipe s	ihall be set
through all unconsol	iidated materials į	plus a mi Votucen 1	nimum of 20 feet into the	ne underlying formation. strict office on plug length and plac	rement is necessary <i>prio</i>	r to nlugging:
				ged or production casing is comer		<i>F</i> 353.
6. If an ALTERNATE II	COMPLETION, p	raductio	n pipe shall be cement	ed from below any usable water to	surface within 120 DAYS	of spud date.
Or pursuant to Appe	endix "B" - Easterr	n Kansas	surface casing order #	133,891-C, which applies to the K	CC District 3 area, alterna	ate II cementing
				e plugged. In all cases, NOTIFY	district office prior to art	y centening.
I hereby certify that the sta	tements made he	erein are	true and correct to the	best of my knowledge and belief.		
Date:	Signature of	Operato	COL BURNE AND	man Kinkle	Administ	trative Assistant
	Oiginates o	Crp Co. Co.		Remember to:		
For KCC Use ONLY				File Drill Pit Application (form	m CDP-11 with latent to Dai	H-
API # 15 - 205-2	7576-0)	File Completion Form ACO-	-	fate:
	W.			- File acreage attribution plat	according to field proration	orders;
Conductor nipe required	1-7	<	teet	Notify appropriate district of		
Minimum surface pipe rec		41-	teet per ALT. [2](]	 Submit plugging report (CP- Obtain written approval before 		, mar-
Approved by fine (-)		- C	-V.4	If this permit has expired (Section 1).		;
This authorization expires		thun 45 ··	unthe of advanced first	check the box below and ref		
(This authorization void if di	nang noi siancu vi	ан: 1∠ <i>т</i> с	innis ur approvat date.)	Well Not Drilled - Pern	nit Expired Date	
Soud date:	Agent			Signature of Operator o		
						<u>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</u>
					- V 57000	



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-275 76-0000	
Operator: Cherokee Wells, LLC	Location of Well: County: Wilson
Lease: Parsons	feet from N / S Line of Section
Well Number: A-1	Sec. 8 Twp. 29 S. R. 15 X V Line of Section Sec. 8 Twp. 29 S. R. 15 X E W W W W W W W W W
Field: Cherokee Basin Coal Gas Area	Sec. 8 Twp. 29 S. P. 15 X E W
Number of Acres attributable to well: OTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

1 1 1 1 1	k/t	
1540+	NL	
J6907 350 FWL		 RECEIVED RECEIVED KANSAS CORPORATION COMMISSIONS CORPORATION COMMISSIONS RECEIVED
············ · ··········· · · · · · ·		 JUN 1 3 2008 MAY 0 2 2008
		CONSERVATION DIVISION CONSERVATION DIVISION WICHITA, KS WICHITA, KS
		EXAMPLE
		 1980
		 3390.
		SEWARD CO.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections.
 4 sections, etc.
- $2. \ The \ distance \ of \ the \ proposed \ drilling \ location \ from \ the \ south \ / \ north \ and \ east \ / \ west \ outside \ section \ lines.$

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage)
- 4. It proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

Submit in Duplicate

, <u> </u>								
Operator Name: Cherokee Wells, LLC				License Number: 33539				
	Fredonia	KS	66736					
Contact Person: Shannan Shinkle				Phone Number: 620-378-3650				
A-	1	Pit Location (QQQQ):						
Type of Pit: Pit is:		C NW NW NW						
Proposed	Existing	Sec. 8 Twp. 29 R. 15	East	West				
Settling Pit Drilling Pit If Existing, date of				,				
Pit capacity:								
000	(bbls)	Wilson	,,,,,,	County				
	<u>-</u>	Chloride concentration:						
	J	**						
	No		used?	j				
<u> </u>		Natural Clay & Earth						
Length (fe	eet)	Width (feet)	N/A: Steel	Pits				
om ground level to de	eepest point:	6 (feet)	No Pit					
liner			nining					
•	liner integrity, including any special monitoring. REC⊞∀ED							
	KANSAS CORPORATION COMMISS JUN 13 2008							
		C	ONSERVATIO	N DIVISION .				
of pit	Depth to shallowest fresh water 100 feet. WICHITA, KS							
feet								
	Deliting Markovas and Mark Off Pite CANA							
	[· ·							
	Number of westing the tenter of							
	Abandonment procedure: Remove Fluid, Allow to dry, Level Surface							
spilled fluids to		Surface						
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		•	RECE					
ments are true and c	correct to the best		SCORPORAT	TION COMMIS				
(~ 0	$\mathcal{O}_{\mathcal{A}}$	MAY 0 2	2 2008				
Date Signature of Applicant or Agent WICHITA, KS								
KCC (OFFICE USE ON	ILY Steel Pit REAC	T REAS					
Date Received: 5/2/08 Permit Number: Permit Date: 5/2/08 Lease Inspection: Yes No								
				_				
	A-Pit is: Proposed If Existing, date conditions are true and conditions. Artificial Liner? Pres Solution of pit Interpretation of pit Pres Solution	A-1 Pit is: Proposed Existing If Existing, date constructed: Pit capacity: 800 (bbls) Area? Yes No Compared to deepest point: Iner Describe procelliner integrity, in the process of information of pit Depth to shallow source of information of pi	Phone Number: 620-378-3650 A-1 Pit Location (QQQQ): C NN NW NW Proposed Existing If Existing, date constructed: Pit capacity: 800 Chloride concentration: (For Emergency Pits and Setting Artificial Liner? How is the pit lined if a plastic liner is not Natural Clay & Earth Describe procedures for periodic maintenance and determ liner integrity, including any special monitoring. ANSA: of pit Depth to shallowest fresh water Source of information: Iteet Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh Water Number of working pits to be utilized: Drill pits must be closed within 365 days of spud date. (ANSA: AMAMA ARAMA CAMAMA CAMAMA AMAMA Phone Number: 620-378-3650 A-1 Pit Location (QQQQ): C. NW NW NW Sec. 8 Twp. 29 R. 15 South Line 590 Feet from North / South Line 350 Feet from East / West Line Wilson Area? Yes No Chloride concentration: (For Emergency Pits and Setting Pits only) Artificial Liner? Natural Clay & Earth O Length (feet) 40 Width (feet) NA: Steel om ground level to deepest point: 6 (feet) No Pit liner Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECE: KANSAS CORPORAT Source of information: well owner Setting Pits only: Type of material utilized in drilling/workover: Fresh Water Number of working pits to be utilized: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh Water Number of working pits to be utilized: Drill pits must be closed within 365 days of spud date. RECE KANSAS CORPORAT CONSERVATIO Surface Drill pits must be closed within 365 days of spud date. RECE KANSAS CORPORAT CONSERVATIO Surface Drill pits must be closed within 365 days of spud date. RECE KANSAS CORPORAT CONSERVATIO CONSERVATIO Surface Drill pits must be closed within 365 days of spud date. RECE KANSAS CORPORAT CONSERVATIO CONSERVAT					