KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All bianks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date: month day year | Spot Description: |
|---|--|
| | C NW NW NW Sec. 30 Twp. 27 S. R. 15 XE W |
| OPERATOR: License# 33539 | 330 feet from N / S Line of Section Section Feet from Fe / W Line of Section |
| Name: Cherokee Wells, LLC | |
| Address 1: P.O. Box 296 | Is SECTION: Kegular Inregular? |
| Address 2: | (Note: Locate well on the Section Plat on reverse side) |
| City: Fredonia State: KS Zip: 66736 + | County Wilson |
| Contact Person: Tracy Miller Phone:620-378-3650 | Lease Namo R. Timmons Well #: A-10 |
| | Field Name Cherokee Basin Coal Gas Area |
| CONTRACTOR: License# 33072 | Is this a Prorated . Spaced Field? |
| Name: Well Refined Drilling | Target Formation(s): Mississipplan |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Mintield Mud Rotary | Ground Surface Elevation: 836feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile. |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic : # of Holes Other | Depth to bottom of resh water: est. 100' |
| Other. | Depth to bottom of usable water: |
| | Surface Pipe by Alternate: 1 X 11 20! Minimum |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 20' Minimum |
| Operator: | Length of Conductor Pice (if any): N/A |
| Well Name: | Projected Total Depth: 1350' |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Mississippian |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes No | Well Farm Pond Other: |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with OWR |
| POG DET IL | |
| KCC DKT #: | Will Cores be taker? |
| KCC DKT #: | If Yes, proposed z one: |
| | If Yes, proposed zone: RECEIVED |
| AFF | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS |
| AFF | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS poing of this well will comply with K.S.A. 55 et. seq. |
| AFF | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A convect the appropriate district of intent to drill shall be posted on each | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 Conservation division |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be scritted. KS |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well, 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be seq. Underlying formation. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by Schitta, KS underlying formation. bit office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well, 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented. | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS Igging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall bayselitta, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well, 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; conservation division by circulating cement to the top; in all cases surface pipe shall by Schita, KS underlying formation. bit office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | IDAVIT RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set in a long to or plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well, 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | IFYes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be sequenced in the sequence of the s |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well, 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be | IDAVIT RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set in a long to or plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well, 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 1f the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | IFYes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set in a underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. East of my knowledge and belief. Administrative Assistant Title: |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE It COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be be likely certify that the statements made herein are true and correct to the best page. Signature of Operator or Agent: | IF Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by Set ITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. Better to my knowledge and betief. Administrative Assistant Title: Remember to: |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well, 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the be | RECEIVED KANSAS CORPORATION COMMISS againg of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by Set ITA, KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. Best of my knowledge and betief. Administrative Assistant Title: Remember to: File Drill Pit Application (form CDP-1) with litent to Drills. |
| The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the because of Complete that the statements of Operator or Agent: For KCC Use ONLY API # 15 - OSS - | IF Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; Volume of the top; in all cases surface pipe shall be sequenced in the sequence of the sequen |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed bate: Signature of Operator or Agent: For KCC Use ONLY | If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION Office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. ast of my knowledge and betief. Administrative Assistant Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best pate: 6/23/08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - ON - ON - Feet | IF Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; Volume of the top; in all cases surface pipe shall be sequenced in the sequence of the sequen |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well, 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the confidence of the confidence of the plants. For KCC Use ONLY API # 15 - ON - ON - Feet Minimum surface pipe required - Feet Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe required - Feet per ALT - II Minimum surface pipe r | IDAVIT RECEIVED KANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; Vericulating cement to the top; in all cases surface pipe shall be set in a underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. ast of my knowledge, and belief. Administrative Assistant Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill. File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry: |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the conductor pipe required feet Minimum surface pipe required feet feet per ALT It Approved by: It It It It It It It I | RECEIVED KANSAS CORPORATION COMMISS gigns of this well will comply with K.S.A. 55 et. seq. JUN 25 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall bustlita, KS underlying formation. Set office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. Set of my knowledge, and betief. Administrative Assistant Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File accesse attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry: Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date; please |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1. hereby certify that the statements made herein are true and correct to the because of the confidence of the confidence of the decrease of the confidence o | RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. bit office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 38,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. ast of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry: Suomit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date; please check the box below and return to the address below. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the conductor pipe required feet Minimum surface pipe required feet feet per ALT It Approved by: It It It It It It It I | RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig: CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. But office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. Best of my knowledge and betief. Administrative Assistant Title: Administrative Assistant Title: File Completion Form ACC-1 within 120 days of spud date: File acreage attribution plat according to field protation orders: Notify appropriate district office 48 hours prior to workover or re-entry: Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date; please check the box fielow and return to the address below. Well Not Drilled - Permit Expired Date: Title: RECEIVED KANSAS CORPORATION COMMISS CONSERVATION COMMISS LUN 2 5 2008 CONSERVATION DIVISION Administrative Application of the plugging; and plugging in the plugging is completed (within 60 days): To the plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date; please check the box fielow and return to the address below. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1. hereby certify that the statements made herein are true and correct to the because of the confidence of the confidence of the decrease of the confidence o | RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq. JUN 2 5 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. bit office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 38,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases. NOTIFY district office prior to any cementing. ast of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry: Suomit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date; please check the box below and return to the address below. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please snow all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No 15- 205 - 27584-00-00 | |
|---|---|
| Operator: Cherokee Wells, LLC | Location of Well: County: Wilson |
| Lease R. Timmons | 330 feet from N / S Line of Section |
| Weil Number: A-10 | 330 feet from E / X W Line of Section |
| Field: Cherokee Basin Coal Gas Area | Sec. 30 Twp. 27 S. R. 15 X E W |
| Number of Acres attributable to well: OTR/QTR/QTR/OTR of acreage: C NW NW NW | ts Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW |

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

| 3 | 30 NL | | - 00 ^C | 7 | | |
|------------|-------|------|-------------------|---|---------|--|
| 550 (NV | Q | 11 M | 10 Meve | | | |
| | | Α' | • | | | |
| | | | | | | |
| | | | | | | |
| | | | , | | | |
| | | | | | | |
| | , | | ****** | | ******* | |

RECEIVED KANSAS CORPORATION COMMISSION

JUN 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Cherokee Wells, LLC | | License Number: 33539 | | | |
|---|--------------------------------|--|---|--|--|
| Operator Address: P.O. Box 296 | | | Fredonia KS 66736 | | |
| Contact Person: Tracy Miller | | Phone Number: 620-378-3650 | | | |
| Lease Name & Well No.: R. Timmon | s A- | 10 | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | C NW NW NW | | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 30 Twp. 27 R. 15 East West | | |
| Settling Pit Drilling Pit | If Existing, date constructed: | | 330 Feet from North / South Line of Section | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 330 Feet from East / West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | 800 | (bbls) | Wilson | | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | | |
| Yes No | Yes XI | No | Natural Clay & Earth | | |
| Pit dimensions (all but working pits): | Length (fe | eet)40 | Width (feet) N/A: Steel Pits | | |
| Depth fr | om ground level to de | epest point: | 6 (feet) No Pit | | |
| | | edures for periodic maintenance and determining ncluding any special monitoring. | | | |
| material, michiese and metanation procedure | • | ,, | | | |
| | | | | | |
| | | | | | |
| Distance to nearest water well within one-mile | e of pit | | west fresh water 100 feet. | | |
| Source of infe | | Source of infor measu | ormation: | | |
| | | over and Haul-Off Pits ONLY: | | | |
| | | ial utilized in drilling/workover: Fresh Water | | | |
| | | orking pits to be utilized:1 | | | |
| l ' - | | procedure: Allow to Dry, Level Surface | | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must | | be closed within 365 days of spud date. | | | |
| RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION | | | | | |
| | | Man. | Λ Μα () () () Δ JUN 25 2008 | | |
| 6/23/08 Date | | JUNIA | ignature of Applicant or Agent CONSERVATION DIVISION | | |
| | | | WICHITA KS | | |
| KCC OFFICE USE ONLY Steel Pit RFAC RFAS | | | | | |
| Date Received: 4/25 08 Permit Num | nber: | Perm | it Date: 4/25/08 Lease Inspection: Yes No | | |