For KCC Use: 7-[-08]
Effective Date: District #

Kansas Corporation Commission Oil & Gas Conservation Division

October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing we

Expected Spud Date: June 30 2008	
	Spot Description:
month day year	C - SW - SE - SE Sec. 34 Twp. 33 S. R. 6 E W
OPERATOR: License# 4941	(Q/Q/Q/Q) 330 feet from N / X S Line of Section
Name: Union Valley Petroleum Corporation	990 Feet from E / W Line of Section
Address 1: 10422 Pinto Lane	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Enid State: OK Zip: 73701 + Contact Person: Paul Youngblood	County: HARPER
Phone:	Lease Name: Suzanne #2-34 Well #:
	Field Name: none
CONTRACTOR: License# 33132	Is this a Prorated / Spaced Field?
Name: Dan D. Drilling	Target Formation(s): Mississippi
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1275 feet MSL
Gas Storage MPool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes No ✓
Disposal Wildcat Cable	Public water supply well within one mile: Yes X No Depth to bottom of fresh water: 150'
Seismic ;# of HolesOther	Depth to bottom of usable water: 180'
Other:	Surface Pipe by Alternate: XI
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operators	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 4500'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Misissippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: 15 acre draw feet, exempt
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
	Will Cores be taken?
	If Yes, proposed zone:RECEIVED
ΔFFI	DAVIT KANSAS CORPORATION COMMIS
The undersigned hereby affirms that the drilling, completion and eventual plug	in a filting will will a material to 0. A. F.F. A. A. A.
It is agreed that the following minimum requirements will be met:	JUN 2 5 2008
Notify the appropriate district office <i>prior</i> to spudding of well;	
1. Hotely the appropriate district entire prior to opacioning or mon;	CONSERVATION
2. A copy of the approved notice of intent to drill shall be posted on each of	
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by 	orriging rig; y circulating cement to the top; in all cases surface pipe shall be set
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the in 	wichita, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the ultimater of 4. If the well is dry hole, an agreement between the operator and the district. 	wichita, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug tength and placement is necessary prior to plugging;
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the lattice. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug tength and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #16 	wichita, ks viculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug tength and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the unsurface of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #18 must be completed within 30 days of the spud date or the well shall page. 	wichita, KS v circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3897C, which applies to the KCC District 3 area, alternate II cementing lyingsed in all cases.
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the lattice. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #16 	wichital rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. et office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3 8917C, which applies to the KCC District 3 area, alternate II cementing supposed in all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the unsurface of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #18 must be completed within 30 days of the spud date or the well shall page. 	wichita, KS v circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3897C, which applies to the KCC District 3 area, alternate II cementing lyingsed in all cases.
 A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the unsurface 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #16 must be completed within 30 days of the spud date or the well shall be applied to the statements made herein are true and correct to the best of the spud date. 	wichital rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. et office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3 8917C, which applies to the KCC District 3 area, alternate II cementing support in all casts, NOTIFY district office prior to any cementing. System by knowletter and belief. President Title:
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #18 must be completed within 30 days of the spud date or the well shall be applied before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #18 must be completed within 30 days of the spud date or the well shall be applied before the well shall be applied to the position of the production of the position of the production of the production of the position of the production of the prod	virculating rig; virculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38917C, which applies to the KCC District 3 area, alternate II cementing plugged in all cases, NOTIFY district office prior to any cementing. System by knowledge and belief. President Title:
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #18 must be completed within 30 days of the spud date or the well shall be a likely 1. Thereby certify that the statements made herein are true and correct to the behalf of the completed within 30 days of the spud date or Agent: 1	wichita, KS varioulating register to the top; in all cases surface pipe shall be set underlying formation. It office on plug tength and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3 8917C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set only knowledge and belief. President Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
2. A copy of the approved notice of intent to drill shall be posted on each of 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the unit 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "8" - Eastern Kansas surface casing order #18 must be completed within 30 days of the spud date or the well shall shall be completed. I hereby certify that the statements made herein are true and correct to the beautiful to the complete of the position of the position of the position. Signature of Operator or Agent: For KCC Use ONLY API # 15 - ONLY	vicroulating rig; vicroulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.8917C, which applies to the KCC District 3 area, alternate II cementing strain by knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "8" - Eastern Kansas surface casing order #18 must be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and correct to the best of the complete of t	vicroulating rig; vicroulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.8917C, which applies to the KCC District 3 area, alternate II cementing supped in all cases, NOTIFY district office prior to any cementing. Title: President
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet per ALT. In the unconsolidated materials plus a minimum surface pipe required feet per ALT.	vicrculating rig; vicrculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.8917C, which applies to the KCC District 3 area, alternate II cementing sugged in all cases, NOTIFY district office prior to any cementing. Syst ply knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "8" - Eastern Kansas surface casing order #18 must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and correct to the best of the completed. Signature of Operator or Agent: For KCC Use ONLY API #15 - O O O O O O O O O O O O O O O O O O	riting rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.891°C, which applies to the KCC District 3 area, alternate II cementing strain by knowlette and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet unconsolidated plus a minimum of 20 feet	vicrculating rig; vicrculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.8917C, which applies to the KCC District 3 area, alternate II cementing sugged in all cases, NOTIFY district office prior to any cementing. Syst ply knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #18 must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed and the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed and the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed. It is a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well shall be a must be completed within 30 days of the spud date or the well s	riting rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.8917C, which applies to the KCC District 3 area, alternate II cementing sugged in all cases, NOTIFY district office prior to any cementing. Set by knowletter and belief. President Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet unconsolidated plus a minimum of 20 feet	vicinaliting rig; vicinaliting cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug tength and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3 917C, which applies to the KCC District 3 area, alternate II cementing blugged. In all casts. NOTIFY district office prior to any cementing. Set in the production of the complete prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 077-21630-00-00	
Operator: Union Valley Petroleum Corporation	Location of Well: County: HARPER
Lease: Suzanne #2-34	
Well Number: 2-34	990 feet from X E / W Line of Section
Field: none	Sec. 34 Twp. 33 S. R. 6 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: C SW _ SE _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Union Valley Petroleum Corporation		License Number: 4941		
Operator Address: 10422 Pinto Lai	ne		Enid OK 73	701
Contact Person: Paul Youngblood		Phone Number: 580-237-3959;		
Lease Name & Well No.: Suzanne #2	-34		Pit Location (QQQQ):	
Type of Pit:	Pit is:	······································	CSWSESE	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 34 Twp. 33 R. 6 East West	
Settling Pit Drilling Pit	If Existing, date of	onstructed:	Feet from North / South Line of Se	ction
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 4,500	(bbls)	990 Feet from East / West Line of Se	ction
Is the pit located in a Sensitive Ground Water	Area? Yes	JNo ,	1 100	ng/l
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	50 Length (fe	eet)100	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point:	4 (feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining CEIVED KANSAS CORPORATION C JUN 25 20 CONSERVATION DIV. WICHITA, KS	OMMISSION 08 /ISION
		west fresh water 32 feet.		
feet Depth of water well	42feet	Source of informeasu	red well owner electric log KDWF	_
		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover: mud	— ¢
		sing pits to be utilized: 1	_ _	
Barrels of fluid produced daily: Does the stope from the tank battery allow all	spilled fluids to	Abandonment	procedure: haul free water; evaporation; back f	- Q'
flow into the pit? Yes No	Spinos natas to	Drill pits must l	e closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
06-24-08 Date	-J.E	fores	gnature of Applicant or Agent	🖯
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: 4/25 (58 Permit Number: Permit Date: 6/25 / 08 Lease Inspection: Yes No				



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

June 25, 2008

Mr. Paul Youngblood Union Valley Petroleum Corporation 10422 Pinto Lane Enid, OK 73701

RE: Drilling Pit Application

Suzanne Lease Well No. 2-34 SE/4 Sec. 34-33S-06W Harper County, Kansas

Dear Mr. Youngblood:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within one week after drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Havnes

Environmental Protection and Remediation Department

Cc: district