#### For KCC Use: Effective Date: Oistrict # SGA? Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

## NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commence.

All blanks must be Filled

Expected Spud Date:				
month day year	Spot Description:			
OBERATOR, Ligarous 33539	C SE NW NW Sec. 34 Twp. 27 S. R. 15 XE W			
OF CRAIGH. CORRECT	feer from N / S Line of Section			
Name: Cherokee Wells, LLC Address 1 P.O. Box 296	teet from [ E / X W Line of Section			
Address 2:	Is SECTION.   Regular   Irregular?			
City, Fredonia State: KS Zip. 66736 +	(Note: Locato well on the Section Plat or reverse side)			
Contact Person: Tracy Miller	County: Wilson			
Phone: 620-378-3650	Lease Name Watts  Field Name Cherokee Basin Coal Gas Area  Well # A-2			
CONTRACTOR: License# 33072	Is this a Prorated : Spaced Field?			
Name: Well Refined Drilling	Target Formation(s) Mississippian			
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 990'			
	Ground Surface Elevation 846 feet MSL			
Oil Enh Rec XInfield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:			
Disposal Wildcat Cable	Public water supply well within one mile:			
Seismic: # of Holes Other	Depth to bottom of fresh water: est. 100'			
Other:	Depth to bottom of usable water: est. 200'			
If OWWO: old well information as follows:	Surface Pipe by Alternate:			
_	Length of Surface Pipe Planned to be set: 20' Minimum			
Operator:	Length of Conductor Pipe (if any): N/A Projected Total Depth: 1350'			
Welf Name: Original Total Depth:	Formation at Total Depth: Mississippian			
Original Completion Date Original Ibidi 1980tt	Water Source for Drilling Operations:			
Directional. Deviated or Horizontal wellbore?	Well Farm Pond Other:			
If Yes, true vertical depth:	DWR Permit #:			
Bottom Hole Location:	(Note: Apply for Permit with DWR [])			
KCC DKT #:	Will Cores be taken?			
	If Yes, proposed zone:			
AFF	RECEIVED IDAVIT KANSAS CORPORATION COMMISSION			
The undersigned hereby affirms that the drilling, completion and eventual plu	- mr t 1.7 t 5			
It is agreed that the following minimum requirements will be met:	JUN 2 5 2008			
Notify the appropriate district office <i>prior</i> to spudding of well;	JOIN 2 3 2000			
A copy of the approved notice of intent to drill <i>shall be</i> posted on each	drilling rig; CONSERVATION DIVISION			
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall WestiTA, KS				
	y circulating cement to the top; in all cases surface pipe shall be set 100			
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation			
<ol> <li>If the well is dry hole, an agreement between the operator and the distr</li> </ol>	underlying formation ict office on plug length and placement is necessary prior to plugging:			
<ol> <li>If the well is dry hole, an agreement between the operator and the distr</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	underlying formation ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date			
<ol> <li>If the well is dry hole, an agreement between the operator and the distr</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	underlying formation ict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing			
<ol> <li>If the well is dry hole, an agreement between the operator and the distr</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol>	underlying formation ict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.			
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol> I hereby certify that the statements made herein are true and correct to the behalf the production of the production.	underlying formation ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.			
<ol> <li>If the well is dry hole, an agreement between the operator and the distr</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol>	underlying formation ict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.			
4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be 6/22/108.	underlying formation ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Administrative Assistant			
4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be 6/22/108.	underlying formation ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing, ast of my knowledge and belief.  Administrative Assistant  Remember to:			
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the beautiful be	underlying formation lict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing, ast of my knowledge and belief.  Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:			
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beautiful beautif	underlying formation lict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. The set of my knowledge and belief.  Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill, File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proriation orders:			
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date:    Signature of Operator or Agent:   Signature of Operato	underlying formation lict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing, ast of my knowledge and belief.  Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field protation orders: Notify appropriate district office 48 hours prior to workover or re-entry:			
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date:    Signature of Operator or Agent:	underlying formation ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill, File Completion Form ACO-1 within 120 days of spud date: File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):			
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the beautier.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	underlying formation lict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);			
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date:    Signature of Operator or Agent:	underlying formation lict office on plug length and placement is necessary prior to plugging; and or production casing is demented in; from below any usable water to surface within 120 DAYS of spud date 13,891-C, which applies to the KCC District 3 area, alternate II dementing plugged. In all cases, NOTIFY district office prior to any dementing.  Best of my knowledge and belief.  Administrative Assistant  Title:  Administrative Assistant  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date:  File acreage attribution plat according to field proration orders:  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days):  Obtain written approval before disposing or injecting salt water  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below			
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and correct to the because of the contract of the policy.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OSSS ONLY  Conductor pipe required OSSS Teet per ALT II MIII Approved by: OSSS OSSS OSSS OSSS OSSS OSSS OSSS OS	underlying formation lict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Administrative Assistant  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water  If this permit has expired (See: authorized expiration date) please			

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 305 - 37588-00-00	
Operator: Cherokee Wells, LLC	Location of Well County: Wilson
Lease: Watts	
Well Number: A-2	990 feet from
Field: Cherokee Basin Coal Gas Area	Sec. 34 Twp. 27 S. R. 15 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: C SE NW NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	990/	:	•		
	**	:	********	********	
gal V	No	X5 A-2	,,,,,,,		
		,,,,,,,,,	 	***************************************	
	,				
		^ * * 1 * *		7	
			:		

RECEIVED KANSAS CORPORATION COMMISSION

JUN 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1 The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cherokee Wells, LLC		License Number: 33539					
Operator Address: P.O. Box 296		Fredonia KS 66736					
Contact Person: Tracy Miller		Phone Number: 620-378-3650					
Lease Name & Well No.: Watts	No.: Watts A-2		Pit Location (QQQQ):				
Type of Pit:	Pit is:		C SE NW NW				
Emergency Pit Burn Pit	Proposed Existing		Sec. 34 Twp. 27 R. 15 East West				
Settling Pit X Drilling Pit	If Existing, date constructed:		990 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	800	(bbis)	Mileon				
Is the pit located in a Sensitive Ground Water	Area? Yes	 ]No	Chloride concentration: mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)				
Yes No	Yes X	No	How is the pit lined if a plastic liner is not used?  Natural Clay & Earth				
Pit dimensions (all but working pits):	30 Length (fe	et) 40	Width (feet) N/A: Steel Pits				
	om ground level to de						
If the pit is lined give a brief description of the			edures for periodic maintenance and determining				
material, thickness and installation procedure	).	liner integrity, ii	ncluding any special monitoring.				
Distance to nearest water well within one-mile of pit Depth to shallo			west fresh water100feet.				
Source of i			e of information:    measured				
			rkover and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	f material utilized in drilling/workover: Fresh Water				
		Number of wor	mber of working pits to be utilized:1				
Barrels of fluid produced daily: Abandonment		nt procedure: Allow to Dry, Level Surface (					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must t	rill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSION.							
6/23/08 Date  JUN 2 5 2008 Signature of Applicant or Agent CONSERVATION DIVISION							
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: 6/25/08 Permit Number: Permit Date: 4/25/08 Lease Inspection: Yes No							