


STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

WELL PLUGGING RECORD

Graham County, Sec. 36 Twp. 8 Rge. 25 (E) W(W)

Location as "NE/CNWxSWx" or footage from lines SE SW NE
Lease Owner Levitt & Blackwill
Lease Name Bell #1 Well No. _____
Office Address Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) _____
Date well completed _____ 19____
Application for plugging filed _____ 19____
Application for plugging approved _____ 19____
Plugging commenced 2-7-58 19____
Plugging completed 2-12-58 19____
Reason for abandonment of well or producing formation _____



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well W.L. Fabricius
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 3920 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	200'	none
				5-1/2"	3914'	1493'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Checked the hole to 3920' and found it open.
Filled w/sand to 3900' and ran 5 sacks of cement. Pulled 5 1/2" casing to 600' and pumped in 25 sacks of gel mud. Pulled pipe to 200' and pumped in 15 sacks of cement. Pulled rest of pipe and ran 5 sacks of cement to base of cellar.

RECEIVED
STATE CORPORATION COMMISSION
2-19-1958
FEB 19 1958
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor West Supply Co., Inc.
Address Chase, Kansas

STATE OF KANSAS, COUNTY OF RICE, ss.
_____(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.


(Signature) L. W. Blackwill

(Address)

SUBSCRIBED AND SWORN TO before me this 15th day of February, 19 58

Thomas A. Snyder
Notary Public.

My commission expires 9-27-58



PLUGGING
FILE SEC. 36 T. 8 R. 25 W.
BOOK PAGE 80 LINE 32

V. JEAN TAYLOR
CONSULTING PETROLEUM GEOLOGIST
314 BROWN BUILDING
WICHITA, KANSAS

Levitt and Blackwell

No. 1 Well

NE 1/4 Sec 36, T 8 N, R 25 W
Crawford County, Kansas

Elevation: 2427 Kelly Bushing

Size Hole 7-7/8"

Drill Pipe 4-1/2"

Size Pump Liners 7"

Length Stroke 14"

Depths are from Kelly bushing.

Depth	Time	Remarks
3400 - 3410	2-1-1-1-1-1-1-2-2-2	
3420	2-2-2-1-2-2-3-4-3-2	
3430	3-3-3-2-2-2-3-4-5-4	
3440	4-3-3-3-2-2-2-2-2-2	
3450	2-3-4-4-4-4-4-4-6-6	
3460	6-7-7-7-4-2-2-3-4-4	
3470	3-3-3-2-2-2-3-2-2-4	
3480	4-4-6-5-3-3-3-4-2-2	
3490	3-3-3-4-5-4-3-2-2-2	
3500	1-1-1-1-1-1-1-2-3-3	
3500 - 3510	4-4-3-2-2-2-2-3-3-3	
3520	3-2-2-3-4-4-5-5-5-5	
3530	5-5-3-2-3-4-4-3-3-3	
3540	2-4-5-5-4-3-4-3-2-3	
3550	3-4-3-3-3-4-3-3-4-0	
3560	7-7-9-5-4-3-3-4-4-4	
3570	4-5-4-4-4-4-5-5-4-4	
3580	6-7-0-4-3-3-4-4-3-3	
3590	3-3-6-5-4-4-3-3-3-3	
3600	3-5-4-4-5-4-4-4-3-3	
3600 - 3610	5-6-5-5-5-6-8-9-10-9	
3620	10-5-3-4-4-3-3-2-3-2	
3630	2-2-2-1-2-2-2-4-4-4	
3640	5-4-5-5-5-7-6-7-7-7	
3650	6-4-4-4-5-4-5-9-9-7	
3660	8-6-5-5-5-4-5-5-6-6	
3670	5-4-5-4-3-4-3-6-6-5	
3680	6-5-5-6-6-4-3-4-3-4	
3690	4-3-3-3-3-3-5-11-9-9	
3700	10-6-6-3-3-5-11-9-9	

Trip at 3700 Need YB-1.

2-5-1958

PLUGGING
WELL SEC 36 T 8 R 25 W
BOOK PAGE 80 LINE 32

Levitt and Blackwell

No. 1 Well

S. 36 Section 36, T 8 S, R 25 W

Graham County, Kansas

Depth	Time	Remarks
3700 - 3710	3-2-2-2-2-3-2-2-3-3	
3720	3-3-2-2-2-2-2-2-1-1	
3730	2-3-3-3-3-3-3-1-1-1-1	
3740	1-3-3-3-1-1-1-1-2-3-3	
3750	3-1-1-1-1-1-1-1-1-5-6	
3760	6-7-7-7-7-5-5-1-1-1-1	
3770	1-5-1-2-1-3-3-2-2-1-1	
3780	5-5-5-6-3-3-3-3-3-3	
3790	6-6-6-6-5-5-5-1-5-5	
3800	5-7-5-1-1-7-3-7-7-7	Circulated for samples at 3800. Drill test at 3800. New bit L.V. at 3800.
3800 - 3810	5-6-6-6-5-5-5-1-5-5	
3820	6-1-5-5-1-5-3-1-5-5	
3830	5-5-5-5-5-5-6-1-1-1	
3840	5-5-5-1-3-1-3-3-3	Circulated for samples at 3840.
3850	1-1-6-1-1-5-5-5-5-5	
3860	6-5-5-1-1-1-5-7-6-5	
3870	5-5-1-3-1-3-1-5-5-1-1	
3880	5-5-5-6-7-5-6-6-5-1-1	
3890	3-3-3-2-3-3-1-6-1-5	
3900	3-3-1-5-7-5-7-6-7-5	Circulated for samples and drill stem test at 3900.
3900 - 3910	10-9-10-10-9-8-9-8-6-9	
3920	8-7-8-3-1-9-9-7-10-9	Circulated for samples and drill stem test at 3920.
		<u>TOTAL DEPTH 3920 Feet.</u>

2-5-1958

DRILLING
 NO. 36 T. 8 R. 25 W
 PAGE _____ LINE _____