

4-4

4-061060

R

TO: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Number: 15-193-20,661-000  
34' S. of  
NW NE SE /4 SEC. 20, 08 S, 34 W  
2276 feet from S section line  
990 feet from E section line

Operator license# 5003

Lease Frahm "A" Well # 1-20

Operator: McCoy Petroleum Corporation

County: Thomas 156.00

Address: 3017 N. Cypress Street  
Wichita, Kansas 67226-4006

Well total depth 4800 feet  
Conductor Pipe: 0 inch @ 0 feet  
Surface pipe 8 5/8 Inch @ 348 feet

Aband. oil well, Gas well, Input well, SWD, D & A X

Plugging contractor: Sweetman Drilling, Inc. License# 5658

Address: Wichita, Kansas 67202

Company to plug at: Hour: 2:30 A.M. Day: 4 Month: April Year: 1997

Plugging proposal received from: Brad Fortz

Company: Sweetman Drilling, Inc. Phone:

Were: Order 200 sxs 60/40 posmix - 6% gel with 1/4# floxal per sack.  
Space all plugs with heavy drilling mud through drill pipe.

RECEIVED  
KANSAS CORP COMM  
1997 APR 10 4 11: 11

Plugging Proposal Received by: Herb Deines

Plugging operations attended by agent? All [ ], Part [ ], None [ X ] 4-10-97

Completed: Hour: 4:30 A.M. Day: 4 Month: April Year: 1997

Actual plugging report:

1st. Plug at 2800' w/25 sxs. Anhydrite 2792' - 2821'.

2nd. Plug at 1975' w/100 sxs. Dakota 1662' - 1962'.

3rd. Plug at 400' w/40 sxs. Surface pipe to 348'.

4th. Plug at 40' w/10 sxs.

15 sxs in rathole.

10 sxs in mousehole.

Remarks: Allied Cementing.

Condition of casing(in hole): GOOD X BAD Anhy. plug: YES X NO

Bottom plug(in place): YES, CALC, NO X Dakota plug: YES X, NO

Plugged through TUBING, CASING. Elevation: 3262 GL

I did [ ] / did not [ X ] observe the plugging.

*[Signature]*  
DK (agent)  
Form CP-2/3

INVOICED

DATE APR 14 1997

INV. NO. 47911  
4-4