STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 211 No. Broadway

WELL PLUGGING RECORD

| 211 No. Broadway Wichita, Kansas | Sher | idan | Cou | ntv. Sec. 29 | Twn 8 Ra | e_26W _(E) _ | (W/ |
|--|--|---------------------------------------|----------------|------------------|--|--------------------------|----------|
| NORTH | Location as "N | IE/CNW#SW#" | or footage f | rom lines | SW NW SE | • • | |
| | | hiet Dri | lling (| o., Inc. | & Bill . | J. Porter | |
| 1 1 1 | Lease Name _ | | | | L : 4 V | Well No | 000 |
| | ł . | | | | hita, Kar | | 02 |
| | | veli (completed | | | Dry Ho | | |
| ! ! ! | 1 | plugging filed | | | | | 19 |
| | | plugging appro | | 7/26/73 | · · · · · · · · · · · · · · · · · · · | | 19 19 |
| !!!! | | nenced | - 1 1 | 73 | | | 19 |
| | Plugging comp | leted | July | 28, 197 | 3 | - | 19 |
| | Reason for aba | ndonment of we | ll or produci | ng formation _ | Dry | Hole | |
| | | | | | , , , , , , , , , , , , , , , , , , , | | |
| | If a producing | well is abandor | ned, date of | last production | | | 19 |
| Locate well correctly on above Section Plat | Was permissio | n obtained fron | the Conser | rvation Division | or its agents be | fore plugging w | as com- |
| Section Plat Name of Conservation Agent who s | menceur | ic wall | WI | Nichala | es | | |
| roducing formation | | Depth to top | Botto | m | Total Danth a | 2600 | |
| show depth and thickness of all wa | ter, oil and gas formation | ns. | Docc |)111 | _ lotal Depth o | r Well 2000 | Feet |
| OIL, GAS OR WATER RECO | | | | | | | |
| OIL, GAS ON WATER RECO | TIDS | | | | | CASING RECO | ORD |
| FORMATION | CONTENT | FROM | TO | SIZE | PUT IN | PULLED DU | JT |
| | | 0 | 221 | 8 5/8" | | | |
| | | | | | | | |
| | | | | | | | |
| | ************************************** | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Plugged through | drill pipe 6 | at 40° w/ | 10 cub | ic feet | cement. | | |
| | | | | | or RE | | |
| 7.744 | | | | | - STATE CORP | CEIVED PRATION COMMIS | |
| | | | | | | TATION COMM | |
| | | | | | AUG | 2 | SION |
| | | · · · · · · · · · · · · · · · · · · · | | | CONSER | ~ 1973 — | |
| | | | | | Wichita, | M5193 | |
| | | | | | | Kansasion | 3 |
| | | | | | | | |
| | | | · | | | | |
| | | | | | · | | |
| <u> </u> | | · | | | | | |
| | | | | 1.5 | | | |
| | (If additional | description is neces | sary, use BACE | of this sheet) | | | |
| ame of Plugging Contractor Ch | ief Drilling | Co., Inc | -, | | | | |
| ddress Suite 905 Cent | ury Plaza, Wi | chita, K | ansas | 67202 | | | |
| WANG # = | | | 7181 11 17 17 | | | | |
| TATE OF KANSAS | COU | | <u>SEDGW10</u> | | , SS. | | |
| Jim Robinson | | (e | SARARAS | owner) or (AG) | 6 86° 26° 86° 86° 86° 86° 86° 86° 86° 86° 86° 8 | of the above-de | scribed |
| ell, being first duly sworn on oath | , says: That I have kno | owieage of the i | acts, stateme | ents, and matte | ers herein contain | ed and the log | of the |
| ove-described well as filed and th | at the same are true and | d correct. So b | en me God. | 0, | | | |
| AB MA | (| (Signature) | Imi | Lohm | | | |
| | · | | of Cont | uny Dia | W: -1 · · | | |
| ADIVAN I | 2 | _91 | os cent | ury Plaz | a, Wichit | ta, Kansa | <u>s</u> |
| SUBSCRIBED AND SWORN TO bel | ore me this 30th | day of | July | | 19.7 | 73 | |
| OF PUBLIC TEE | | . / | /11/11 | in A | | | |
| on August | 5, 1975 | -4 | irginia | S. Fabi | an, | Notary Pul | hlic |
| Amenication expiter | J 1 7 1 J | | V | | • | . TOOLIY LUI | ,,,,, |

| Chief Drillin | g Co., Inc. & Bil se Name Pratt-Shaf | | | Dry Hole | |
|-----------------------------------|---|---------------|-------------|---|---------------------------------|
| s 29 T 8 R 26WE | Trace offat | | | DI'Y HOTE | • |
| Show all important zones of poros | WELL LOG ity and contents thereof; cored inte | | | SHOW GEOLOGICAL MA OR OTHER DESCRIPTIV | RKERS, LOGS RU 'E INFORMATIO |
| FORMATION DESCRIPT | ON, CONTENTS, ETC. | ТОР | воттом | NAME | DEPTH |
| | | | | ELECTRIC LO | G_TOPS |
| · | | | | | |
| | · | | - | Anhydrite Base Anhy. | 2172 2205 |
| | | | | L.T.D. | 2307 |
| | | | | | |
| · | | | | | |
| | | | | | |
| | | | | | |
| | | | | , | |
| | | , . | | STATE PEO | |
| | | | | CORPORATION | YED |
| | | | , | STATE CORPORATION AUG 2 19 | COMMISSIO |
| | | | ٠ | SUNSERVAT: | 300 |
| , | • | | | CONSERVATION DIV | 1840 |
| | | | , | "ISas | 970 _N |
| | | | | | |
| • | | | · | | |
| | | | · . | | |
| , | | | | | |
| | | , | | * | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | SE ADDITIONAL SHEETS, IF I | VECESSARY, TO | COMPLETE WE | LL RECORD. | |
| Date Received | | Imi | Kohnin | <u> </u> | |
| | | | Vice Pre | signoture esident | |
| ٠. | | 1 | - | Title | |
| | | July | 31, 1973 | Date | |
| L | <u> </u> | | | | ř. |

15-179-20358-00-00

WELL LOG

CHIEF DRILLING CO., INC. Suite 905 Century Plaza Wichita, Kansas 67202

PRATT-SHAFFER #1 SW NW SE Sec. 29-8-26W Sheridan County, Kansas

CONTRACTOR: CASING RECORD:

Company Tools Set 215" of 8 5/8" w/150

sacks common quick set cement

COMMENCED: 7/24/73 7/28/73 COMPLETED:

| FORMATION | FROM | <u>T0</u> | ELEVAT | <u>I ON</u> | |
|--|---|--|--|--|------------|
| Surface Sand & Gravel Shale & Sand Sand & Shale Shale & Shells Anhydrite Shale Shale Shale Shale Total Depth | 0 224 660 1555 2173 2191 2450 2600 | 224 660 1555 2173 2191 2450 2600 | Anhydr Base Ai | .F. .B. IC LOG TOPS ite 2172 + nhy. 2205 + | 368 335 |
| | | | L.T.D. RECEIVED HATE CORPORATION COMMISSION | | 233 |

STATE OF KANSAS, COUNTY OF SEDGWICK)

AUG 2 1973

CONSERVATION DIVISION Wichita, Kansas

I hereby certify that the above is a true and correct copy of the Driller's Log of the well drilled in the SW NW SE of Section 29-8-26W, Sheridan County, Kansas, to the best of my knowledge and belief.

CHIEF DRILLING CO., INC.

Robinson, Office Manager

Subscribed and sworn to before me this 31st day of July, 1973.

MY COMMISSION EXPIRES: Auugst 5, 1975

| | L ps | | | | | | | | ٦ | 1 | | | | | | |
|---|--|----------------------|---|---------------------|--------------------|----------|--------------------------|-------|-------------|-------------|---------------------------------------|--|---------------------------------------|--------------|--|--|
| | | | O K | ıns. | IMPORT Geo. Sur | vey I | ednea | st | \setminus |) | | | | | | |
| | KANSAS DRILLERS LOG samples on this well. | | | | | | | | | | s. 29 T. 8 R. 26 K | | | | | |
| $\langle $ | API No. 15 — | L | Loc. SW NW SE | | | | | | | | | | | | | |
| · - | | | | | | | | | | | County Sheridan | | | | | |
| | Chief Drilling Co., Inc. & Bill J. Porter | | | | | | | | | | | 640 Acres N | | | | |
| ı | Address 905 Century Plaza | | | | | | | | | | | | | | | |
| Ļ | Wichita, Kansas | | | | | | | | | _ | 16 | | 160 | | | |
| 1 | Well No. Lease Name #1 Pratt-Shaffer | | | | | | | | | | - - | | | | | |
| | Footage Location | | | | | | | | | | | | | | | |
| feet fron (N) (S) line feet from (E) (W) line Principal Contractor Geologist | | | | | | | | | | | | <u>_</u> | - <i>-</i> - | | | |
| ľ | Chief | 1. | - 16 | ╏╌╏╼╏╼ | 160 | | | | | | | | | | | |
| 1 | pud Date | | | Total | Depth | Str F | .B.T.D. | | | | Locate well correctly Elev.: Gr. 2535 | | | | | |
|) | $\frac{7/25/7}{25}$ | 3 | | OU D | 2600" | | | - | | (| | | | | | |
| ľ | | 8/73 | | | urchaser | | | • | | P | <u> 253</u> | <u>7 </u> | 254 | 0 | | |
| | CASING RECORD | | | | | | | | | | | | | | | |
|)[| Report of all string | s set — surface, | intermed | liate, _l | production, et | c. | | | | | | | | | | |
| | Purpose of string | Size hole drilled | Sixe casi (in O. | ng set D.) | Weight lbs/ft. | Setting | etting depth Type cement | | it | Sacks | Ту | pe and perc additives | ent | | | |
| 1 | 12\frac{1}{4}" 8 5 | | | | 28 Lb | 22 | common quick set | | | 150 | | | | | | |
| ŀ | | 1 2 4 | 0 0 | , <u> </u> | 20 20 | 22 | • | qu | ICK_S | <u> </u> | 130 | | | | | |
| ŀ | | | | | | | | | | | | | | | | |
| | | | | | | | | | , | | | | | | | |
| | • | | | | | | | | | | | | | | | |
| ı | | LINER RECOR | RD | | | | | | PE | RFORA | REFORATION RECORD | | | | | |
| ľ | Top, ft. | Bottom, ft. | S | Sacks cement | | | Shots per ft. | | | Size & type | | C | Depth interval | | | |
| ł | <u> </u> | ORD. | <u>l. </u> | | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | |
| \int | Size | TUBING RECO | | acker s | et at | +- | | | | | | | | · | | |
| - | | | | | | | | | | | · ··· · · · · · · · · · · · · · · · · | | · | لتحيث | | |
| - | | Α | CID, FI | RACTI | JRE, SHOT, | CEMEN | T SQUI | EEZE | | | 1 | | | | | |
| \backslash | | Amou | int and ki | ind of i | material used | | . <u> </u> | · | | | | Depth Inter | val treated | | | |
| 7 | | | | | | | | | STATE | COOP | CELL. | | | i. | | |
| 1 | | | | | • | | | | | A. | ATION CO | D | ; | | | |
| ŀ | Amount and kind of material used STATE CORPURATION COMMISSION CONSERVATION DIVISION INITIAL PRODUCTION Producing method (flowing, pumping, gas lift, etc.) | | | | | | | | | | | · | | | | |
| ŀ | | | | ** | 0 | | | | Wi | RV477C |) _N ~ | 7 | | i | | |
| | P | · . | | | INITIAL PR | | | | -4- \ | "Ita, K | N DIVIS | 10 _N | | <u> </u> | | |
| | Data of first production | | Pr | oduciņg | method (flow | ing, pum | ping, gas | ıitt, | etc.) | | -42. | ◀ | | | | |
| | RATE OF PRODUCTION PER 24 HOURS | Oil | | | Gas | | | | /ater | | ·············· | Gas-oil ratio | 0 | | | |
| \ | Disposition of gas (vented, | , used on lease or s | old) | ьы | s. | | MC | CF | Producing | interval | bbls. | L | | CFPB | | |
| 4 | | | | | | | | ı | | | | | | | | |

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.