

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

2003

**RECEIVED
JUN 18 2003**


**KCC WICHITA
6/18/03**

Operator: License # 30420
Name: Vincent Innone dba VJI NATURAL RESOURCES, INC.
Address: 30-38 48TH STREET
City/State/Zip: ASTORIA NY 11103
Purchaser: _____
Operator Contact Person: JASON DINGES
Phone: (785) 625-8360
Contractor: Name: ANDY ANDERSON dba A & A PRODUCTION
License: 30076
Wellsite Geologist: JERRY GREEN
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
5-29-03 6-6-03 6-6-03
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 065-22914-00-00
County: GRAHAM
SW - NE SE Sec. 25 Twp. 8 S. R. 25 East West
1600 feet from (S) N (circle one) Line of Section
990 feet from (E) W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: HOLLEY Well #: 1-B
Field Name: HOLLEY
Producing Formation: LKC
Elevation: Ground: 2404 Kelly Bushing: 2409
Total Depth: 3980 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 212' @ 217' Feet
Multiple Stage Cementing 150 SACKS Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.
Drilling Fluid Management Plan *PH 1-11-03*
(Data must be collected from the Reserve Pit)
Chloride content 3000 ppm Fluid volume 140 bbls
Dewatering method used Natural Settling
Location of fluid disposal if hauled offsite: _____
Operator Name: Challenger Exploration
Lease Name: Dechant License No.: 03919
Quarter _____ Sec. 17 Twp. 14 S. R. 18 East West
County: Ellis Docket No.: 24904

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.



Signature: [Signature]
Title: Agent Date: 6-16-03
Subscribed and sworn to before me this 16 day of June
192003
Notary Public: Christine Schlyer
Date Commission Expires: 10-12-06

KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Vincennt Innone dba

Operator Name: VJI NATURAL RESOURCES, INC. Lease Name: HOLLEY Well #: 1-B
 Sec. 25 Twp. 8 S. R. 25 East West County: GRAHAM

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed; flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:
Radiation Guard Log

Log Formation (Top), Depth and Datum Sample

Name	Top	Datum
Anhy	2129-60	249
Heebner	3695	-1286
Toronto	3723	-1314
LKC	3736	-1327
BKC	3958	-1549
RTD	3979	-1570

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4	8 5/8	25	217	60/40 POZ	150	3% CC 2% GEL

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
Perforate				
Protect Casing				
Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD

Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr.	Producing Method	Estimated Production Per 24 Hours	Oil Bbls.	Gas Mct	Water Bbls.	Gas-Oil Ratio	Gravity
	<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)						

METHOD OF COMPLETION

Vented Sold Used on Lease (If vented, Sumit ACO-18.)

Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval

15-065-22914-00-00

ORIGINAL

DRILLERS WELL LOG

Date Spud: May 29, 2003
Date Completed: June 6, 2003
HOLLEY 1-B

Vincent Innone dba:
VJI NATURAL RESOURCES, INC
SE/4 25-8S-25W
Graham Co, KS

Elevation: 2465 G.L. est.

DEPTH

0 - 635 Shale & Sand
635 - 1492 Shale & Sand
1492 - 2070 Shale & Sand
2070 - 2100 Anhydrite
2100 - 2395 Shale & Sand
2395 - 2845 Shale
2845 - 2995 Shale
2995 - 3155 Shale
3155 - 3425 Shale
3425 - 3563 Shale
3563 - 3723 Lime
3723 - 3900 Lime
3900 - 3980 Lime
3980 - R.T.D

RECEIVED
JUN 18 2003
KCC WICHITA
6/18/03

Surface Pipe: Set 212 ft of 8 5/8" casing
@ 217 ft with 150 sacks of 60/40 Poz,
3% CC 2% Gel.

AFFIDAVIT

STATE OF KANSAS)
) ss:
COUNTY OF GRAHAM)


Andy Anderson of lawful age, does swear and state that the facts and statements herein are true and correct to the best of his knowledge.

Andy Anderson
Andy Anderson

Subscribed and sworn to before me this 9th day of June 2003.

My Commission Expires:
January 21, 2004

Rita A. Anderson
Rita A. Anderson, Notary Public



ALLIED CEMENTING CO., INC. 11095

Federal Tax I.D.# XXXXXXXXXX

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL
SERVICE POINT: OAKLEY

15-065-22914-00-00

DATE <u>1-6-03</u>	SEC. <u>25</u>	TWP. <u>25</u>	RANGE <u>25 W</u>	CALLED OUT	ON LOCATION <u>7:45 AM</u>	JOB START <u>8:15 AM</u>	JOB FINISH <u>10:30 AM</u>
LEASE <u>HALLEY</u>		WELL# <u>1-B</u>		LOCATION <u>MORLANDO 1E-2 1/2 S</u>		COUNTY <u>GRAHAM</u>	STATE <u>KS</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR ANA DRILL
 TYPE OF JOB PTA
 HOLE SIZE 7 7/8" T.D. 3980'
 CASING SIZE _____ DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2" DEPTH 2020
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER SAME

CEMENT
 AMOUNT ORDERED 190 SKS 60/40 P82 69.662 1/4" #16-SEAL

COMMON <u>114 SKS</u>	@ <u>8 3/4</u>	<u>951 90</u>
POZMIX <u>76 SKS</u>	@ <u>3 80</u>	<u>288 80</u>
GEL <u>10 SKS</u>	@ <u>10 80</u>	<u>100 80</u>
CHLORIDE _____	@ _____	_____
_____	@ _____	_____
<u>Ph-SEAL 48"</u>	@ <u>1 40</u>	<u>67 20</u>
_____	@ _____	_____
_____	@ _____	_____
HANDLING <u>190 SKS</u>	@ <u>1 15</u>	<u>218 50</u>
MILEAGE <u>0.56 PER SK / MILE</u>		<u>617 50</u>
TOTAL		<u>2243 90</u>

EQUIPMENT

PUMP TRUCK	CEMENTER <u>TERRY</u>
# <u>300</u>	HELPER <u>WAYNE</u>
BULK TRUCK	
# <u>212</u>	DRIVER <u>LARRY</u>
BULK TRUCK	
# _____	DRIVER _____

REMARKS:

25 SKS AT 2020'
100 SKS AT 1225'
40 SKS AT 275'
10 SKS AT 40'
15 SKS PAT HOLE

THANK YOU

SERVICE

DEPTH OF JOB <u>2020'</u>	
PUMP TRUCK CHARGE _____	<u>670 80</u>
EXTRA FOOTAGE _____	@ _____
MILEAGE <u>65 MI</u>	@ <u>3 50</u> <u>227 50</u>
PLUG <u>8 3/4 DRY HOLE</u>	@ _____ <u>23 80</u>
_____	@ _____
_____	@ _____
TOTAL <u>880 50</u>	

CHARGE TO: VJI NATURAL RESOURCES, INC
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE *Dame*

PRINTED NAME

ALLIED CEMENTING CO., INC. 11257

Federal Tax I.D.# XXXXXXXXXX

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Ogkley

15-065-22914-00-00

DATE <u>5-29-03</u>	SEC <u>25</u>	TWP <u>8</u>	RANGE <u>23W</u>	CALLED OUT	ON LOCATION <u>6:15 PM</u>	JOB START <u>11:00 PM</u>	JOB FINISH <u>11:20 PM</u>
LEASE <u>Holley</u>	WELL # <u>1-B</u>	LOCATION <u>Moreland 1E</u>			COUNTY <u>Greehan</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR A & A Drilling Co.

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 217'

CASING SIZE 8 5/8 DEPTH 215'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15

PERFS.

DISPLACEMENT 12 3/4 BHLS

OWNER S940

CEMENT AMOUNT ORDERED 150 SKS 60/40 3 Bucc 29/1601

COMMON @

POZMIX @

GEL @

CHLORIDE @

HANDLING @

MILEAGE @

EQUIPMENT

PUMP TRUCK CEMENTER Dean

191 HELPER Lonnie

BULK TRUCK DRIVER Jarrod

315 DRIVER

BULK TRUCK DRIVER

TOTAL _____

REMARKS:

SERVICE

Cement did circulate ✓

Thank you

DEPTH OF JOB 217'

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE 65 Miles @

PLUG 8 5/8 Plug @

TOTAL _____

CHARGE TO: V. J. Natural Resources

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

@

@

@

@

@

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Jarrod

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____