

ORIGINAL SIDE ONE

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

Operator: License # 5285  
Name: The Dane G. Hansen Trust  
Address P. O. Box 187  
City/State/Zip Logan, Kansas 67646  
Purchaser: Farmland Industries  
Operator Contact Person: Dane G. Bales  
Phone (313) 689-4816

Contractor: Name: Galloway Drilling Co., Inc.  
License: 5783

Wellsite Geologist: J. E. Jespersen STATE CORPORATION COMMISSION


Designate Type of Completion  
 New Well  Re-Entry  Workover  
 Oil  SWD  Temp. Abd.  
 Gas  Inj  Delayed Comp.  
 Dry  Other (Core, Water Supply, etc.)

If OWO: old well info as follows:  
Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_  
Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Drilling Method:  
 Mud Rotary  Air Rotary  Cable  
3/11/91 3/25/91 4/17/91  
Spud Date Date Reached TD Completion Date

API NO. 15- 193-20,547-CD-50  
County Thomas  
NW NE SW Sec. 28 Twp. 8 Rge. 32 East  West  
2310 Ft. North from Southeast Corner of Section  
3630 Ft. West from Southeast Corner of Section  
(NOTE: Locate well in section plat below.)  
Lease Name Weyand Well # 3  
Field Name North Randall  
Producing Formation Cherokee  
Elevation: Ground 3098 KB 3103  
Total Depth 4660 PBTD \_\_\_\_\_



RECEIVED  
MAY 02 1991  
STATE CORPORATION COMMISSION  
Wichita, Kansas

Amount of Surface Pipe Set and Cemented at 352' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

INSTRUCTIONS: This form shall be completed in triplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date of any well. Rule 82-3-130, 82-3-107 and 82-3-106 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months. One copy of all wireline logs and drillers time log shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells. Any recompletion, workover or conversion of a well requires filing of ACO-2 within 120 days from commencement date of such work.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Dane G. Bales  
Title Manager Date 4/29/91

Subscribed and sworn to before me this 29th day of April,  
19 91.  
Notary Public Betty Jane Bittel  
Date Commission Expires July 17, 1992

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Drillers Timelog Received  
Distribution  
 KCC  SWD/Rep  NGPA  
 KGS  Plug  Other  
(Specify)



SIDE TWO

Operator Name The Dane G. Hansen Trust Lease Name Weyand Well # 3  
 Sec. 28 Twp. 8 Rge. 32  East  West  
 County Thomas

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken (Attach Additional Sheets.)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Formation Description  <input checked="" type="checkbox"/> Log <input type="checkbox"/> Sample																																	
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																		
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																		
Electric Log Run (Submit Copy.)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No																																		
		<table border="1"> <thead> <tr> <th>Name</th> <th>Top</th> <th>Bottom</th> </tr> </thead> <tbody> <tr> <td>Anhydrite</td> <td>2691</td> <td>+412</td> </tr> <tr> <td>B/Anhydrite</td> <td>2770</td> <td>+383</td> </tr> <tr> <td>Wabaunsee</td> <td>3614</td> <td>-511</td> </tr> <tr> <td>Topeka</td> <td>3840</td> <td>-737</td> </tr> <tr> <td>Heebner</td> <td>4034</td> <td>-931</td> </tr> <tr> <td>Lansing/KC</td> <td>4074</td> <td>-971</td> </tr> <tr> <td>Stark</td> <td>4280</td> <td>-1177</td> </tr> <tr> <td>Marmaton</td> <td>4370</td> <td>-1267</td> </tr> <tr> <td>Pawnee</td> <td>4455</td> <td>-1352</td> </tr> <tr> <td>Fort Scott</td> <td>4518</td> <td>-1415</td> </tr> </tbody> </table>	Name	Top	Bottom	Anhydrite	2691	+412	B/Anhydrite	2770	+383	Wabaunsee	3614	-511	Topeka	3840	-737	Heebner	4034	-931	Lansing/KC	4074	-971	Stark	4280	-1177	Marmaton	4370	-1267	Pawnee	4455	-1352	Fort Scott	4518	-1415
Name	Top	Bottom																																	
Anhydrite	2691	+412																																	
B/Anhydrite	2770	+383																																	
Wabaunsee	3614	-511																																	
Topeka	3840	-737																																	
Heebner	4034	-931																																	
Lansing/KC	4074	-971																																	
Stark	4280	-1177																																	
Marmaton	4370	-1267																																	
Pawnee	4455	-1352																																	
Fort Scott	4518	-1415																																	

CASING RECORD  New  Used  
 Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	23#	352'	60/40 Poz	190	2% Gel, 3% CC
Production	7 7/8	5 1/2	14#	4659'	ASC Com 1/10 of 1% CFR-2	210	5% Gil, 500 Gal. WFR-2


Shots Per Foot	Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	4594-4604 (All on one gun 4595-97; 4598-4600; 4601-04)	500 Gal. 15% MCA	4594-4604
4	4576-80	1200 Gal. 15% MCA	4556-59; 4566-70 & 4576-80
4	4566-70	1250 Gal. 15% MCA	
4	4556-59		

TUBING RECORD Size 2 1/2 Set At 4625 Packer At \_\_\_\_\_ Liner Run  Yes  No

Date of First Production 4/18/91 Producing Method  Flowing  Pumping  Gas Lift  Other (Explain) \_\_\_\_\_

Estimated Production Per 24 Hours	Oil <u>70</u> Bbls.	Gas _____ Mcf	Water <u>6</u> Bbls.	Gas-Oil Ratio _____	Gravity _____
-----------------------------------	---------------------	---------------	----------------------	---------------------	---------------

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-18.)  
 METHOD OF COMPLETION:  Open Hole  Perforation  Dually Completed  Commingled  
 Other (Specify) \_\_\_\_\_ Production Interval 4556-4604



ORIGINAL

Additional Log Tops:

Cherokee	4548	-1445
Mississippi	4677	-1524
LTD	4661	

- DST #1 - 3730-80. 15-45-15-45. Rec. 1' Mud. SIP's 218/151. FP's 20-20/20-20.
- DST #2 - 4032-70. 15-45-45-45. Rec. 180' GIP; 30' CGO; 50' MGO; 160' O&GCM; 60' O&GCMW; 120' OSpkd.Water. SIP 1188/1135. FP's 41-52/83-166.
- DST #3 - 4070-85. 5-45-30-45. Rec. 1800' GIP; 720' GO; 60' MGO & 60' O&GCM. SIP 1240/1209. FP's 41-41/104-239.
- DST #4 - 4104-23. 15-45-30-45. Rec. 600' GIP; 55' O; 110' O&GCWM; 180' SOCMW; 300' SW. SIP 1135/1062. FP's 72-114/187-270.
- DST #5 - 4124-60. 15-45-45-45. Rec. 300' GIP; 30' CGO & 90' MGO. SIP 1167/1041. FP's 36-36/41-57.
- DST #6 - 4160-75. 15-45-15-45. Rec. 10' SOCM. SIP 1313/1313. FP's 10-20/41-41.
- DST #7 - 4205-30. 15-45-15-45. Rec. 15' SOCM. SIP 1156/1010. FP's 20-20/41-41.
- DST #8 - 4256-75. 15-45-30-45. Rec. 1' SOCM. SIP 41/36. FP's 31-31/31-31.
- DST #9 - 4372-4410. 15-45-90-45. Rec. 10' OCM. SIP 125/83. FP's 20-20/20-20.
- DST #10 - 4549-85, 15-45-60-45. Rec. 1260' GIP; 120' Oil & 165' MGO. SIP 296/270. FP's 52-52/83-114.
- DST #11 - 4593-4620. 15-45-60-45. Rec. 30' GIP & 30' MGO. SIP 125/67. FP's 31-31/31-31.

RECEIVED  
STATE CORPORATION COMMISSION

MAY 02 1991 5/2/91

CONSERVATION DIVISION  
Wichita, Kansas

COMPANY D.G. Hansen Trust FARM Weyand WELL NO. 3  
 SEC. TWP. RGE. LOC. COUNTY Thomas STATE KS.  
 CONTRACTOR Galloway Drlg. SIZE HOLE 7 7/8 DRILL PIPE 4 1/2 XH  
 REMARKS: SIZE PUMP LINERS 6 LENGTH STROKE 14

COMPANY D.G. HANSEN FARM WEYAND WELL NO. 3  
 SEC. TWP. RGE. LOC. COUNTY Thomas STATE KS.  
 CONTRACTOR GALLOWAY DRLG. SIZE HOLE 7 7/8 DRILL PIPE 4 1/2 XH  
 REMARKS: SIZE PUMP LINERS 6 LENGTH STROKE 14

DATE 3-13-91 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2650	3:53	3	
49	51	2	Conn 2653
55	54	1	
50	51	1	
51	51	1	
52	51	1	
53	51	1	
2660	54	1/2	
54	54	1/2	
55	54	1/2	
65	56	1/2	
56	56	1/2	
57	56	1/2	
58	56	1/2	
2670	57	1	
59	57	1	
60	57	1	
61	57	1	
62	57	1	
63	57	1	
25	57	1	
58	57	1	
59	57	1	
60	57	1	
2680	59	1	
61	59	1	
62	59	1	
63	59	1	
64	59	1	
65	59	1	
66	59	1	
67	59	1	
68	59	1	
69	59	1	
70	59	1	
71	59	1	
72	59	1	
73	59	1	
74	59	1	
75	59	1	
76	59	1	
77	59	1	
78	59	1	
79	59	1	
80	59	1	
81	59	1	
82	59	1	
83	59	1	
84	59	1	
85	59	1	
86	59	1	
87	59	1	
88	59	1	
89	59	1	
90	59	1	
91	59	1	
92	59	1	
93	59	1	
94	59	1	
95	59	1	
96	59	1	
97	59	1	
98	59	1	
99	59	1	
2700	59	3	

DATE 3-13-91 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
2700	5:53	3	
05	57	2	
10	57	3	
15	03	3	
20	05	2	
25	07	2	
30	10	3	
35	12	2	
40	14	2	
45	16	2	
50	19	3	
55	21	2	
60	23	2	
65	25	2	CONN
70	29	2	
75	39	2	
80	42	3	
85	45	3	
90	47	2	BASE
95	48	1	
100	49	1	
105	50	1	
110	51	1	
115	52	1	
120	52	1	
125	53	1	
130	54	1	
135	55	1	
140	55	1/2	
145	56	1/2	
150	56	1/2	
155	57	1/2	
160	57	1/2	
165	58	1/2	
170	58	1/2	
175	59	1/2	
180	59	1/2	
185	59	1/2	
190	59	1/2	
195	59	1/2	
200	59	1/2	
205	59	1/2	
210	59	1/2	
215	59	1/2	
220	59	1/2	
225	59	1/2	
230	59	1/2	
235	59	1/2	
240	59	1/2	
245	59	1/2	
250	59	1/2	
255	59	1/2	
260	59	1/2	
265	59	1/2	
270	59	1/2	
275	59	1/2	
280	59	1/2	
285	59	1/2	
290	59	1/2	
295	59	1/2	
300	59	1/2	

DATE 3-14-91 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3000	8:05	3	
01	05	3	
02	11	3	
03	13	3	
04	16	3	
05	19	3	
06	21	2	
07	23	2	
08	25	2	
09	27	2	
10	29	2	
11	31	2	
12	33	2	
13	35	2	
14	37	2	
15	39	2	
16	41	2	
17	43	2	
18	45	2	
19	47	2	
20	49	2	
21	51	2	
22	53	2	
23	55	2	
24	57	2	
25	59	2	
26	01	3	
27	03	3	
28	05	3	
29	07	3	
30	09	3	
31	11	3	
32	13	3	
33	15	3	
34	17	3	
35	19	3	
36	21	3	
37	23	3	
38	25	3	
39	27	3	
40	29	3	
41	31	3	
42	33	3	
43	35	3	
44	37	3	
45	39	3	
46	41	3	
47	43	3	
48	45	3	
49	47	3	
50	49	3	
51	51	3	
52	53	3	
53	55	3	
54	57	3	
55	59	3	
56	01	4	
57	03	4	
58	05	4	
59	07	4	
60	09	4	
61	11	4	
62	13	4	
63	15	4	
64	17	4	
65	19	4	
66	21	4	
67	23	4	
68	25	4	
69	27	4	
70	29	4	
71	31	4	
72	33	4	
73	35	4	
74	37	4	
75	39	4	
76	41	4	
77	43	4	
78	45	4	
79	47	4	
80	49	4	
81	51	4	
82	53	4	
83	55	4	
84	57	4	
85	59	4	
86	01	5	
87	03	5	
88	05	5	
89	07	5	
90	09	5	
91	11	5	
92	13	5	
93	15	5	
94	17	5	
95	19	5	
96	21	5	
97	23	5	
98	25	5	
99	27	5	
100	29	5	

DATE 3-14-91 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3000	8:05	3	
01	05	3	
02	11	3	
03	13	3	
04	16	3	
05	19	3	
06	21	2	
07	23	2	
08	25	2	
09	27	2	
10	29	2	
11	31	2	
12	33	2	
13	35	2	
14	37	2	
15	39	2	
16	41	2	
17	43	2	
18	45	2	
19	47	2	
20	49	2	
21	51	2	
22	53	2	
23	55	2	
24	57	2	
25	59	2	
26	01	3	
27	03	3	
28	05	3	
29	07	3	
30	09	3	
31	11	3	
32	13	3	
33	15	3	
34	17	3	
35	19	3	
36	21	3	
37	23	3	
38	25	3	
39	27	3	
40	29	3	
41	31	3	
42	33	3	
43	35	3	
44	37	3	
45	39	3	
46	41	3	
47	43	3	
48	45	3	
49	47	3	
50	49	3	
51	51	3	
52	53	3	
53	55	3	
54	57	3	
55	59	3	
56	01	4	
57	03	4	
58	05	4	
59	07	4	
60	09	4	
61	11	4	
62	13	4	
63	15	4	
64	17	4	
65	19	4	
66	21	4	
67	23	4	
68	25	4	
69	27	4	
70	29	4	
71	31	4	
72	33	4	
73	35	4	
74	37	4	
75	39	4	
76	41	4	
77	43	4	
78	45	4	
79	47	4	
80	49	4	
81	51	4	
82	53	4	
83	55	4	
84	57	4	
85	59	4	
86	01	5	
87	03	5	
88	05	5	
89	07	5	
90	09	5	
91	11	5	
92	13	5	
93	15	5	
94	17	5	
95	19	5	
96	21	5	
97	23	5	
98	25	5	
99	27	5	
100	29	5	

RECEIVED  
 STATE CORPORATION COMMISSION  
 MAY 02 1991  
 CONSERVATION DIVISION  
 Wichita, Kansas  
 5/2/91

22-20-44502-661-51

COMPANY D.G. HANSEN FARM WEYAND WELL NO. 3  
 SEC. TWP. RGE. LOC. COUNTY Thomas STATE KS.  
 CONTRACTOR GALLOWAY DRLG. SIZE HOLE 7 7/8 DRILL PIPE 4 1/2 XH  
 REMARKS: SIZE PUMP LINERS 6 LENGTH STROKE 14

COMPANY D.G. HANSEN FARM WEYAND WELL NO. 3  
 SEC. TWP. RGE. LOC. COUNTY Thomas STATE KS.  
 CONTRACTOR GALLOWAY DRLG. SIZE HOLE 7 7/8 DRILL PIPE 4 1/2 XH  
 REMARKS: SIZE PUMP LINERS 6 LENGTH STROKE 14

DATE 3-14-91 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3100	8:36	4	Wt. 8.6
58	41	2	
59	41	2	
60	41	2	
61	41	2	
62	41	2	
63	41	2	
64	41	2	
65	41	2	
66	41	2	
67	41	2	
68	41	2	
69	41	2	
70	41	2	
71	41	2	
72	41	2	
73	41	2	
74	41	2	
75	41	2	
76	41	2	
77	41	2	
78	41	2	
79	41	2	
80	41	2	
81	41	2	
82	41	2	
83	41	2	
84	41	2	
85	41	2	
86	41	2	
87	41	2	
88	41	2	
89	41	2	
90	41	2	
91	41	2	
92	41	2	
93	41	2	
94	41	2	
95	41	2	
96	41	2	
97	41	2	
98	41	2	
99	41	2	
100	41	2	

DATE 3-14-91 P.M.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3100	8:36	4	Wt. 8.6
3150	8:53	3	
22	25	3	

COMPANY D.G. HANSEN FARM WEYAND WELL NO. 3  
 SEC. TWP. RGE. LOC. COUNTY THOMAS STATE KS.  
 CONTRACTOR GALLOWAY DRLG. SIZE HOLE 7 7/8" DRILL PIPE 4 1/2" XH  
 REMARKS: SIZE PUMP LINERS 6" LENGTH STROKE 14"

COMPANY D.G. HANSEN FARM WEYAND WELL NO. 3  
 SEC. TWP. RGE. LOC. COUNTY THOMAS STATE KS.  
 CONTRACTOR GALLOWAY DRLG. SIZE HOLE 7 7/8" DRILL PIPE 4 1/2" XH  
 REMARKS: SIZE PUMP LINERS 6" LENGTH STROKE 14"

OPICIN

DATE	DEPTH	TIME O'CLOCK	MIN.	REMARKS
9:55	10	09	1	CONN
	11	1		
	12	1		
	13	1		
	14	1		
05	18	1		
	19	1		
	20	1		
	21	2		
	22	2		
3310	26	2		
	27	3		
	28	3		
	29	3		
	30	4		
	31	4		
	32	4		
	33	4		
	34	4		
	35	4		
	36	4		
	37	4		
	38	4		
	39	4		
	40	4		
15	41	1		
	42	2		
	43	2		
	44	2		
	45	2		
	46	1		
	47	1		
3320	48	1		
	49	1		
	50	1		
	51	1		
	52	1		
	53	1		
	54	1		
	55	2		
	56	1		
	57	1		
	58	1		
3330	59	1		
	11:00	1		
	02	2		hook up
	03	1		
	04	1		
	05	1		
	06	1		
	07	1		
	08	1		
	09	1		
	10	2		
	11	2		
	12	2		
	13	2		
	14	2		
	15	2		
	16	2		
	17	2		
	18	2		
	19	2		
	20	2		
	21	2		
	22	2		
	23	2		
	24	2		
	25	2		
	26	2		
	27	2		
	28	2		
	29	2		
	30	2		
	31	2		
	32	2		
	33	2		
	34	2		
	35	2		
	36	2		
	37	2		
	38	2		
	39	2		
	40	2		
	41	2		
	42	2		
	43	2		
	44	2		
	45	2		
	46	2		
	47	2		
	48	2		
	49	2		
	50	2		
	51	2		
	52	2		
	53	2		
	54	2		
	55	2		
	56	2		
	57	2		
	58	2		
	59	2		
	60	2		
	61	2		
	62	2		
	63	2		
	64	2		
	65	2		
	66	2		
	67	2		
	68	2		
	69	2		
	70	2		
	71	2		
	72	2		
	73	2		
	74	2		
	75	2		
	76	2		
	77	2		
	78	2		
	79	2		
	80	2		
	81	2		
	82	2		
	83	2		
	84	2		
	85	2		
	86	2		
	87	2		
	88	2		
	89	2		
	90	2		
	91	2		
	92	2		
	93	2		
	94	2		
	95	2		
	96	2		
	97	2		
	98	2		
	99	2		
	100	2		

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3350	02	3	
	03	3	
	04	3	
	05	3	
	06	3	
	07	3	
	08	3	
	09	3	
	10	3	
	11	3	
	12	3	
	13	3	
	14	3	
	15	3	
	16	3	
	17	3	
	18	3	
	19	3	
	20	3	
	21	3	
	22	3	
	23	3	
	24	3	
	25	3	
	26	3	
	27	3	
	28	3	
	29	3	
	30	3	
	31	3	
	32	3	
	33	3	
	34	3	
	35	3	
	36	3	
	37	3	
	38	3	
	39	3	
	40	3	
	41	3	
	42	3	
	43	3	
	44	3	
	45	3	
	46	3	
	47	3	
	48	3	
	49	3	
	50	3	
	51	3	
	52	3	
	53	3	
	54	3	
	55	3	
	56	3	
	57	3	
	58	3	
	59	3	
	60	3	
	61	3	
	62	3	
	63	3	
	64	3	
	65	3	
	66	3	
	67	3	
	68	3	
	69	3	
	70	3	
	71	3	
	72	3	
	73	3	
	74	3	
	75	3	
	76	3	
	77	3	
	78	3	
	79	3	
	80	3	
	81	3	
	82	3	
	83	3	
	84	3	
	85	3	
	86	3	
	87	3	
	88	3	
	89	3	
	90	3	
	91	3	
	92	3	
	93	3	
	94	3	
	95	3	
	96	3	
	97	3	
	98	3	
	99	3	
	100	3	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3400	02	3	
	03	3	
	04	3	
	05	3	
	06	3	
	07	3	
	08	3	
	09	3	
	10	3	
	11	3	
	12	3	
	13	3	
	14	3	
	15	3	
	16	3	
	17	3	
	18	3	
	19	3	
	20	3	
	21	3	
	22	3	
	23	3	
	24	3	
	25	3	
	26	3	
	27	3	
	28	3	
	29	3	
	30	3	
	31	3	
	32	3	
	33	3	
	34	3	
	35	3	
	36	3	
	37	3	
	38	3	
	39	3	
	40	3	
	41	3	
	42	3	
	43	3	
	44	3	
	45	3	
	46	3	
	47	3	
	48	3	
	49	3	
	50	3	
	51	3	
	52	3	
	53	3	
	54	3	
	55	3	
	56	3	
	57	3	
	58	3	
	59	3	
	60	3	
	61	3	
	62	3	
	63	3	
	64	3	
	65	3	
	66	3	
	67	3	
	68	3	
	69	3	
	70	3	
	71	3	
	72	3	
	73	3	
	74	3	
	75	3	
	76	3	
	77	3	
	78	3	
	79	3	
	80	3	
	81	3	
	82	3	
	83	3	
	84	3	
	85	3	
	86	3	
	87	3	
	88	3	
	89	3	
	90	3	
	91	3	
	92	3	
	93	3	
	94	3	
	95	3	
	96	3	
	97	3	
	98	3	
	99	3	
	100	3	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3450	02	3	
	03	3	
	04	3	
	05	3	
	06	3	
	07	3	
	08	3	
	09	3	
	10	3	
	11	3	
	12	3	
	13	3	
	14	3	
	15	3	
	16	3	
	17	3	
	18	3	
	19	3	
	20	3	
	21	3	
	22	3	
	23	3	
	24	3	
	25	3	
	26	3	
	27	3	
	28	3	
	29	3	
	30	3	
	31	3	
	32	3	
	33	3	
	34	3	
	35	3	
	36	3	
	37	3	
	38	3	
	39	3	
	40	3	
	41	3	
	42	3	
	43	3	
	44	3	
	45	3	
	46	3	
	47	3	
	48	3	
	49	3	
	50	3	
	51	3	
	52	3	
	53	3	
	54	3	
	55	3	
	56	3	
	57	3	
	58	3	
	59	3	
	60	3	
	61	3	
	62	3	
	63	3	
	64	3	
	65	3	
	66	3	
	67	3	
	68	3	
	69	3	
	70	3	
	71	3	
	72	3	
	73	3	
	74	3	
	75	3	
	76	3	
	77	3	
	78	3	
	79	3	
	80	3	
	81	3	
	82	3	
	83	3	
	84	3	
	85	3	

COMPANY **D.G. HANSEN** FARM **WEYAND** WELL NO. **3**  
 SEC. TWP. RGE. LOC. COUNTY **THOMAS** STATE **Ks.**  
 CONTRACTOR **GALLOWAY DRLG.** SIZE HOLE **7 1/8** DRILL PIPE **4 1/2 XH**  
 REMARKS: SIZE PUMP LINERS **6"** LENGTH STROKE **14"**

COMPANY **D.G. HANSEN** FARM **WEYAND** WELL NO. **3**  
 SEC. TWP. RGE. LOC. COUNTY **THOMAS** STATE **Ks.**  
 CONTRACTOR **GALLOWAY DRLG.** SIZE HOLE **7 1/8** DRILL PIPE **4 1/2 XH**  
 REMARKS: SIZE PUMP LINERS **6"** LENGTH STROKE **14"**

**ORIGINAL**

DATE	DEPTH	TIME O'CLOCK	MIN.	REMARKS
3750	58	3		
	12:00	2		
	13	4		hook up
	15	3		
	22	3		
	27	3		
	31	4		
	35	4		
	38	3		
3770	42	5		Vis 47
	49	6		wt 9.0
	55	6		
	1:00	5		
	05	5		
	11	6		
	16	5		
	21	5		
	27	5		
	32	5		
3780	37	5		
	41	4		
	45	4		
	50	5		
	55	5		
	03	3		
	08	3		
	13	5		
	16	3		
3790	21	5		
	26	5		
	31	5		
	36	5		
	40	4		hook up
	44	4		
	53	4		
	57	4		
	3:01	4		
	06	5		
3800	10	4		
	15	5		
	19	4		
	24	5		
	30	6		
	36	6		
	40	7		
	46	6		
	51	5		
	56	5		
3850	4:00	6		C.F.S. 1/31 wt 9.0

DEPTH	TIME O'CLOCK	MIN.	REMARKS
3750	43	4	
	44	5	
	49	5	
	53	7	
	58	5	
	5:02	4	
	06	4	
	10	4	
	14	4	
3760	19	5	
	24	5	
	29	5	
	34	5	
	39	5	
	43	4	hook up
	48	3	
	53	3	
	58	5	Vis 46 wt 9.0
	6:02	4	
3770	06	4	
	10	4	
	14	4	
	18	4	
	22	4	
	25	3	
	29	4	
	32	3	
	35	3	Vis 47 wt 9.0
	39	4	wt 9.1
3780	43	4	C.F.S.
	48	3	
	51	3	
	55	2	
	59	2	
	6:03	2	
	07	2	
	11	2	
	15	2	
	19	2	
	23	2	
	27	2	
	31	2	
	35	1	
	39	1	
	43	2	
	47	2	
	51	2	
	55	2	
	59	2	
	6:01	2	
	05	4	CONN
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	CONN
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	CONN
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45	4	
	49	4	
	53	4	
	57	4	
	6:01	4	
	05	4	
	09	4	
	13	4	
	17	4	
	21	4	
	25	4	
	29	4	
	33	4	
	37	4	
	41	4	
	45		

COMPANY HANSEN TRUST FARM WEYAND WELL NO. 3  
 SEC. TWP. ROE. LOC. COUNTY THOMAS STATE KS  
 CONTRACTOR GALLOWAY DRLG. SIZE HOLE 7 7/8 DRILL PIPE 4 3/4 KH  
 REMARKS: SIZE PUMP LINERS 6" LENGTH STROKE 19"

COMPANY D.G. HANSEN FARM Weyand WELL NO. 3  
 SEC. TWP. ROE. LOC. COUNTY THOMAS STATE KS  
 CONTRACTOR Galloway SIZE HOLE 7 7/8 DRILL PIPE 4 3/4 KH  
 REMARKS: SIZE PUMP LINERS 6" LENGTH STROKE 14"

ORIGINAL

DATE	DEPTH	TIME O'CLOCK	MIN.	REMARKS
4150	15	8:18	6	
	25	8:27	9	
	30	8:38	8	
	48	8:57	8	
	53	9:04	6	
	14	6	CONN	
4110	14	5		
	22	5		
	36	4		
	40	4		
	45	5		
	15	51	6	
	57	6		
	11:04	7		
	11	7		
	17	7		
4120	24	7		
	31	7		
	37	6		
	43	6		C.F.S.
	12:06	5		Dis. wt.
	25	4		48 9.1
	16	2		
	21	5		
	25	4		
	30	5		
4130	33	3		
	37	4		
	42	5		
	47	5		
	52	5		
	35	57	5	C.F.S.
	12:04	6		
	2:04	5		
	15	6		
	21	6		
4140	26	5		CONN
	30	4		
	34	4		
	46	4		
	49	4		
	45	53	4	
	59	6		
	1:03	4		
	07	4		
4150	16	5		

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4150	21	5	
	26	4	
	30	4	
	33	3	
	35	2	
	37	2	
	40	3	VIS WT
	43	3	47 9.1
	48	5	
4160	53	5	C.F.S.
	59	5	
	40	6	
	45	5	
	51	6	
	56	5	
	4:00	4	
	06	6	
	13	7	
	18	5	
4170	24	6	
	29	5	
	35	6	CONN.
	40	6	
	51	5	
	55	4	C.F.S.
	59	2	
	04	2	
	07	3	
	10	3	
4180	13	3	
	16	3	
	20	4	
	24	4	
	29	5	
	34	3	
	39	3	Pump
	07	4	
4190	10	3	
	13	3	
	18	3	
	22	4	
	26	4	
	29	3	
	31	2	VIS WT
	34	3	48 9.1
	38	5	
	45	6	
4200	52	7	C.F.S.

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4200	21	4	
	25	4	
	30	5	
	35	7	
	40	6	
	44	6	
	50	6	
	56	6	
	9:02	6	VIS WT
	07	7	46 9.1
	15	6	
	21	6	
	26	5	
	33	7	
	37	4	
	40	3	
	44	4	
	50	6	
	55	5	
	10:01	6	
	07	6	
	12	5	
	18	6	
	24	6	
	32	8	
	39	7	
	47	8	
	53	6	C.F.S.
	10:25	3	Dis. wt.
	37	6	43 9.1
	47	5	CONN
	47:54	7	
	11:02	8	
	08	6	
	14	6	
	19	5	
	24	5	
	30	6	
	36	6	
	42	6	
	47	5	
	52	5	
	59	7	
	04	5	
	12	8	
	19	7	
	26	7	
	34	8	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4200	31	5	
	45	6	
	51	6	
	56	5	
	1:02	7	
	10	7	
	16	6	
	21	5	
	26	5	
	32	6	C.F.S. 30mm d.w. oil
	6:19	3	
	12	3	
	14	2	
	17	3	CONN.
	23	2	
	29	4	
	32	3	Dis. wt.
	36	4	44 9.1
	38	3	
	43	4	
	47	4	
	51	4	
	55	4	
	8:00	5	
	04	4	C.F.S. test
	06	6	
	12	6	
	18	6	
	24	6	
	29	5	
	36	7	
	43	7	
	48	5	
	53	5	
	59	5	
	2:24	5	
	7	5	
	15	6	
	21	6	
	27	6	hook up
	33	6	
	39	7	
	45	7	
	57	5	
	4:03	6	VIS WT
	09	6	44 9.1

22-00-74502-61-51

COMPANY Han Trust FARM Weyand WELL NO. 3  
 SEC. TWP. ROE. LOC. COUNTY KS STATE KS  
 CONTRACTOR Galloway SIZE HOLE 7 7/8 DRILL PIPE 4 3/4 KH  
 REMARKS: SIZE PUMP LINERS 6" LENGTH STROKE 14"

COMPANY D.G. HANSEN FARM Weyand WELL NO. 3  
 SEC. TWP. ROE. LOC. COUNTY THOMAS STATE KANS  
 CONTRACTOR GALLOWAY SIZE HOLE 7 7/8 DRILL PIPE 4 3/4 KH  
 REMARKS: SIZE PUMP LINERS 6" LENGTH STROKE 14"

DATE	DEPTH	TIME O'CLOCK	MIN.	REMARKS
4300	15	6		
	20	5		
	25	5		
	30	5		
	37	7		
	43	6		
	47	4		
	52	5		
	57	5		
	5:02	5		C.F.S.
	16	7		VIS 44 9.1
	23	7		
	30	7		
	38	8		
	44	6		
	51	7		
	58	7		
	7:04	6		
	08	4		
	12	4		
	18	6		
	26	8		
	32	6		
	40	8		
	46	6		
	54	8		
	8:00	6		hook up
	25:29	4		
	34	5		
	41	7		
	47	6		
	52	5		
	58	6		
	9:04	6		
	10	6		
	16	6		
	21	5		
	28	7		
	34	6		VIS. wt.
	41	7		44 9.3
	47	6		
	53	6		
	59	6		
	10:05	6		
	11	6		
	16	5		
	21	5		
	27	6		
	34	7		

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4300	31	7	
	47	6	
	54	7	
	11:00	6	
	08	8	
	17	9	
	25	8	
	31	6	
	37	6	
	46	9	
	51:26	5	
	12:02	6	
	06	4	
	10	4	
	14	4	
	20	6	
	24	4	
	29	5	
	34	5	
	39	5	
	45	6	
	52	7	
	57	5	
	1:03	6	
	09	6	
	15	6	
	21	6	
	27	6	
	33	6	
	38	5	
	43	5	
	48	5	
	52	4	
	57	5	
	2:04	7	VIS WT
	13	9	44 9.3
	18	5	
	25	5	
	34	9	
	42	8	
	53:22	8	
	38	6	CONN.
	44	6	
	50	6	
	57	7	
	4:04	7	
	10	6	
	16	6	
	23	7	
	30	7	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4400	39	7	
	47	6	
	50	6	
	57	7	
	5:02	5	
	09	6	
	15	6	
	20	5	VIS WT
	25	5	43 9.3
	30	5	C.F.S.
	35:53	3	
	37	6	
	43	6	
	50	7	
	56	6	
	7:02	6	
	8	6	
	15	7	
	22	7	
	25	3	
	28	3	CONN.
	8:08	11	
	16	5	
	20	4	
	25	3	
	29	4	
	34	5	
	38	4	
	44	6	
	49	5	
	54	5	
	59	5	
	9:04	5	
	11	7	
	17	6	
	23	6	
	29	6	
	35	6	
	42	7	VIS WT
	47	5	40 9.3
	53	6	
	58	6	
	10:04	6	
	10	6	
	17	7	
	24	7	
	30	6	
	34	6	
	41	5	
	46	5	

DEPTH	TIME O'CLOCK	MIN.	REMARKS
4400	51	4	
	56	6	CONN.
	1:01	6	
	19	6	
	26	7	
	31	5	
	36	5	
	41	5	
	46	6	
	52	5	
	11:02	5	START PREMIX
	18	6	
	24	6	
	30	4	
	33	3	
	38	5	
	44	6	
	49	5	
	55	6	
	1:00	5	
	06	6	STOP premix in
	11:05	6	all premix
	2:01	6	start premix
	08	7	
	14	6	
	20	6	
	27	7	
	33	6	
	39	6	
	45	6	CONN.
	51	6	
	8:00	7	
	05	5	
	12	7	
	18	4	
	21	5	
	27	6	
	32	5	
	37	5	Premix
	43	6	
	49	6	VIS WT
	55	6	48 9.3
	10:05	7	
	10	5	C.F.S.
	12	7	

ORIGINAL

DATE	TIME	MIN.	REMARKS
4500	5:17	5	
	23	6	
	29	5	
	34	6	
05	39	5	
	44	5	
	49	5	
	53	5	
4510	6:00	6	
	07	4	
	09	5	
	15	6	
	22	7	
	28	7	
	33	6	
15	38	5	
	38	5	CONN
	54	7	VIS WT
	7:07	47	9.3
4520	7:19	8	
	24	9	
	35	9	
	43	8	
	50	7	
25	56	6	
	8:02	6	
	10	8	
	17	7	
	23	6	
4530	29	6	
	35	6	
	41	6	
	47	6	
	53	6	
35	9:00	7	
	06	6	
	12	6	
	19	7	VIS WT
	25	6	48 9.3
4540	31	6	C.F.S.
	38	6	
	41	6	
	43	6	
	49	6	
45	53	6	CONN
	59	6	
	11:04	7	
4550	08	8	
	15	7	

DEPTH	TIME	MIN.	REMARKS
4550	15:20	5	
	35	5	
	39	4	
	34	5	
55	40	5	
	47	7	
	52	5	
	57	5	
	12:03	6	
4560	07	6	
	15	6	
	22	7	
	28	6	
	34	6	
65	41	7	VIS 45
	49	7	WT 9.3
	54	6	
	59	5	
	1:04	5	
4570	09	5	
	13	4	
	18	5	
	23	5	
	29	5	
75	35	6	
	41	6	
	48	7	CONN
	52	6	
4580	18	6	
	23	7	
	32	7	
	40	8	
	46	6	VIS 46 WT 9.3
85	52	6	C.F.S.
	58	5	
	33	5	
	41	6	
	47	6	
4590	34	7	
	4:00	6	
	07	7	
	14	7	
	20	6	
95	25	5	
	30	5	
	35	5	
	40	5	VIS WT
	46	6	46 9.3
4600	51	5	

DEPTH	TIME	MIN.	REMARKS
4600	4:37	5	
	5:14	4	
	05	5	
05	10	5	
	16	6	
	21	5	
	26	5	
	30	4	CONN
	35	4	
4610	48	6	
	54	6	
	6:00	6	
	05	7	
15	17	7	
	25	6	
	30	5	
	36	6	VIS WT
	42	6	43 9.3
4620	48	6	C.F.S.
	54	4	
	38	6	
	43	5	
	47	7	
25	52	5	
	59	7	
	6:09	6	
	11	6	
4630	17	6	
	27	6	
	29	6	
	35	6	
	42	7	
	49	7	
35	57	8	
	7:03	6	
	10	7	
	15	5	
	20	5	CONN
4640	4:51	9	
	57	6	
	8:03	6	
	09	6	
	15	6	
45	21	6	
	26	5	
	31	5	
	37	6	
	44	7	
4650	51	7	

DEPTH	TIME	MIN.	REMARKS
4650	5:57	6	
	8:03	6	
	9	6	
	15	6	
55	20	5	
	26	5	
	31	5	
	37	6	
	43	6	
4660	49	6	RTD C.F.S.
			B# 7 14761
65			
4670			
75			
4680			
85			
4690			
95			
4700			

15-193-20547-00-00



**ORIGINAL**  
**ALLIED CEMENTING CO., INC.**

No 1575

New Home Office P. O. Box 31 Russell, Kansas 67665

Date	3-11-91	Sec	28	Range	8 S 32 W	Called Out	9:30 AM	On Location	11:45 AM	Job Start	3:00 PM	Finish	3:30 AM
Lease	Weyland	Well No.	#3	Location	2 <sup>nd</sup> Exit Oakley 10 N 1/2 W	County	THOMAS	State	KANSAS				
Contractor	Galloway	Drig. Rig #	1										
Type Job	SURFACE												
Hole Size	12 1/4	T.D.	356'										
Csg.	8 5/8	23 # csg	Depth	352'									
Tbg. Size		Depth											
Drill Pipe		Depth											
Tool		Depth											
Cement Left in Csg.	15	Shoe Joint											
Press Max.		Minimum											
Meas Line		Displace	2 3/4 BBL										
Perf.	EQUIPMENT												

Owner Yasawinto

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To D.G. HANSEN TRUST  
 Street Box 187  
 City LOGAN State KANSAS 67646

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. 190 SK

Carl McQuinn

Amount Ordered 190 SK @ 60/40 2% gel 3% cc

Consisting of

Common	11A @ 6.10	695.00
Poz. Mix	76 @ 2.40	182.40
Gel.	3 @ 1.10	3.30
Chloride	50 @ 2.10	105.00
Quickset		
Handling	@ 1.00	190.00
Mileage	44/SK/M.I.E.	129.20
Sub Total		1302.90
Tax		30.20
Total		1333.10

No.	Cement	Helper
Pumptrk #177		
Pumptrk #177		
Bulktrk #		
Bulktrk		

DEPTH of Job	Reference	Price
	Pump Truck Chrg.	380.00
	2 <sup>nd</sup> Trip Mile	34.00
	1-8 5/8 Wooden Plug	42.00
	Sub Total	
	Tax	
	Total	456.00

Remarks: Cement Circulated

*Thanks*

15-193-20547-00-00

RECEIVED  
 STATE CORPORATION COMMISSION

MAY 02 1991  
 CONSERVATION DIVISION  
 Wichita, Kansas

5/2/91

ORIGINAL

**ALLIED CEMENTING CO., INC.**

No 1612

Home Office P. O. Box 31, Russell, Kansas 67665

DATE: 3-25-91  
 LEASE: Weyand  
 CONTRACTOR: Galloway Dils  
 TYPE JOB: Production string  
 HOLE SIZE: 7 7/8" I.D. 4660'  
 CSG: 5 1/2" Depth  
 TBG SIZE: Depth  
 DRILL PIPE: Depth  
 TOOL: Depth  
 CEMENT LEFT IN CSG: 31' Shoe Joint 31.43'  
 PRESS MAX: Minimum  
 MEAS LINE: Displace  
 PERF: EQUIPMENT

No. 153	Cement	Walt
	Helper	Dave
No. 146	Cement	
	Helper	
	Driver	Ed
	Driver	

Reference:	Pumptruck	880.00
	5 1/2 Rubber Plug	45.00
	2.00 per mile 17m	34.00
	<b>Sub Total</b>	<b>959.00</b>
	<b>Tax</b>	
	<b>Total</b>	

Remarks: 15 SKS in R.H.  
 Float Weld

Called Out: 3:00 PM  
 On Location: 3:00 PM  
 Job Start: 10:30 PM  
 Finish: 10:30 PM  
 Location: Oakley 2nd East, Thomas, Kan  
 Owner: D. G. Hansen Trust  
 Charge To: D. G. Hansen Trust  
 Street: P.O. Box 187  
 City: Logan, State: Kan 67646  
 The above was done to satisfaction and supervision of owner agent or contractor.  
 Purchase Order No. [Signature]  
 CEMENT  
 500 Gal WFR-2  
 Amount: 210 SKS ASC, 5% GEL, 1/4 OF 1% CPR-2  
 Consisting of:  
 Common 210 ASC 8.10 1701.00  
 Poz. Mix  
 Gel 9.14 33 301.62  
 CPR-2 20# 4.50 90.00  
 500 Gal WFR-2 1.50 250.00  
 Sales Tax  
 Handling 100 210.00  
 Mileage 17m .04 142.80  
 Sub Total 2695.42  
 Floating Equipment 5/2  
 1- Guide Shoe  
 1- Back AFU  
 1- Basket  
 9- Centralizers

RECEIVED  
 STATE CORPORATION COMMISSION  
 MAY 02 1991  
 5/2/91