

ORIGINAL

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACG-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

API NO. 15- 179-21, 067-00-00

County Sheridan

C N<sup>1</sup>/<sub>2</sub> - NE - SE Sec. 36 Twp. 8 Rgs. 28 X U

2310 Feet from S (circle one) Line of Section

660 Feet from E (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
NE SE NW or SW (circle one)

Lease Name Morgan Well # 1

Field Name Farber

Producing Formation \_\_\_\_\_

Elevation: Ground 2612 KB 2617

Total Depth 3965 PBTD \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at 214 Feet

Multiple Stage Cementing Collar Used? Yes X No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from 214

feet depth to surface w/ 140 sx cat.

Drilling Fluid Management Plan D&A JH 6-15-94  
(Date must be collected from the Reserve Pit)

Chloride content 21,000 ppm Fluid volume 2500 bbls

Dewatering method used hauled

Location of fluid disposal if hauled offsite:

Operator Name RLT Investment

Lease Name Pfeifer License No. 3736

NW Quarter Sec. 32 Twp. 9 Rgs. 25 X U

County Graham Docket No. D-23,274

Operator: License # 3736

Name: RLT Investment

Address Box 63

City/State/Zip Morland, KS 67650

Purchaser: \_\_\_\_\_

Operator Contact Person: Leon Pfeifer

Phone (913) 627-5711

Contractor: Name: Mallard JV, Inc.

License: 4958

Wellsite Geologist: Pat Deenihan

Designate Type of Completion

XX New Well \_\_\_\_\_ Re-Entry \_\_\_\_\_ Workover \_\_\_\_\_

\_\_\_\_\_ Oil \_\_\_\_\_ SWD \_\_\_\_\_ SLOW \_\_\_\_\_ Temp. Abd.

\_\_\_\_\_ Gas \_\_\_\_\_ EMHR \_\_\_\_\_ SIGW

X Dry \_\_\_\_\_ Other (Core, MSW, Expl., Cathodic, etc)

If Workover/Re-Entry: old well info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

\_\_\_\_\_ Deepening \_\_\_\_\_ Re-perf. \_\_\_\_\_ Conv. to Inj/SWD

\_\_\_\_\_ Plug Back \_\_\_\_\_ PBTD \_\_\_\_\_

\_\_\_\_\_ Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_

\_\_\_\_\_ Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_

\_\_\_\_\_ Other (SWD or Inj?) \_\_\_\_\_ Docket No. \_\_\_\_\_

10-16-93 \_\_\_\_\_ 10-22-93 \_\_\_\_\_

Spud Date \_\_\_\_\_ Date Reached TD \_\_\_\_\_ Completion Date \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.


All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Leon Pfeifer  
Title Partner Date 1-19-94

Subscribed and sworn to before me this 19<sup>th</sup> day of January, 19 94.

Notary Public Michelle A. Pfeifer

Date Commission Expires 11-13-96



K.C.C. OFFICE USE ONLY  
F \_\_\_\_\_ Letter of Confidentiality Attached  
C \_\_\_\_\_ Wireline Log Received NA  
C ✓ Geologist Report Received  
Distribution  
\_\_\_\_\_ ECC \_\_\_\_\_ SWD/Rep \_\_\_\_\_ NSPA  
\_\_\_\_\_ KGS \_\_\_\_\_ Plug \_\_\_\_\_ Other \_\_\_\_\_  
(Specify)  
RECEIVED  
STATE CORPORATION COMMISSION

Form ACD JAN 24 1994

1-24-94

Operator Name RLT Investment Lease Name Morgan Well # 1

County Sheridan

Sec. 36 Twp. 8 Rge. 28  
 East  
 West

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressure, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets.)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy.)

List All E.Logs Run: NONE *Kcc 8/21*

3 - DST Taken Copies Attached

Name	Top	Datum	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input checked="" type="checkbox"/> Sample
Anhydrite	2251	+366			
Heebner	3735	-1118			
Lansing	3771	-1154			

**CASING RECORD**  New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
<i>Kcc 8/21</i> Surface	12 1/4"	8 5/8"		214'	60/40 Poz	140	3% CaCl <sub>2</sub> 2% GEL

**ADDITIONAL CEMENTING/SQUEEZE RECORD**

Purpose:	Depth		Type of Cement	#Sacks Used	Type and Percent Additives
	Top	Bottom			
<input type="checkbox"/> Perforate					
<input type="checkbox"/> Protect Casing					
<input type="checkbox"/> Plug Back TD					
<input type="checkbox"/> Plug Off Zone					

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth	

**TUBING RECORD** Size          Set At          Packer At          Liner Run  Yes  No

Date of First Resumed Production, SMD or Inj. D & A Producing Method  Flowing  Pumping  Gas Lift  Other (Explain)

Estimated Production Per 24 Hours Oil N/A Sbls. Gas N/A Mcf Water Sbls. Gas-Oil Ratio          Gravity         

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-15.)

**METHOD OF COMPLETION**

Open Hole  Perforated  Quality Completion  Cemented  Commingled

Production Interval

# CROWN TESTING COMPANY ORIGINAL

120 S. Market, Suite 300 WICHITA, KS 67202

Telephone (316) 793-7137 — (316) 793-3076

# ORIGINAL 13097

## DRILL-STEM TEST DATA API #15-179-21067

Well Name <u>MORGAN</u>	Test No. <u>1</u>
Well Number <u>21</u>	Zone Tested <u>UNSATURATED</u>
Company <u>ELT INVESTMENT Box 63 MORLAN KS</u>	Date <u>10-20-93</u>
Comp. Rep. <u>DEWITT</u> <u>67650</u>	Tester <u>GREG SAGBA</u>
Contractor <u>MALIBY OIL</u>	Ticket No. <u>13097</u>
Location <u>36-8-28 SHERIDAN CO</u>	Elevation

Recorder No. 13810 Clock Range 124R Blow \_\_\_\_\_

Depth 3830 Initial Flow WEAK THROUGH HOUR

Initial Hydro Mud Press. 1893 14" TO BUCKETS

Initial Flow Press. 89-89

Initial Shut-in Press. 1164 Final Flow 10 Bbls

Final Flow Press. 107-107

Final Shut-in Press. 1074

Final Hydro Mud Press. 1847

Temperature 108 Initial Flow 30 Mins.

Mud Weight 9.3 Viscosity 42 Initial Shut-in 30 Mins.

Fluid Loss 7 Final Flow 30 Mins.

Interval Tested 3789-3830 415 AM 102 Final Shut-in 30 Mins.

Top Packer Depth 3784 Surface Choke Size 1/2

Bottom Packer Depth 3789 Bottom Choke Size 1/2

Total Depth 3830 Main Hole Size 178

Drill Pipe Size 4 1/2 FH Wt. \_\_\_\_\_ Rubber Size 678

Drill Collar I.D. \_\_\_\_\_ Ft. Run \_\_\_\_\_

Recovery—Total Feet \_\_\_\_\_

Recovered 65 Feet Of Muddy Water

Recovered \_\_\_\_\_ Feet Of 4700 PPM

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Remarks \_\_\_\_\_

CROWN TESTING COMPANY shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, or its statement or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for by the party for whom the test is made.

By \_\_\_\_\_ Owner, Operator or his Agent  
RECEIVED  
 STATE CORPORATION COMMISSION

15-179-21067-00-00

JAN 24 1994  
 1-24-94  
 CONSERVATION DIVISION  
 Wichita, Kansas

# CROWN TESTING COMPANY

120 S. Market, Suite 300 WICHITA, KS 67202  
Telephone (316) 793-7137 — (316) 793-3076

# ORIGINAL 13098

## DRILL-STEM TEST DATA API# 15-179-21067

Well Name <u>MORGAN</u>	Test No. <u>2</u>
Well Number <u>21</u>	Zone Tested <u>CMNS 119</u>
Company <u>RLT</u>	Date <u>10-21-93</u>
Comp. Rep. <u>DR. DONALD</u>	Tester <u>GREEN SAGDA</u>
Contractor <u>MALVERN DEIL</u>	Ticket No. <u>13098</u>
Location <u>36-8-28 SHERMAN 10</u>	Elevation

Recorder No. 13810 Clock Range 12+112 Blow \_\_\_\_\_

Depth 3848 Initial Flow VERY WEAK

Initial Hydro Mud Press. 1985 DIED IN 8 MIN

Initial Flow Press. 44-44

Initial Shut-in Press. 267 Final Flow NO BLOW

Final Flow Press. 44-44

Final Shut-in Press. 178

Final Hydro Mud Press. 1893

Temperature 108 Initial Flow 30 Mins.

Mud Weight 9.3 Viscosity 42 Initial Shut-in 30 Mins.

Fluid Loss 7 Final Flow 30 Mins.

Interval Tested 3827-3848 21 FT. MUD Final Shut-in 30 Mins.

Top Packer Depth 3822 Surface Choke Size 1/2

Bottom Packer Depth 3827 Bottom Choke Size 1/2

Total Depth 3848 Main Hole Size 7 7/8

Drill Pipe Size 4 1/2 X 4 Wt. \_\_\_\_\_ Rubber Size 6 5/8

Drill Collar I.D. \_\_\_\_\_ Ft. Run \_\_\_\_\_

Recovery—Total Feet 5

Recovered 5 Feet Of MUD FEW SPOTS OF OIL

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Remarks \_\_\_\_\_

CROWN TESTING COMPANY shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, or its statement or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for by the party for whom the test is made.

By \_\_\_\_\_ Owner, Operator or his Agent **RECEIVED**  
STATE CORPORATION COMMISSION

15-179-21067-0000

JAN 24 1994  
1-24-94  
CONSERVATION DIVISION  
Wichita, Kansas

# CROWN TESTING COMPANY

120 S. Market, Suite 300 WICHITA, KS 67202  
Telephone (316) 793-7137 — (316) 793-3076

# ORIGINAL 13099

## DRILL-STEM TEST DATA API # 15-179-21.067

Well Name <u>MORGAN</u>	Test No. <u>3</u>
Well Number <u>#1</u>	Zone Tested <u>WASIU of SJR</u>
Company <u>RLT</u>	Date <u>10-21-93</u>
Comp. Rep. <u>PA DEANAHAN</u>	Tester <u>GREG SALDA</u>
Contractor <u>MACIARO DRILL</u>	Ticket No. <u>13099</u>
Location <u>36-8-28 SHEPARD CO</u>	Elevation

Recorder No. 13810 Clock Range RHR Blow

Depth 3965 Initial Flow WEAK BLOW

Initial Hydro Mud Press. 1985 DIED IN 25 MIN

Initial Flow Press. 89-107

Initial Shut-in Press. 894 Final Flow NO BLOW

Final Flow Press. 133 133

Final Shut-in Press. 894

Final Hydro Mud Press. 1939

Temperature 109 Initial Flow 30 Mins.

Mud Weight 9.3 Viscosity 42 Initial Shut-in 30 Mins.

Fluid Loss 7 Final Flow 30 Mins.

Interval Tested 3910-3965 55 FT ANCHOR Final Shut-in 30 Mins.

Top Packer Depth 3905 Surface Choke Size 1/2

Bottom Packer Depth 3910 Bottom Choke Size 1/2

Total Depth 3965 Main Hole Size 7 7/8

Drill Pipe Size 4 1/2 x 14 Wt. Rubber Size 6 5/8

Drill Collar I.D. \_\_\_\_\_ Ft. Run \_\_\_\_\_

Recovery—Total Feet 180

Recovered 180 Feet Of MUD WITH FEW OIL SPOTS

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Recovered \_\_\_\_\_ Feet Of \_\_\_\_\_

Remarks \_\_\_\_\_

CROWN TESTING COMPANY shall not be liable for damage of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, or its statement or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid for by the party for whom the test is made.

By \_\_\_\_\_  
Owner, Operator or his Agent

STAT<sup>e</sup>

15-179-21067-00-00

JAN  
1-24-94  
CONSERVA  
Wichita.

Phone 913-483-2627, Russell, Kansas

Phone 316-793-5861, Great Bend, Kansas

ORIGINAL

Phone Plainville 913-434-2812

Phone Ness City 913-798-3843

# ALLIED CEMENTING CO., INC.

4392

Home Office P. O. Box 31

Russell, Kansas 67665

New

Sec.	Wp.	Range	Called Out	On Location	Job Start	Finish
20-16-93	36	8	28	7:50 AM	8:00 PM	8:15 PM

Well No.	Location	County	State
Morgan	Quarter 14 N 10 Rd	Sheridan	W

Contractor *M. J. W.* Owner *Line 7W3N1W4E*

Job *Surface*  
To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To
<i>R.T. Investment</i>

Street *Box 63*

City *Marland* State *Kan 67650*

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No.

X *Lester R. White*

### CEMENT

Amount Ordered *140<sup>00</sup> 3% CC 2% gel*

Consisting of

Common	<i>84</i>	<i>6.85</i>	<i>575.40</i>
Poz. Mix	<i>56</i>	<i>3.00</i>	<i>168.00</i>
Gel.	<i>3</i>	<i>2.00</i>	<i>6.00</i>
Chloride	<i>4</i>	<i>25.00</i>	<i>100.00</i>
Quickset			

Sales Tax

Handling *100* *140.00*

Mileage *42 m* *04* *235.20*

Sub Total *1128.60*

Total *1128.60*

Floating Equipment

### EQUIPMENT

No.	Cementer	Helper	Driver
<i>153</i>	<i>Dave</i>	<i>Mark</i>	
<i>291</i>			<i>Steve</i>

DEPTH of Job	Rate	Total
<i>Pump truck chg</i>	<i>4.30</i>	<i>430.00</i>
<i>2<sup>3</sup> per mile</i>	<i>42 m</i>	<i>94.50</i>
<i>8' wooden plug</i>		<i>42.00</i>
Sub Total		<i>566.50</i>
Tax		
Total		

Remarks: *Cement Air*

RECEIVED  
STATE CORPORATION COMMISSION

JAN 24 1994  
1-24-94  
CONSERVATION DIVISION  
Wichita, Kansas

15-79-21067-00-00

Phone 913-483-2627, Russell, Kansas

Phone Plainville 913-434-2812

Phone 316-793-5861, Great Bend, Kansas

Phone Ness City 913-798-3843

ORIGINAL

# ALLIED CEMENTING CO., INC.

4392

Home Office P. O. Box 31

Russell, Kansas 67665

New

Sec. 10-16-93	36	Twp. 8	Range 28	Called Out	On Location 7:50 AM	Job Start 8:00 PM	Finish 8:15 PM
---------------	----	--------	----------	------------	---------------------	-------------------	----------------

Owner Morgan	Well No. 1	Location Quarter 14 N 10 R 28 E	County Sheridan	State KS
--------------	------------	---------------------------------	-----------------	----------

Contractor M.J.V. Owner Line 7W3N1W8E

Job Surface To Allied Cementing Co., Inc.

Size 124 T.D. You are hereby requested to rent cementing equipment and furnish of cementer and helper to assist owner or contractor to do work as listed.

Depth 88 Charge To RLT Investment

Depth Street Box 63

Depth City Morland State Kan 67650

Shoe Joint The above was done to satisfaction and supervision of owner agent or contractor.

Displace 13 BBL Purchase Order No. x Laker R. White

### CEMENT

Amount Ordered 140 3/4 cc 2% gel

Consisting of			
Common	84	6.85	575.40
Poz. Mix	56	3.00	168.00
Gel.	3	7.00	21.00
Chloride	4	25.00	100.00
Quickset			

### EQUIPMENT

Emp No. 153	Cementer Dave
	Helper Mark
Emp No. 291	Driver Steve
	Driver

Sales Tax

Handling 100 140.00

Mileage 42 mi 2.3520

Sub Total 1218.60

Total

DEPTH of Job	Reference	Rate	Total
	Pump truck chg	4.30	4.30
	2.25 per mile	42 mi	94.50
	8' wooden plug	42.00	42.00
	Sub Total		566.50
	Tax		
	Total		

Floating Equipment

Remarks: Cement Air

RECEIVED STATE CORPORATION COMMISSION

JAN 24 1994 CONSERVATION DIVISION Wichita, Kansas

15-179-21067-00-60







Phone 913-483-2627, Russell, KS  
 Phone 316-793-5861, Great Bend, KS

Phone 913-625-5516, Hays, KS  
 Phone 913-672-3471, Oakley, KS

ORIGINAL

Phone 316-886-5926, Medicine Lodge, KS  
 Phone 913-798-3843, Ness City, KS

# ALLIED CEMENTING CO., INC.

Home Office P. O. Box 31  
 Russell, Kansas 67665

8217

New "MORGAN" Well No. 14 N 7 W 3 N 1 W 4 in Sheridan County, Kansas

Date	In Sec	to Ewp	Range	Called Out	On Location	Job Start	Finish
10-22-93	36	8	28	11:30 PM	2:00 AM		6:00 AM

Well No. 14 N 7 W 3 N 1 W 4 in Sheridan County, Kansas

Owner: To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Charge To: R.L.T. Investment

Street: Box 63 City: Morland State: KS 67650

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. X Jim Nichol

Amount Ordered: 200 psi 60/40 6% Gel 1/2 gallo.

Consisting of: Common 120 685 822.00

Poz. Mix 80 3.00 240.00

Gel 7 700 49.00

Chloride

Quickset

25# Flo Seal 1.10 27.50

Handling 100 200.00

Mileage 42 mi 04 336.00

Sub Total 1674.50

Total

Equipment

1st plug C 2260 w/ 250 lb

2nd plug C 1420 w/ 100 lb

3rd plug C 260 w/ 40 lb

4th plug C 40 w/ 10 lb

15-179-21067-00-00

RECEIVED  
 STATE CORPORATION COMMISSION

JAN 24 1994  
 1-24-94  
 CONSERVATION DIVISION  
 Wichita, Kansas

Phone 913-483-2627, Russell, KS  
 Phone 316-793-5861, Great Bend, KS

Phone 913-625-5516, Hays, KS  
 Phone 913-672-3471, Oakley, KS

Phone 316-886-5926, Medicine Lodge, KS  
 Phone 913-798-3843, Ness City, KS

**ORIGINAL**

**ALLIED CEMENTING CO., INC.**

Home Office P. O. Box 31

Russell, Kansas 67665

8217

New "SHELLIA" of investment...

10-22-93	36	8	28	11:30 PM	2:00 AM		
----------	----	---	----	----------	---------	--	--

MORGAN Well No. 1 Location 14 N 7 W 3 N 1 W Quarter Sheridan County KS

Contractor **Mallard** Owner

Job **Plug** To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Size **7 7/8" T.D.** Charge To **R.L.T. Investment**

Street **Box 63**

City **Morland** State **Ks** 67650

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No. **X Jim Nichol**

**CEMENT**

Amount Ordered **200 lbs 60/10 6% Gel 1/2 gallo.**

Consisting of

Common **120 6.85 822.00**

Poz. Mix **80 3.00 240.00**

Gel **7 7.00 49.00**

Chloride

Quickset **25# Flo Seal 1.10 27.50**

Handling **100 200.00**

Mileage **42 mi .04 336.00**

Sub Total **1674.50**

Total

Floating Equipment

Remarks: **1st plug 2260 w/ 250 lbs**

**2nd plug 1420 w/ 100 lbs**

**3rd plug C 260 w/ 40 lbs**

**4th plug C 40 w/ 10 lbs**

**EQUIPMENT**

Empth of Job

Reference: **1 88 plug**

15-779-21067-00-00

RECEIVED  
 STATE CORPORATION COMMISSION

JAN 24 1994  
 1-24-94  
 CONSERVATION DIVISION  
 Wichita, Kansas

Phone 913-483-2627, Russell, KS  
 Phone 316-793-5861, Great Bend, KS

Phone 913-625-5516, Hays, KS  
 Phone 913-672-3471, Oakley, KS

Phone 316-886-5926, Medicine Lodge, KS  
 Phone 913-798-3843, Ness City, KS

ORIGINAL

# ALLIED CEMENTING CO., INC.

Home Office P. O. Box 31

Russell, Kansas 67665

8217

Job No.	10-22-93	In Sec.	36	Range	28	Called Out	11:30 PM	On Location	2:00 AM	Job Start	6:00 AM	Finish	6:00 AM
---------	----------	---------	----	-------	----	------------	----------	-------------	---------	-----------	---------	--------	---------

Owner	MORGAN	Well No.	1	Location	14 N 7 W 3 N 1 W Quarter	County	Sheridan	State	Kr
-------	--------	----------	---	----------	--------------------------	--------	----------	-------	----

Contractor **Mallard**

Job **PLUG**

Size **7 7/8**

Depth

Depth

Depth

Depth

Shoe Joint

Minimum

Displace

Owner

To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment and furnish cement and helper to assist owner or contractor to do work as listed.

Charge To **R.L.T. Investment**

Street **Box 63**

City **Morland** State **Kr** **67650**

The above was done to satisfaction and supervision of owner agent or contractor.

Purchase Order No.

**Jim Michels**

**CEMENT**

Amount Ordered **200 lbs. 60/100 6% gel 1/2 gallo.**

Consisting of

Common	120	6.85	822.00
--------	-----	------	--------

Poz. Mix	80	3.00	240.00
----------	----	------	--------

Gel.	7	7.00	49.00
------	---	------	-------

Chloride			
----------	--	--	--

Quickset			
----------	--	--	--

25# Flo Seal		1.10	27.50
--------------	--	------	-------

Handling **100**

Mileage **42 mi** **.04**

Sub Total **7674.50**

Total

Floating Equipment

## EQUIPMENT

Operator No.	Cement	<b>Bill L</b>
Operator No.	Helper	
Operator No.	Cement	<b>Dean R</b>
Operator No.	Helper	
Operator No.	Driver	<b>Carl B</b>
Operator No.	Driver	

DEPTH of Job

Reference	<b>Pump Truck</b>	<b>430:00</b>
-----------	-------------------	---------------

	<b>125 lb/m</b>	<b>94.50</b>
--	-----------------	--------------

	<b>1 8 7/8 plug</b>	<b>21.00</b>
--	---------------------	--------------

Sub Total	<b>545.50</b>
-----------	---------------

Tax	
-----	--

Total	
-------	--

Remarks:  
 1st plug C 2260 w/ 25 lb  
 2nd plug C 1420 w/ 100 lb  
 3rd plug C 260 w/ 40 lb  
 4th plug C 45 w/ 10 lb

RECEIVED  
 STATE CORPORATION COMMISSION

JAN 24 1994  
 124-94  
 CONSERVATION DIVISION  
 Wichita, Kansas

15-179-21067-00-00