## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

'n	F	-	٠,	,	 -	-	+	n	Form ACO-
									September 199
,	¥	u.	,						Form Must Be Type

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

WELL INCION.	••
Operator: License #	API No. 15 - 033-210620000
Name: STAR RESOURCES LLC	County: COMANCHE
Address: 6855 SOUTH HAVANA STR., STE 300	- NE- SW- SE Sec. 18 Twp. 32 S. R. 18 ☐ East 🗷 West
Address:	teet from 5 /(1) (circle one) Ente of obstance
Purchaser:	feet from E/ W (circle one) Line of Section
Operator Contact Person: AL IAKOVAKIS	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 228-3322	(circle one) NB SE NW SW
Phone: (_303)228-3342	Lease Name: CARY Well #: 18-15
Contractor: Name: VAL ENERGY	Field Name: NESCATUNGA
License:	Producing Formation: NONE
Wellsite Geologist: PETE DEBENHAM	Elevation: Ground: 2099' Kelly Bushing: 2109'
Designate Type of Completion:	Total Depth: 5885' Plug Back Total Depth:
X New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at 85 @ 596 Feet
Oil SWD SIOW Temp. Abd.	Multiple Stage Cementing Collar Used?  ☐ Yes ☑ No
Gas ENHR SIGW	If yes, show depth setFeet
Ory Other (Core, WSW, Expl., Cathodic, etc)	If Alternate II completion, cement circulated from
If Workover/Re-entry: Old Well Info as follows:  Operator:  Well Name:	feet depth tow/sx cmt.
Operator:	The state of the s
	Drilling Fluid Management Plan PLA JAH 4/02/03  (Date must be sollected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	(Date: must be scollected from the reserve in)
Deepening Re-perfConv. to Emily 5440 0	Chloride content 4,000 ppm Fluid volume 600 bbls
Plug Back Plug Back Total Depth	Dewatering method used let-dry and backfill
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name:License No.:
3-11-00 3-24-00 3-25-00	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or	County: Docket No.:
Recompletion Date Hecompletion Date	Outriy.
Kansas 67202, within 120 days of the spud date, recompletion, work Information of side two of this form will be held confidential for a period 107 for confidentiality in excess of 12 months). One copy of all wireline I TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged w	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, kover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. of 12 months if requested in writing and submitted with the form (see rule 82-3-ogs and geologist well report shall be attached with this form. ALL CEMENTING rells. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to re	egulate the oil and gas industry have been fully complied with and the statements
herein are complete and correct to the best of my knowledge.	
(inchise fallorali)	KCC Office Use ONLY
Signature: Date: 9-26-00	Letter of Confidentiality Attached
Subscribed and sworn to before me this 26th day of September 1	If Denied, Yes Date:
Subscribed and sworn to before me this 26 day of Spton	Wireline Log Received
* 2000 1 1 A COLO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Geologist Report Received
	UIC Distribution
Notary Public: 50 rate 50 rate 50 106 12001	
Date Commission Expires: 07/06/2001	

Samples Sent to Geological Survey	o interval		
temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach Electric Wireline Logs surveyed. Attach final geological well site report.  Drill Stem Tests Taken	m hole th copy of a		
ADDITIONAL CEMENTING / SQUEEZE RECORD    Content	Oatum nd Percent		
Cores Taken  Electric Log Run (Submit Copy)  List All E. Logs Run:  CASING RECORD Report all strings set-conductor, surface, intermediate, production, etc.  Purpose of String Drilled Size Casing Set (in O.D.) Set (in O.D.)  ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose: Perforate Protect Casing Plug Back TD Plug Back TD Purpose of String Protect Casing Plug Back TD Purpose of String Plug Back TD Purpose: Protect Casing Plug Back TD Purpose: Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type and Percent Additives	nd Percent		
Cores Taken  Electric Log Run (Submit Copy)  List All E. Logs Run:  CASING RECORD Report all strings set-conductor, surface, intermediate, production, etc.  Purpose of String Drilled Size Casing Set (in O.D.) Set (in O.D.)  ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose: Perforate Protect Casing Plug Back TD Plug Back TD Purpose of String Protect Casing Plug Back TD Purpose of String Plug Back TD Purpose: Protect Casing Plug Back TD Purpose: Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type of Cement Protect Casing Plug Back TD Purpose: Type and Percent Additives	nd Percent		
(Submit Copy)  List All E. Logs Run:  CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc.  Purpose of String Size Hole Size Casing Weight Lbs. / Ft. Depth Cement Used Add  ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose: Purpose: Purpose: Purpose: Perforate Protect Casing Protect Casing Plug Back TD  Depth Type and Percent Additives			
CASING RECORD   New   Used   New   N			
CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc.  Purpose of String Size Hole Drilled Size Casing Weight Setting Type of # Sacjs Type and Additives  ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose: Depth Top Bottom Type of Cement #Sacks Used Type and Percent Additives  Protect Casing Plug Back TD			
Report all strings set-conductor, surface, intermediate, production, etc.  Purpose of String  Size Hole Drilled  Size Casing Weight Setting Type of Cement  Lbs. / Ft. Depth  Cement  Used  ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose:  Perforate Protect Casing Plug Back TD  Purpose Size (In O.D.)  Perforate Protect Casing Plug Back TD			
Report all strings set-conductor, surface, intermediate, production, etc.  Purpose of String  Size Hole Drilled  Size Casing Weight Setting Type of Cement  Lbs. / Ft. Depth  Cement  Used  ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose:  Perforate Protect Casing Plug Back TD  Purpose Size (In O.D.)  Perforate Protect Casing Plug Back TD			
Purpose of String Size Hole Drilled Size Casing Set (in O.D.) Set (in O.			
ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose:  Perforate Protect Casing Plug Back TD  Depth Top Bottom Type of Cement Type of Cement Type of Cement Type of Cement Type and Percent Additives Type and Percent Additives			
Purpose: Depth Type of Cement #Sacks Used Type and Percent Additives Protect Casing Plug Back TD			
Purpose: Depth Type of Cement #Sacks Used Type and Percent Additives Protect Casing Plug Back TD			
Purpose: Depth Type of Cement #Sacks Used Type and Percent Additives Protect Casing Plug Back TD			
Purpose: Depth Type of Cement #Sacks Used Type and Percent Additives Protect Casing Plug Back TD	14		
Perforate Top Bottom Type of Cement #Sacks Used Type and Percent Additives Protect Casing Plug Back TD	<u></u>		
Plug Off Zone	d Type and Percent Additives		
	<del></del>		
Chate Day 5			
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth		
TUBING RECORD Size Set At Packer At Liner Run			
Date of First, Resumerd Production, SWD or Enhr.  Producing Method			
Per 24 Hours Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio To			
Disposition of Gas METHOD OF COMPLETION	3ravitv		
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled	Gravity		
Other (Specify)			