

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

Sedgwick County, Sec. 11 Twp. 26 Rge. 2 (E) (W)

Location as "NE/CNW/SW" or footage from lines NE SW SE

Lease Owner Aylward Drilling Company

Lease Name Stollei Well No. 4

Office Address 813 1st Nat'l Bank Bldg. - Wichita 2, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Oil

Date well completed October 31 1954

Application for plugging filed June 22 1959

Application for plugging approved June 22 1959

Plugging commenced June 22 1959

Plugging completed June 24 1959

Reason for abandonment of well or producing formation Formation depleted

If a producing well is abandoned, date of last production June 20 1959

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Lee Guthrie

Producing formation chat Depth to top 2870 Bottom 2871 Total Depth of Well 2871 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8"	103'	Circulated
				5 1/2"	2870'	1400'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

2869' 5 sacks cement, dumped with bailer
175' 15' rock bridge, 15 sacks cement dumped dry
mudded to 35'
35' 5' rock bridge, 10 sacks cement dumped dry,
fill to top of surf.
Welded steel cap on top of 8" surface.

RECEIVED
STATE CORPORATION COMMISSION
7-23-59
JUL 23 1959
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Kent Well Servicing Company
Address Box 667 - El Dorado, Kansas

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.
Paul W. Hesse (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Paul W. Hesse
813 1st Nat'l Bank Bldg., Wichita 2, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 13th day of July, 1959
December 11, 1961 My commission expires

Duane Jessup Notary Public



PLUGGING
FILE SEC 11 T26 R. 2E
BOOK PAGE 51 LINE 9

STOLLEI NO. 4

Casing Record:

Company: Sohio Petroleum Company
Contractor: Murfin Drilling Co.

Location: NE SW SE Sec. 11-26-2E
Sedgwick County, Kansas

8 5/8" - 103'
5 1/2" - 2870'

Commenced: October 23, 1954
Completed: October 31, 1954

Elevation: 1373 R.B.

	<u>From</u>	<u>To</u>	<u>Remarks</u>	
Sand & Shale	0	75	Set 8 5/8" surface pipe @ 103' w/100 sacks cement.	
Anhydrite	75	103		
Lime & Shale	103	980	Geological Tops:	
Shale	980	1625		
Shale & Lime	1625	1755		
Shale	1755	1985		Lansing 2207
Shale & Lime	1985	2435		Kansas City 2402
Lime & Shale	2435	2473		Mississippian 2840
Lime	2473	2530		Miss. Chat 2868
Lime & Shale	2530	2558		T.D. 2871
Shale	2558	2660		
Shale & Lime	2660	2860		DST 2430773 Open 45 min., wk stdy. bl. throughout. Rec. 115' wtry. mud w/ specks oil. BHP 800#/15".
Lime	2860	2871 T.D.		DST 2520-30 Open 1 hr. Very wk.bl. through out. Rec. 30' Mdy SW. BHP 910#/20".
				DST 2534-58 Open 1 hr. Wk. bl. 25". Rec. 12' mud. BHP 575#/20".
				Set 5 1/2" pipe at 2870' w/175 sacks cement.

I hereby certify that this is a true and correct copy of the above log to the best of my knowledge.

Paul W. Lester

Subscribed and sworn to before me this 22nd day of July, 1959

Duane Jessup
DUANE JESSUP Notary Public

My commission expires December 11, 1961



RECEIVED
STATE CONSERVATION COMMISSION
JUL 23 1959
CONSERVATION DIVISION
Wichita, Kansas

PLUGGING
FILE SEC. 11 T. 26 R. 2E
BOOK PAGE 51 LINE 9

SOHIO PETROLEUM COMPANY

DAILY DRILLING REPORT

Lease Name Stalie Well No. 4 Elevation _____

Location Greenwich T. _____ R. _____ Twp. _____

Contractor Arrow Well Service County Sedgewick State Kansas

24 Hour Period Ending at 8 A. M. 3-3-1955

Method of Drilling mobil hand-cable tools Kind of Drilling Machine _____

Drilled		Formation	Hardness	Remarks
From	To			
		<u>Moved rig to location & Rig up tools Bailed hole down.</u>		<u>JUL 21 1959</u> <u>CONSERVATION DIVISION</u> <u>Wichita, Kansas</u>

Tour ending at 4 P. M. Driller _____

Tool Dresser _____ Helper _____

<u>TD</u>	<u>2871</u>	<u>String Bailer in string over Rig 103.05' x 28 - 13 - 165 = 2871'</u>		
<u>2871</u>	<u>2872 1/2</u>	<u>Drilled 1/2' of hole Bailed hole 3 No. 40 test,</u>		

Tour ending at 12 Midnight Driller _____

Tool Dresser _____ Helper _____

		<u>Chuck on part 4 of string</u>		
--	--	----------------------------------	--	--

Tour ending at 8 A. M. Driller _____

Tool Dresser _____ Helper _____

CASING RUN: Size O D _____ Weight _____ Grade _____ Thread _____ Range _____

No. of Joints Run _____ Time Started _____ Time Landed _____

Cemented At _____ Feet With _____ Sacks _____

Ac.dized With _____ Gallons _____

40. trucking - Bill
unit line 16 hr

PLUGGING
FILE SEC. 11 T 26 R 2E
BOOK PAGE 51 LINE 9

Justise

SOHIO PETROLEUM COMPANY

DAILY DRILLING REPORT

Lease Name Stalie Well No. 4 Elevation _____

Location Greenwich T. _____ R. _____ Twp. 7

Contractor Arrow Well Service County Jefferson State Kansas

24 Hour Period Ending at 8 A. M. 3-4 19 55

Method of Drilling Cable tool Kind of Drilling Machine Mobil-Hart

Drilled		Formation	Hardness	Remarks
From	To			
		<u>Swabbing in test tank</u>		

RECEIVED
 STATE CORPORATION COMMISSION
 JUL 21 1959
 CONSERVATION DIVISION
 Wichita, Kansas

Tour ending at 4 P. M. Driller _____

Tool Dresser _____ Helper _____ Helper _____

		<u>Swabbing in test tank</u>		
		<u>used 6 Liberson Swab Pumps</u>		
		<u>5 1/2</u>		

Tour ending at 12 Midnight Driller L.B. Wisoner

Tool Dresser _____ Helper _____ Helper _____

Tour ending at 8 A. M. Driller _____

Tool Dresser _____ Helper _____ Helper _____

CASING RUN: Size O D _____ Weight _____ Grade _____ Thread _____ Range _____

No. of Joints Run _____ Time Started _____ Time Landed _____

Cemented At _____ Feet With _____ Sacks _____

Acidized With _____ Gallons _____

can't line 16 ft
8 ft turning down
surface

SOHIO PETROLEUM COMPANY

DAILY DRILLING REPORT

Lease Name Stalco Well No. 4 Elevation _____

Location Leah T. _____ R. _____ Twp. _____

Contractor Wood & Hart Drilling Co. County Sedgewick State Kc

24 Hour Period Ending at 8 A. M. 11-6-54 1954

Method of Drilling Cable tool Kind of Drilling Machine Mobil Unit

Drilled		Formation	Hardness	Remarks
From	To			
		<u>Moving from North Haven to Stalco Lease well #4</u>		RECEIVED STATE CORPORATION COMMISSION JUL 21 1959 CONSERVATION DIVISION Wichita, Kansas
		<u>Nothing in report</u>		
		<u>Letters from & his each furnished by Wood & Hart</u>		

Tour ending at 4 P. M. Driller Jack Foley

Tool Dresser Mervin Wanta Helper _____ Helper _____

Drilled		Formation	Hardness	Remarks
From	To			
				RECEIVED STATE CORPORATION COMMISSION JUL 21 1959 CONSERVATION DIVISION Wichita, Kansas

Tour ending at 12 Midnight Driller _____

Tool Dresser _____ Helper _____ Helper _____

Drilled		Formation	Hardness	Remarks
From	To			

Tour ending at 8 A. M. Driller _____

Tool Dresser _____ Helper _____ Helper _____

CASING RUN: Size O D _____ Weight _____ Grade _____ Thread _____ Range _____

No. of Joints Run _____ Time Started _____ Time Landed _____

Cemented At _____ Feet With _____ Sacks _____

Ac.dized With _____ Gallons _____

C. time & hrs

P. D. Black

29

SOHIO PETROLEUM COMPANY

DAILY DRILLING REPORT

Lease Name Stalio's Well No. 4 Elevation _____

Location Keokuk T _____ R _____ Twp. _____

Contractor Wood & Hwy. Drilling County Sedgewick State K.S.

24 Hour Period Ending at 8 A. M. 11-8-54 1954

Method of Drilling Cable Tools Kind of Drilling Machine Mobil hoist

Drilled		Formation	Hardness	Remarks
From	To			
				Start up at 8 A.M.
				Strung up tools + drilled
				found hole in pipe found plug at 1729 1729
				found 5 swabb cups 5 1/2' 1.3W. 1K type.

Tour ending at 4 P. M. Driller Stan Hodges

Tool Dresser C. J. Clark Helper _____

COMMISSION
JUL 21 1959
CONSERVATION DIVISION
Wichita, Kansas

299 p 2 g 1/2

Tour ending at 12 Midnight Driller _____

Tool Dresser _____ Helper _____

				Pushed plug to 2764.
				Halliburton Pressured up. Pumped Test
				Plug to hole @ 1735. finished test
				plug down to 1785. get ready to squeeze down
				Casing by Halliburton.

Tour ending at 8 A. M. Driller Jack Foley

Tool Dresser Marvin Wirth Helper _____

CASING RUN: Size O D _____ Weight _____ Grade _____ Thread _____ Range _____

No. of Joints Run _____ Time Started _____ Time Landed _____

Cemented At _____ Feet With _____ Sacks _____

Ac.dized With _____ Gallons _____

8 Hr Dogleg
16 Hr Rig time

SWK

SOHIO PETROLEUM COMPANY

DAILY DRILLING REPORT

Lease Name Starline Well No. 4 Elevation _____

Location Kearl Pond T. _____ R. _____ Twp. _____

Contractor Wood & Hagg County Sedgewick State Kans

24 Hour Period Ending at 8 A. M. 11-9-54 19 54

Method of Drilling Cable tool Kind of Drilling Machine Mobil Hoist

Drilled		Formation	Hardness	Remarks
From	To			
		Cementing with Haliburton concreted with 100 sacks cement. 7728 press. 500 lbs. Pumped plus to 1500' w/ lead in stand 200' in 10 min. water, no pressure. 500# pressure 500# 500 pressure		

Tour ending at 4 P. M. Driller Bill Hagg

Tool Dresser Carl Crank Helper _____

RECEIVED
STATE REGISTRATION COMMISSION
JUL 21 1959
CONSERVATION DIVISION
Wichita, Kansas

Tour ending at 12 Midnight Driller _____

Tool Dresser _____ Helper _____

		W.O.C. 12 1/2		
--	--	---------------	--	--

Tour ending at 8 A. M. Driller Jack Foley

Tool Dresser Marvin White Helper _____

CASING RUN: Size O D _____ Weight _____ Grade _____ Thread _____ Range _____

No. of Joints Run _____ Time Started _____ Time Landed _____

Cemented At _____ Feet With _____ Sacks _____

Acidized With _____ Gallons _____

Shut Down @ 1 AM 11-9-54

Run 500' Ho
W.O.C. 237

Jul 21 1959

SOHIO PETROLEUM COMPANY

DAILY DRILLING REPORT

Lease Name STALIC Well No. 41 Elevation _____

Location _____ T _____ R _____ Twp. _____

Contractor Ward & Had County Sedgewich State Kan

24 Hour Period Ending at 8 A. M. 11-10 19 54

Method of Drilling _____ Kind of Drilling Machine _____

Drilled		Formation	Hardness	Remarks
From	To			
1700	1715	Started w. at 8 AM.		
		strung up to top of	1 1/2 strings on shaft	
		delivered 700. baled hole.		
		blacked & started drilling		
		8 hrs 2000 8 hrs run time		

Tour ending at 4 P. M. Driller Neil G. O'Connell

Tool Dresser C. J. Clark Helper _____ Helper _____

RECEIVED
STATE CORPORATION COMMISSION
JUL 21 1959
CONSERVATION DIVISION
Wichita, Kansas

Tour ending at 12 Midnight Driller _____

Tool Dresser _____ Helper _____ Helper _____

1715	1738	Drill down Cement: Bail hole down		
		Test 3 1/2 min. hole down. Drilling &		
		running test plug to depth 2753. Bailing		
		hole down.		

Tour ending at 8 A. M. Driller Jack Foley

Tool Dresser Mervin W. ... Helper _____ Helper _____

CASING RUN: Size O D _____ Weight _____ Grade _____ Thread _____ Range _____

No. of Joints Run _____ Time Started _____ Time Landed _____

Cemented At _____ Feet With _____ Sacks _____

Ac.dized With _____ Gallons _____

8 hrs w.o.g.
16 hrs run time
G.W. Price

SOHIO PETROLEUM COMPANY

DAILY DRILLING REPORT

Lease Name Stoice Well No. 1 Elevation _____
 Location Kenbi T _____ R _____ Twp. _____
 Contractor Wood & Hou County Sedgwick State Kans
 24 Hour Period Ending at 8 A. M. 11-11 19 54
 Method of Drilling Cable tool Kind of Drilling Machine Wabco Hoist

Drilled		Formation	Hardness	Remarks
From	To			
		Finished bailing hole down. Strung in on sand line. 26 strings - 18.50 + 4.09 for connection - 2460.05		
		Drilled pump plug. Drilling 106.71 over derrick. Cement + Steam 2460 to 2836 top of float.		

Tour ending at 4 P. M. Driller Walter Hedges
 Tool Dresser C. J. Clark Helper _____ Helper 12 hrs

(at the 1030 Pull. Fluid broke in Bailing steady 75' off bottom.

PAID
 COMMISSION
 JUL 21 1959
 CONSERVATION DIVISION
 Wichita, Kansas

Tour ending at 12 Midnight Driller _____
 Tool Dresser _____ Helper _____ Helper _____

Hour	From	To	Formation	Remarks	P.O. to
			Drilling float, cement & shoe. P.O. to bottom 2871. Clean up hole. Bail Test		
1st hr.	011.17.55	WATER	5.84	total gals.	2339
2nd "	20.87	" "	2.92	" "	2379
3rd "	14.19	" "	6.68	" "	2087
4th -	2087	" "	5.42	" "	2629

Tour ending at 8 A. M. Driller Chuck Feltz
 Tool Dresser Martin Blunt Helper _____ Helper _____

CASING RUN: Size O D _____ Weight _____ Grade _____ Thread _____ Range _____
 No. of Joints Run _____ Time Started _____ Time Landed _____
 Cemented At _____ Feet With _____ Sacks _____
 Ac.dized With _____ Gallons _____

24 Hr. Routine
JW Rice

SOHIO PETROLEUM COMPANY

DAILY DRILLING REPORT

Lease Name Stalje Well No. 4 Elevation _____

Location Keski T _____ R _____ Twp. _____

Contractor Wood & Hay County Sedgewick State Kansas

24 Hour Period Ending at 8 A. M. 11-17-54 1954

Method of Drilling Cable tools Kind of Drilling Machine Mobil Hand

Drilled		Formation	Hardness	Remarks
From	To			
<u>TD 2871'</u>		<u>Bailing test</u>		
		<u>Makes approx 11 gal water</u>		
		<u>and 45 gal oil per hr 300 ft fluid</u>		
		<u>in hole could not bail down. Oil is</u>		
		<u>live stuffs out back. hole is clean</u>		
		<u>on bottom.</u>		

Tour ending at 4 P. M. Driller W. J. Hodges

Tool Dresser C. J. Clark Helper _____ Helper _____

RECEIVED
 STATE CORPORATION COMMISSION
 JUL 21 1959
 CONSERVATION DIVISION
 Wichita, Kansas

Tour ending at 12 Midnight Driller _____

Tool Dresser _____ Helper _____ Helper _____

Tour ending at 8 A. M. Driller _____

Tool Dresser _____ Helper _____ Helper _____

CASING RUN: Size O D _____ Weight _____ Grade _____ Thread _____ Range _____

No. of Joints Run _____ Time Started _____ Time Landed _____

Cemented At _____ Feet With _____ Sacks _____

Ac.dized With _____ Gallons _____

10 Hr Rip time
8 Hr Strip down
JUBA