	CENTE.	OD	DDING
-	LIPE	UK	PRINT

REMARKS:

NOTICE OF INTENTION TO DRILL 5-037 TO BE FILED WITH THE STATE CORPORATION COMMISSION PRIOR TO COMMENCEMENT OF WELL

1	Operator C+W Machine WKS INC Address Box A' Liberal Kansas
Ι.	Operation 3
2.	Lease name PIMMER MAN Well No. 3 County CRAWford
3.	Well Location NF 14 of SW 14 Sec. 6 Township 30 Range 22 E35+
4.	Well to be drilled 165 ft. from nearest lease line.
5.	Drilling Contractor AL Tipton Orlo Co Address Iola Kansas
	Type of equipment: Rotary \(\omega \) Cable Tool \(\omega \). Approx. date operation to begin \(\omega \omega \omega \) \(\omega \o
7.	Well to be drilled for Oil ▼ Gas □ Disposal □ Input □ Estimated Total Depth of Well 370 ft.
8.	Depth of deepest fresh water well within one mile of locationft. If none exists, write NONE NONE
	Ground elevation at location is approxft. higher orft. lower than ground elevation at water well.

Depth of the deepest municipal water well within three miles of location //one ft. If none exists, write NONE

11. Operator states that he will set surface pipe at least 25-ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is _____ft, and operator agrees to set surface pipe at this location to a depth of not less than

_ft. Alternate 1 🗌 Alternate 2 🌊


Signature of Operator

C+ w maching who Inc

Place 5¢ Stamp Here

State Corporation Commission of Kansas

Conservation Division 500 Insurance Building 212 North Market Wichita, Kansas 67202



(IF PREFERRED, MAIL IN ENVELOPE)

C & W MACHINE WORKS, Inc.

OF LIBERAL, KANSAS

P. O. Box A

Area Code 816 Phone MAin 4-4412

LIBERAL, KANSAS 67901

October 13, 1966



OCT 14 19RF

Marine France

They of a Part

State Corporation Commission Conservation Division 500 Insurance Bldg. 212 N.Market Wichita, Kansas

Gentlemen:

We are including another notice of intention to drill as per request, we trust it is in order.

This particular well is drilled to 370' I.D. We are holding up completion, pending final decision as to the econimics.

If completed we will set 4½" Casing and Cement to ground level. At present we have 27' of 7" casing which is more than ample for all unconsolidated deposits.

Yourswery truly.

B.H. Fairchild

Pres. of C. & W. Machine Works Inc.