

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

# . 10 ID:4	JULY	21	2008	Spot Description:			
Expected Spud Date:	month	day	year	NE _ SE _ NW Sec. 8 Twp. 17 S. F	12 TE	w	
	3882 🖊			(0/0/0/0) 1,830 feet from N /			
OPERATOR: License# Name: SAMUEL GARY J		INC	-	2,030 feet from E /			
Name: SAMOEL GART 5 Address 1: 1560 BROAD	WAY SHITE 2100			Is SECTION: Regular Irregular?	_		
	VVA 1, 3011E 2100			(Note: Locate well on the Section Plat on rever	ee eida)		
Address 2: City: DENVER	State:	CO Zip: 80	202 +	County: BARTON	ie side)		
Contact Person: CLAYTO	ON CAMOZZI			Lease Name: DEMEL	Wall #- 1-8		
Phone: (303) 831-4673				Field Name:	**Cii ii:		
	33350				Yes XN	do.	
CONTRACTOR: License: Name: SOUTWHWIND DR	#RILLING			Is this a Prorated / Spaced Field? Target Formation(s): ARBUCKLE		_	
Well Drilled For:	Well Clas	s: Type	e Equipment:	Nearest Lease or unit boundary line (in footage): 710'			
	Rec Infiel	a 📅	Mud Rotary	Ground Surface Elevation: EST. 1900	feet MS		
_ =	age Pool	_	Air Rotary	Water well within one-quarter mile:	Yes X	_	
	osal XWilde		Cable	Public water supply well within one mile:	Yes 🔀	No	
	of Holes Othe		1	Depth to bottom of fresh water: 150'			
Other:				Depth to bottom of usable water:			
				Surface Pipe by Alternate:			
If OWWO: old we	ell information as fo	llows:		Length of Surface Pipe Planned to be set:			
Operator:		tel**		Length of Conductor Pipe (if any): NONE			
Well Name:				Projected Total Depth: 3400'			
Original Completion [Date:	Original Total	Depth:	Formation at Total Depth: ARBUCKLE			
				Water Source for Drilling Operations:			
Directional, Deviated or H			Yes No	Well Farm Pond Other:			
If Yes, true vertical depth:				DWR Permit #: N/A	4		
Bottom Hole Location:				(Note: Apply for Permit with DWR			
KCC DKT #:				Will Cores be taken?	☐Yes 🔀	No	
				If Yes, proposed zone:	RECEIVED		
					CORPORATION COM	IMISSI	
					OKPORT		
_				gging of this well will comply with K.S.A. 55 et. seq.	UN 2 7 2008	l	
It is agreed that the follo	owing minimum re	quirements w	ill be met:	J	OM 7 1 5000	,	
 Notify the approp 	riate district office	prior to spuc	lding of well;	00	NSERVATION DIVIS	ION	
2. A copy of the app	proved notice of in	tent to drill sh	all be posted on each	drilling rig;	WICHITA, KS		
3. The minimum am	iount of surface pi	pe as specific	ed below snall be set num of 20 foot into the	by circulating cement to the top; in all cases surface pipe sh . a underlying formation.	m pe set		
4 If the well is dry h	isoliuateu matema iole, an agreemer	is plus a mini it between the	operator and the dist	rict office on plug length and placement is necessary <i>prior t</i>	o plugging;		
The appropriate of	district office will b	e notified befo	ore well is either plugg	ed or production casing is cemented in;			
If an ALTERNATE	E II COMPLETION	I, production (pipe shall be cemente	d from below any usable water to surface within 120 DAYS o	f spud date.		
Or pursuant to Ap	ppendix "B" - East	ern Kansas s	urface casing order #1	33,891-C, which applies to the KCC District 3 area, alternate) II cementing		
				plugged. In all cases, NOTIFY district office prior to any	æmenung.		
I hereby certify that the	statements made	herein are tru	ue and correct to	est of my knowledge and belief.			
Date:	Signature	of Operator o	or Agent:	Title: GEOLOG	IST 		
				Remember to:		œ	
For KCC Use ONLY				- File Drill Pit Application (form CDP-1) with Intent to Drill;			
API # 15 - 009~	·25230·	∞	1.77	- File Completion Form ACO-1 within 120 days of spud da		-	
Conductor pipe require	Λ/ Λ .	VE.	feet	- File acreage attribution plat according to field proration o		17	
Minimum surface pipe	`		feet per ALT.	 Notify appropriate district office 48 hours prior to workove Submit plugging report (CP-4) after plugging is complete 		1	
Minimum surface pipe		<i>,</i> , <u> </u>	leet per ALI.[*]1	Obtain written approval before disposing or injecting salt		12	
Approved by	ires: 6-30	.∩ 9		If this permit has expired (See: authorized expiration date		-	
This authorization exp				check the box below and return to the address below.		$\overline{\Box}$	
(This authorization void	ır driling not started	within 12 mont	ns or approval date.)	Well Not Drilled - Permit Expired Date:		닡	
Spud date:	A			Signature of Operator or Agent:		$ \nabla $	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009 - 25230 -0000			
Operator: SAMUEL GARY JR. & ASSOCIATES, INC.	Location of Well: County: BARTON		
Lease:	1,830 feet from N / S Line of Section		
Well Number: 1-8	2,030 feet from E / W Line of Section		
Field:	Sec. <u>8</u> Twp. <u>17</u> S. R. <u>12</u> E 🔀 W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SAMUEL GARY JR.	& ASSOCIATES,	License Number: 3882		
Operator Address: 1560 BROADW			DENVER CO 802	02
Contact Person: CLAYTON CAMO		Phone Number: (303) 831-4673		
Lease Name & Well No.: DEMEL	1-8		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW. NE SE NW	
Emergency Pit Burn Pit	Proposed [Existing	Sec8Twp17R12East West	
Settling Pit Drilling Pit If Existing, date of		enstructed:	1,830 Feet from North / South Line of Sect	tion
Workover Pit Haul-Off Pit	Pit capacity:		2,030 Feet from East / West Line of Sec	tion
(If WP Supply API No. or Year Drilled)	4.000	(bbls)	BARTON Cou	inty
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:m (For Emergency Pits and Settling Pits only)	9/1
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No 	NATIVE MUD AND CLAY	
Pit dimensions (all but working pits):	75 Length (fee	et)75		
Depth fr	om ground level to de	epest point:	4 (feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determiniteCEIVED notuding any special monitoring. KANSAS CORPORATION COM	4OIBBIMI
			JUN 2 7 2008	3
			JUN 2 7 2008 CONSERVATION DIVIS WICHITA, KS	
Distance to nearest water well within one-mike	e of pit	Depth to shallo	CONSERVATION DIVIS WICHITA, KS west fresh water / 28feet.	
Distance to nearest water well within one-mile		Source of info	CONSERVATION DIVIS WICHITA, KS west fresh water / 28feet.	ION
	15'S feet	Source of info	CONSERVATION DIVIS WICHITA, KS owest fresh water / 28 feet. mation:	ION /
3 2 5 4_ feet Depth of water well	15'S feet	Source of information measurements Drilling, Work	CONSERVATION DIVIS WICHITA, KS owest fresh water / 2.8 feet. rmation: ured well owner electric log KDWR	ION /
	15'S feet	Drilling, Work Type of materi	CONSERVATION DIVIS WICHITA, KS owest fresh water / 2.8 feet. containents ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH MUD cking pits to be utilized:	10 NON - NON
	15'S feet	Drilling, Work Type of materi	CONSERVATION DIVIS WICHITA, KS owest fresh water / 2.8feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH MUD	10 NON - NON
3354 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	/SS feet	Drilling, Work Type of materi Number of work Abandonment	CONSERVATION DIVIS WICHITA, KS owest fresh water / 2.8 feet. containents ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: FRESH MUD cking pits to be utilized:	/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Barrels of fluid produced daily: Depth of water well	/55feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVIS WICHITA, KS owest fresh water / 2.8 feet. rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: FRESH MUD rking pits to be utilized: procedure: ALLOW TO DRY, THEN BACKFILL be closed within 365 days of spud date.	/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit?	/55feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVIS WICHITA, KS owest fresh water / 2.8 feet. rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: FRESH MUD rking pits to be utilized: procedure: ALLOW TO DRY, THEN BACKFILL be closed within 365 days of spud date.	10 NON - NON
	/55feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVIS WICHITA, KS owest fresh water / 2.8 feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: FRESH MUD rking pits to be utilized: procedure: ALLOW TO DRY, THEN BACKFILL be closed within 365 days of spud date. It of my knowledge and belief.	/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Depth of water well Producing and Burn Pits ONLY: Number of producing wells on lease: Depth of water well Producing Formation: Number of producing wells on lease: Number of producing we	/55feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVIS WICHITA, KS owest fresh water / 2.8 feet. rmation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: FRESH MUD rking pits to be utilized: procedure: ALLOW TO DRY, THEN BACKFILL be closed within 365 days of spud date.	/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	/55_feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	conservation divisions within 365 days of spud date.	/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\