For KCC Use: Effective Date: District # SGA2 | X | Yes | No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	Spot Description:	
Expected Spud Date: JULY 14 2008 month day year	NW - SE Sec. 12 Twp. 18 S. R. 12 E	7 _{1/4} /
3882	(0/0/0/0) 1,940 feet from N / S Line of Sec	
OPERATOR: License#	2,030 feet from \times E / \times W Line of Sec	tion
Name: SAMUEL GARY JR. & ASSOCIATES, INC	Is SECTION: Regular Irregular?	20011
Address 1: 1560 BROADWAY, SUITE 2100	IS SECTION. Minegular Minegular:	
Address 2: City: DENVER State: CO Zip: 80202 4 4	(Nate: Locate well on the Section Plat on reverse side)	
City: State: Sta	County: BARTON	
Phone: _(303)-831-4673	Lease Name: TRITSCH Well #: 1-12	
_	Field Name:	
CONTRACTOR: License#33350	Is this a Prorated / Spaced Field?	No
Name: SOUTHWIND DRILLING	Target Formation(s): ARBUCKLE	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 610'	
X Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: EST 1840' feet M	//SL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other	Depth to bottom of fresh water:	
Other:	Depth to bottom of usable water: 340	
The country of the self-self-self-self-self-self-self-self-	Surface Pipe by Afternate: XII 360	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 360'	
Operator:	Length of Conductor Pipe (if any): NONE	
Well Name:	Projected Total Depth: 3400'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE	
DVVI	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:	
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes	1
	Will Cores be taken? If Yes, proposed zone: N/A	11/10
AEE	IDAVIT RECEIVED)
The undersigned hereby affirms that the drilling, completion and eventual plug	KANSAS CORPORATION O	Olivingsanoi
It is agreed that the following minimum requirements will be met:		no
· ·	JUN 2 7 20	UO
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 	drilling rig:	((O)O)
	orning rig; CONSERVATION DIV by circulating cement to the top; in all cases surface pipe shall beysef ITA, KS	ASION
through all unconsolidated materials plus a minimum of 20 feet into the		
4. If the well is due hale on agreement between the anarotes and the distri		
	ict office on plug length and placement is necessary prior to plugging;	
5. The appropriate district office will be notified before well is either plugge	ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in;	
The appropriate district office will be notified before well is either pluggeIf an ALTERNATE II COMPLETION, production pipe shall be cemented	ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing district office prior to any cementing.	
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing district office prior to any cementing.	
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to be defined.	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST	
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to be defined.	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is stormy benefit of the company of t	12
The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to be be Date: JUNE 26 2008 Signature of Operator or Agent: For KCC Use ONLY	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: GEOLOGIST	12
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: JUNE 26 2008	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my benefit of the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my benefit of the KCC District 3 area, alternate II cementing. Title: GEOLOGIST Remember 10: File Drill Pit Application (form CDP-1) with Intent to Drill;	12 18
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: JUNE 26 2008	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing bygged. In all cases, NOTIFY district office prior to any cementing. BEOLOGIST Title: GEOLOGIST File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	2
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: JUNE 26 2008	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing bygged. In all cases, NOTIFY district office prior to any cementing. BEOLOGIST Title: GEOLOGIST File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	2 18
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to be be Date: JUNE 26 2008	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing bygged. In all cases, NOTIFY district office prior to any cementing. BEOLOGIST Title: GEOLOGIST File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	2
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to be be Date: JUNE 26 2008	ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. BEOLOGIST Title: GEOLOGIST File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	2 18
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to be be Date: JUNE 26 2008	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing district office prior to any cementing. Begin in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior	2 18 12
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to be be Date: JUNE 26 2008	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing disgreged. In all cases, NOTIFY district office prior to any cementing. Set of my browledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	2 18
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to be be Date: Signature of Operator or Agent: For KCC Use ONLY API #15 - 009 - 2 5 2 3 2 0000 Conductor pipe required	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing district office prior to any cementing. Begin in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior to any cementing. Below in all cases, NOTIFY district office prior	2 18 12

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-25232-0000	
Operator: SAMUEL GARY JR. & ASSOCIATES, INC	Location of Well: County: BARTON
Lease: TRITSCH	1,940 feet from N / N S Line of Section
Well Number: 1-12	2,030 feet from X E / W Line of Section
Field:	Sec. 12 Twp. 18 S. R. 12 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: C _ NW _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

	(Show footage to the nea	arest lease or unit bou	indary line.)
: :	KIZU	<u> </u>	(N) from nearest
			(010) from Nearest lease boundary RECEIVED KANSAS CORPORATION COMMISSION
			JUN 2 7 2008
	: :	:	CONSERVATION DIVISION WICHITA, KS
	19		EXAMPLE
			5 1980
		3030.	10
			3390'
	1940		
			SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SAMUEL GARY JR.	& ASSOCIATES	INC	License Number: 3882	
-				80202
Operator Address: 1560 BROADWAY, SUITE 2100 Contact Person: CLAYTON CAMOZZI		Phone Number: (303)-831-4673	00202	
Contact Person: CLAYTON CAMOZZI		· · · · · · · · · · · · · · · · · · ·		
Lease Name & Well No.: TRITSCH	1-1	2	Pit Location (QQQQ):	
Type of Pit:	Pit is:	_	SW NW NE	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 12 Twp. 18 R. 12 East W	/est
Settling Pit Drilling Pit	If Existing, date co	instructed:	Feet fromNorth / South Line of	f Section
Workover Pit Haul-Off Pit	Pit capacity:		2,030 Feet from East / West Line of	f Section
(If WP Supply API No. or Year Drilled)	4,000	(bbls)	BARTON	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l
		4 	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	75 Length (fee	et)75	Width (feet) N/A: Steel Pi	its
Depth fr	om ground level to de	epest point:	4 (feet) No Pit]
If the pit is lined give a brief description of the		•	dures for periodic maintenance and determining	OFIVE
material, thickness and installation procedure	· · · · · · · · · · · · · · · · · · ·	liner integrity is		
		inter integrity, it	ncluding any special monitoring. KANSAS CORPO	CEIVED ORATION COM
		iner integrity, ii	KANSAS CORP	ORATION CO-
	-	mer megnty, n	KANSAS CORPO	ORATION (10)
Distance Assessment of the control o			KANSAS CORPO	ORATION CO-
Distance to nearest water well within one-mile			KANSAS CORPO	ORATION COM 2 7 2008 RVATION DIVIS
Distance to nearest water well within one-mile	e of pit	Depth to shallo	CONSER West fresh water 35 feet.	ORATION COMPANIENT OF THE PROPERTY OF THE PROP
0.5-	e of pit	Depth to shallor Source of informal measu Drilling, Worke	West fresh water35feet. mation: redwell owner electric logKD over and Haul-Off Pits ONLY:	ORATION COMPANIENT OF THE PROPERTY OF THE PROP
983 feet Depth of water well	e of pit	Depth to shallor Source of informal measu Drilling, Worke	KANSAS CORPO	ORATION COMPANIENT OF THE PROPERTY OF THE PROP
983 feet Depth of water well	e of pit	Depth to shallor Source of information measure. Drilling, Worker Type of material	West fresh water35feet. mation: redwell owner electric logKD over and Haul-Off Pits ONLY:	ORATION CO-
983 feet Depth of water well	e of pit	Depth to shallo Source of information measure. Drilling, Worke Type of material Number of work	West fresh water 35 feet. mation: red well owner electric log KD over and Haul-Off Pits ONLY: I utilized in drilling/workover: FRESH MUD	ORATION CO-
983 feet Depth of water well	e of pit	Depth to shallo Source of informal measu Drilling, Worker Type of material Number of work	CONSER west fresh water	ORATION CO-
9.83 feet Depth of water well	e of pit 80 feet spilled fluids to	Depth to shallo Source of information measurement Drilling, Worked Type of material Number of work Abandonment Drill pits must be a shall be a	CONSER west fresh water	ORATION CO-
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Pepth of water well Depth of water well Producing Pits ONLY:	e of pit 80 feet spilled fluids to	Depth to shallo Source of information measurement Drilling, Worked Type of material Number of work Abandonment Drill pits must be a shall be a	CONSER west fresh water	ORATION CO-
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Pepth of water well Depth of water well Producing Pits ONLY:	e of pit 80 feet spilled fluids to	Depth to shallo Source of information measurement Drilling, Worked Type of material Number of work Abandonment Drill pits must be a shall be a	CONSER West fresh water	ORATION CO-
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	e of pit 80 feet spilled fluids to	Depth to shallo Source of information measure. Drilling, Worker Type of material Number of work Abandonment Drill pits must be correct to the best	CONSER West fresh water	ORATION CO-
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state MAY 12 2008	e of pit 80 feet spilled fluids to	Depth to shallo Source of information measure. Drilling, Worker Type of material Number of work Abandonment Drill pits must be correct to the best	CONSER West fresh water	PRATION CO- PRATION DIVISION CONTRACTOR CONT



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

June 27, 2008

Mr. Clayton Camozzi Samuel Gary Jr. & Associates, Inc. 1560 Broadway Ste 2100 Denver, CO 80202

RE: Drilling Pit Application Tritsch Lease Well No. 1-12 SE/4 Sec. 12-18S-12W Barton County, Kansas

Dear Mr. Camozzi:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Keep pits away from any structures**.

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: File