# For KCC Use: 7-6-08 Effective Date: District # Ves VNo

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

	ITENT TO DRILL Form must be Signed All blanks must be Filled  (5) days prior to commencing well
Expected Spud Date: JULY 9 2008	Spot Description;
month day year	C _ W2 _ SE _ SW _ Sec. 21 _ Twp. 17 _ S. R. 13 E XW
5430	(arc/arc) 660 / feet from N / X S Line of Section
OPERATOR: License# Name: ENERGY THREE, INC.	1,650 feet from E / X W Line of Section
Address 1: 211 S. FRONT ST.	Is SECTION: Regular Irregular?
Address 2:	(Nate: Locate well on the Section Plat on reverse side)
City: RUSSELL State: KS Zip: 67665 +	County: BARTON
Contact Person: TIM SCHECK	Lease Name: SODERSTROM Well #: 5
Phone: 785-483-1292	Field Name: Trapp
CONTRACTOR: License# 33724  Name: WARREN DRILLING,LLC	Is this a Prorated / Spaced Field?  Target Formation(s): ARBUCKLE
Mall Dellard Com. Mall Classe. Tong Equipment	Nearest Lease or unit boundary line (in footage): 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1971 feet MSL
Mud Rotary  Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 220
Other:	Depth to bottom of usable water: 428 420
	Surface Pipe by Atternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 240FT. 440 AIL ON
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth: 3500 FT.
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE
Directional, Deviated or Horizontal welibore?  If Yes, true vertical depth:	Water Source for Drilling Operations:  Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
AFF	FIDAVIT KANSAS CORPORATION COMM
The undersigned hereby affirms that the drilling, completion and eventual plu	agging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	JUN 3 0 2008
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>	CONSERVATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on each	
3. The minimum amount of surface pipe as specified below shall be set	orning rig;  WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	
	e underlying formation.
4. If the well is dry hole, an agreement between the operator and the dist	rict office on plug length and placement is necessary prior to plugging;
<ol> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	critice rying formation.  Irrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  d from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	or interlying formation; interest of the control of
<ol> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	criticallying formation:  irrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	criticallying formation:  irrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the box.	erict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief.  Title:  SUPERVISOR
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date:  6/25/08  Signature of Operator or Agent:	erict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief.  SUPERVISOR  Remember to:
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date:  6/25/08  Signature of Operator or Agent:  For KCC Use ONLY	erict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief.  SUPERVISOR  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boundary.    Date: 6/25/08   Signature of Operator or Agent: Imple	erict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief.  SUPERVISOR  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date:  6/25/08  Signature of Operator or Agent:  For KCC Use ONLY	erict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief.  SUPERVISOR  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boundary.    Date: 6/25/08   Signature of Operator or Agent:	rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 134,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing. 134,891-C, which applies to the KCC District office prior to any cementing. 134,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. 134,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. 134,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. 134,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. 134,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. 134,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. 134,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. 134,891-C, which applies to the KCC District 3 area, alternate If cementing plugged and the KCC District 3 area, alternate If cementing plugged and the KCC District 3 area, alternate If cementing plugged and the If cases, NOTIFY district 3 area, alternate If cementing plugged and the If cases, NOTIFY district 3 a
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boundary.    Date: 6/25/08   Signature of Operator or Agent:   Implementation	rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate If cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Title:  SUPERVISOR  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date:    6/25/08	rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 134,891-C, which applies to the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the cementing the cementing the KCC District 3 area, alternate If cementing the cementing the committee of the KCC District 3 area, alternate If cementing the cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC Distri
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boundaries.    Signature of Operator or Agent:	rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 19 plugged. In all cases, NOTIFY district office prior to any cementing. 19 plugged. In all cases, NOTIFY district office prior to any cementing. 19 plugged. In all cases, NOTIFY district office prior to any cementing. 19 plugged. In all cases, NOTIFY district office prior to any cementing. 19 plugged in plugged and belief.  Supervisors  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the b Date:    Signature of Operator or Agent:	rict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing. 134,891-C, which applies to the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the cementing the cementing the KCC District 3 area, alternate If cementing the cementing the committee of the KCC District 3 area, alternate If cementing the cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC District 3 area, alternate If cementing the committee of the KCC Distri

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-25233-000	
Operator: ENERGY THREE, INC.	Location of Well: County: BARTON
Lease: SODERSTROM	660 feet from N / X S Line of Section
Well Number: _5	1,650 feet from E / W Line of Section
Field:	Sec. 21 Twp. 17 S. R. 13 E 🔀 W
Number of Acres attributable to well: 10  QTR/QTR/QTR/QTR of acreage: C - W2 - SE - SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

i							
!	:			· ·			
1	-	:					-
i	-	-	•		•	•	•
1	•	•	•	l .			
!	:	•			:		
!	-	Ξ .					
1							
				.,,,,			
1	-						
1	-		•			•	•
!	•	-	•			•	•
i	•	-		1		•	
i	:	:					
1	-	•					
i			-				•
1							
1							
1							
I	•	•	•	l			•
I	:	:		1			
I		:					
1	•						
1	•		•	l	,		
I	•	-	•	1	•	•	•
1							
1							
1							
I	:	•	•	1		•	
1	•	•		Ι.			
1							
1	•						
1			•		•		
1	•	•				•	
1	:	•					
1		•					
1					:		
1	•						
	•						
1							
	650						,,,,,,
	650						,,,,,
	650						
	650						
1	650						
1	650						
1	650						
1	650						
1	650						
1	650		1.60				
1	650		1660				
1	650		660				
	650		660				

RECEIVED KANSAS CORPORATION COMMISSION

JUN 3 0 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: ENERGY THREE,INC.		License Number: 5430		
Operator Address: 211 S. FRONT ST.	RUSSELL K	S 67665		
Contact Person: TIM SCHECK			Phone Number: 785-483-1292	
Lease Name & Well No.: SODERSTE	ROM #5		Pit Location (QQQQ):	
Type of Pit:	Pit is:		C SE SW	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 21 Twp. 17 R. 13 East X	West
Settling Pit Drilling Pit	If Existing, date of	onstructed:	660 Feet from North / South Line	
Workover Pit Haul-Off Pit	Dit consoit :		1,650 Feet from East / West Line	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	BARTON	_ County
Is the pit located in a Sensitive Ground Water	r Area? Ves V		Chloride concentration:	mg/l
is the previous in a sensitive crosses viate	, , , , , , , , , , , , , , , , , , ,	71,	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  BENTONITE DRILLING MUD	
Pit dimensions (all but working pits):	100 Length (fe		Width (feet) N/A: Steel I	Pits
Depth f	from ground level to de	eepest point:	(feet) No Pit	
Distance to nearest water well within one-mil 3548	·	Depth to shallo Source of infor	ومرضوض ومستنصب ومستنصب	/
N/A feet Depth of water well	305 feet	measu	red well owner electric log X K	DWR
Emergency, Settling and Burn Pits ONLY		1	over and Haul-Off Pits ONLY:	
Producing Formation:  Number of producing wells on lease:		Type of material utilized in drilling/workover: DRILLING MUD  Number of working pits to be utilized: 3  Abandonment procedure: LET PITS DRY, BACKFILL		
Does the slope from the tank battery allow all flow into the pit? Yes No	r spilled fluids to	Drill pits must	be closed within 365 days of spud date.	EIVED
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief. KANSAS CORPOR	ALION COM
JUNE 25, 2008		Limoth	y J. Solch CONSERVAL	0 2008
Date				IITA, KS
-	KCC (	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: 4/30/08 Permit Nun	nber:	Perm	it Date: 6/30/08 Lease Inspection: Yes	₽ No
• •			, ,	_