For KCC Use: 7-13-08 Effective Date: ...

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

must be approved by NOO live	e (o) days phor to commencing well	
Expected Spud Date: July 21, 2008	Spot Description:	
month day year	SE _ SE _ NE Sec. 22 Twp. 15 S. R. 14 F	▽ w
OPERATOR: License#	(0/0/0/0/0) 2,300 feet from N / S Line of S	
Name: ABARTA Oil & Gas Co., Inc.	330 feet from X E / W Line of S	
Address 1: 1000 Gamma Drive, Suite 400	Is SECTION: Regular Irregular?	CCHOIL
Address 2:		
City: Pittsburgh State: PA Zip: 15238 +	(Note: Locate well on the Section Plat on reverse side) County: Russell	
Contact Person: Ken Fleeman	County: 1035611 Lease Name: Ochs Well #: 3	
Phone: 412-963-6134	Field Name: Trapp	
CONTRACTOR: License# 33905	Is this a Prorated / Spaced Field?	71 _{No}
Name: Royal Drilling, Inc.	Target Formation(s): Arbuckle	7140 .
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'	
<u> </u>	1869	MSL
		No.
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	
Seismic ; # of Hotes Other	Depth to bottom of fresh water: 180	3,
Other:	Depth to bottom of usable water: 389- 1340	
	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 400	
Operator:	Length of Conductor Pipe (if any): none	
Well Name:	Projected Total Depth: 3400	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Simplification of Particular Maria and Maria a	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth:	Well Farm Pond Other:	
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR	
	Will Cores be taken?	
	If Yes, proposed zone: RECEIN	/ED
AFE	FIDAVIT KANSAS CORPORATION	ON COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu		2000
It is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55 et. seq.	2000
Notify the appropriate district office <i>prior</i> to spudding of well;	- 01105D/4TIO	N DIVISION
A copy of the approved notice of intent to drill shall be posted on each	drilling rig; CONSERVATIO	
3. The minimum amount of surface pipe as specified below shall be set to	by circulating cement to the top; in all cases surface pipe shall be set	4,110
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.	
 If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugg 	rict office on plug length and placement is necessary prior to plugging;	
The appropriate district office will be fromled before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ed or production casing is cemented in; I from below any usable water to surface within 120 DAVS of sould date.	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:	33,891-C, which applies to the KCC District 3 area, alternate II cementing	
must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.	
I hereby certify that the statements made herein are true and correct to the be	est of my knowledge and belief.	
Date: July 3, 2008	2 Alexandra Manager of Engineeri	na
Date: Signature of Operator or Agent	Title: Ti	
F KOD U OWY	Remember to:	22
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;	
API # 15. /67-23523-0000	File Completion Form ACO-1 within 120 days of spud date;	
Conductor pipe requiredfeet	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; 	C)
Minimum surface pipe required 400 feet per ALT.	 Submit plugging report (CP-4) after plugging is completed (within 60 days) 	
Approved by: 7-8-08	Obtain written approval before disposing or injecting salt water.	<u>.</u> 4
This authorization expires: 7-8-09	- If this permit has expired (See: authorized expiration date) please	-
(This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)		
This authorization void it untiling not started within 12 thoribis of approval date.)	check the box below and return to the address below.	
(This admonization void in uniting not statied within 12 months of approval date.)	check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	m
Spud date: Agent:	check the box below and return to the address below.	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 167-23523-0000	
Operator: ABARTA Oil & Gas Co., Inc.	Location of Well: County: Russell
Lease: Ochs	2,300 feet from N / S Line of Section
Well Number: 3	330 feet from X E / W Line of Section
Field: Trapp	Sec. 22 Twp. 15 S. R. 14 EX W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE . SE . NE	Is Section: Regular or Imregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)




NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

UD/28/2005 10:40 PAA 040/8228/3 CENTRAL AS SURVEYING 图 002 ABARTA OIL & GAS COMPANY, INC OCHS LEASE 15-167-23523-000 NE. 1/4. SECTION 22. T155. R14W RUSSELL COUNTY, KANSAS GRAVEL (WINTERSET RD.) ROAD Drillsite Location Ochs #3 2300'FNL 330'FEL Ground Elevation = 1868 = OCHS +1 1865 22 *Notesi* 1. Set iron rod at location site. 2. All flagging Red & Yellow. 3. Overhead power available at N. line and E-1/4 of S. line and at the SW. corner, Sec. 22. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION: Various pipelinės in Sec.22. 6. Section 22 is irregular. 7. Contact landowner for best access. 8. Location fell on the slope of a draw, no alternate set. (STICKNEY RD.) ROAD GRAVEL

RECEIVED KANSAS CORPORATION COMMISSIO



JUL 0 7 2008

CONSERVATION DIVISION WICHITA, KS

controlling date is passe upon the best maps and photographs available to us and exertion of land containing 649 acres.

May 16. 2008

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: ABARTA Oil & Gas Co., Inc.		License Number: 33924		
Operator Address: 1000 Gamma Drive, Suite 400		Pittsburgh PA 15238		
Contact Person: Ken Fleeman		Phone Number: 412-963-6134		
Lease Name & Well No.: Ochs 3		Pit Location (QQQQ):		
Pit differisions (all but working pits).	Artificial Liner? Yes To Length (ferom ground level to describe)	No No Peet) To Describe proce	SE SE NE Sec. 22 Twp 15 R 14 East West 2;250 23 5 0 North / South Line of Section 330 Feet from East / West Line of Section Russell County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Clay Soil Width (feet) N/A: Steel Pits full dures for periodic maintenance and determining including any special monitoring.	
Source of		Depth to shallo Source of infor measu		
Emergency, Settling and Burn Pits ONLY: Drilling, Worko			over and Haul-Off Pits ONLY:	
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Number of working pits to be utilized: 4 Abandonment procedure: Fluid evaporation. Backfill with excavated soil.		
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. July 3, 2008 Date Date Drill pits must be closed within 365 days of spud date. July 3, 2008 Jensey Signature of Applicant or Agent				
Date Received: 7/1/08 Permit Number: Permit Date: 7/1/08 Lease Inspection: Yes ANO				

DRILLING PROGNOSIS

OPERATOR: ABARTA PHIL HAN OIL CO. **ABARTA** OCHS#3 #2 OCHS FEE; #1 OCHS LOCATION: 2300' FNL CSL SE/4 NE/4 2310' FNL & & 330' FEL 1000' FEL of of of **Section 22-15S-14W** Section 22-15S-14W Section 22-15S-14W **ELEVATION:** 1868 1834 1865 GL 1877 KB est. 1874 KB IP Unknown 1539 BOPD (Arb.) Casing Set(Arb.) FORMATION: (Projected) (Actual) (Actual) <u>855(+979)</u> <u>ANHYDRITE:</u> 892(+985) 889(+985)) L/KC 3076(-1199) 3035(-1201) ARBUCKLE 3321 (-1444) 3277(-1443) 3310(-1436)

PROPOSED TOTAL DEPTH: 3380 feet or depth sufficient to test the Arbuckle formation.

PAY: Offsetting wells have been produced primarily from the Arbuckle and secondarily from the L/KC.

LOGGING SUITE: CNL/FDC (2500 to TD), electric log (Dual induction), and Sonic from grass roots to TD or as otherwise directed. CONTACT GEOLOGIST BEFORE LOGGING.

COMPLETION TECHNIQUES: Historicly the Arbuckle formation in the offset wells were completed open hole. The shallower L/KC would be produced through perforations.

STIMULATION: 250 to 500 gallons acid(Arbuckle) or as directed by completion engineer or Company Representative.

SAMPLES: 10 foot samples should be saved from grass roots to TD or as instructed by the well site geologist.

WELL SITE GEOLOGIST: Should be on location at a depth of about 2500 feet in order to examine the L/KC through Arbuckle formations.

DRILL STEM TESTING: DST's will be conducted of all shows in the L/KC and Arbuckle formations or as instructed by the well site geologist or Company Representative.

CASING: Surface----400 feet of 8-5/8" or other amount and specifications as required.

Production ----3380 feet of 4-1/2" or other amount and specifications as needed.

RECEIVED

KANSAS CORPORATION COMMISSION

COMMENTS:

JUL 0 7 2008