For KCC Use: Effective Date: District # SGA2 Ves ZNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: July 14, 2008 month day year	Spot Description:
OPERATOR: License#	2,036 feet from N / S Line of Section 360 feet from E / W Line of Section Is SECTION: Regular Irregular?
Address 2: City: Mission Woods State: KS Zip: 66205 + 2001 Contact Person: Timothy H. Wright	(Note: Locate well on the Section Plat on reverse side) County: Chautauqua
Phone: 913-748-3960	Lease Name: Coffey Well #: 9-32 Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606 Name: Thornton Air	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Storage Pool Ext. Air Rotary Disposal Wildcat Cable Other:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: 150' Depth to bottom of usable water:
If OWWO: old well information as follows: Operator:	Surface Pipe by Alternate: \[\] \[\] \[\] \\ \] Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): \[\frac{40'}{\text{None}} \]
Well Name:	Projected Total Depth: 1650'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth:	Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	IDAVIT RECEIVED Received KANSAS CORPORATION COMMISSION OF THE PROPERTY OF TH
The undersigned hereby affirms that the drilling, completion and eventual plug	***************************************
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSI JUL 0 9 2008 drilling rig; by circulating cement to the top; in all cases surface pipe shall be sh
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION OF COMMISSION O
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shaft be surface or plug length and placement is necessary prior to plugging; but or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be surface on plug length and placement is necessary prior to plugging; but or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Agent Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	JUL 0 9 2008 drilling rig; by circulating cement to the top; in all cases surface pipe snational Division with the surface or plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 019-26921-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Chautauqua
Lease: Coffey	2,036 feet from N / X S Line of Section
Well Number: 9-32	360 feet from X E / W Line of Section
Field: Cherokee Basin Coal	Sec. 32 Twp. 32 S. R. 13 🔀 E 🔲 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _ E2 . NE . SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show lootage to the nearest lease or unit boundary line.)


	:					······································
 •••••	: :::::::::	********		•••••		
 ******	········	•••••	*********			
 •••••	···········	•••••				
						360'

 : :	···········	*********	••••••			
					2034	'
 	· ·	*********		•••••		
	:			;	:	<u> </u>

RECEIVED KANSAS CORPORATION COMMISSION

JUL 0 9 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway			Mission Woods KS 66205		
Contact Person: Timothy H. Wright			Phone Number: 913-748-3960		
Lease Name & Well No.: Coffey			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>E2 _ NE _ SE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 32 Twp. 32 R. 13 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		2,036 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			360 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Chautauqua County		
Is the pit located in a Sensitive Ground Water	Aroa2 Dyos D		Chloride concentration:mg/l		
is the pit located in a Sensitive Ground vvater	Alea? Lies \(\triangle	⊠ ™0	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
			self-sealing		
Fit differisions (all but working pits).	O Length (fe		Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	eepest point:	(feet) No Pit		
, , , , , , , , , , , , , , , , , , , ,			edures for periodic maintenance and determining noluding any special monitoring.		
			<u></u>		
			50		
Distance to nearest water well within one-mile of pit Depth to shallo		owest fresh waterfeet. rmation: uredwell ownerelectric logKDWR			
none / feet Depth of water well feet measurement.		ured well owner electric log KDWR			
			over and Haul-Off Pits ONLY: al utilized in drilling/workover; fresh water mud		
		_	aterial utilized in drilling/workover: fresh water mud		
		working pits to be utilized: 2			
' '		t procedure: Let evaporate until dry, then backfill			
Does the slope from the tank battery allow all spilled fluids to		and restore			
		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMNISS					
JUL 0 9 2008					
July 7, 2008		CONSERVATION DIVISION			
Date		<i>J</i> 8	ignature of Applicant or Agent WICHITA, KS		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 7/9/05 Permit Number: Permit Date: 7/9/05 Lease Inspection: Yes No					