For KCC Use: Effective Date: District # SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:07	Spot Description:
month day year	ee/4 - e/2 - m/2 - ne/4 Sec. 18 Twp. 33 S. R. 18 XE W
OPERATOR: License#	(Q/Q/Q/Q) 2,805 feet from N / X S Line of Section
Name: Jesseph Oil Well Service	1,815 feet from E / W Line of Section
Address 1: 22963 Reno Road	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Buffalo State: KS Zip: 66717 +	County: Labette
Contact Person: Henry Jesseph Phone: 620-537-2003	Lease Name: Petersen Well #: 1
	Field Name: Canada
CONTRACTOR: License#_5831	Is this a Prorated / Spaced Field?
Name: MOKAT	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165'
☑Oil ☐Enh Rec ☐Infield ☐ Mud Rotary	Ground Surface Elevation: 1000' feet MSLr
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 20'
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth: 850'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartsville Bartlesuile
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other: X
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR)
	Will Cores be taken?
	If Yes, proposed zone:
AFF	RECEIVED
* ** *	IDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plus	IDAVIT KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plus lt is agreed that the following minimum requirements will be met:	IDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	MANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cernent to the top; in all cases surface pipe s神経時を含ましている。 URL 0 9 2008
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions of the surface of t	RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe s所紹母子家任 underlying formation. ict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger.	RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe small to the top; in all cases surface pipe s
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Gangard Componential Commission (Conservation Commission Signing of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; conservation division by circulating cement to the top; in all cases surface pipe small cases of the component is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Gangard of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; conservation division by circulating cement to the top; in all cases surface pipe small of seperation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC district 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe s外間が多を見いれている。 underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a properly that the statements made herein are true and correct to the best of the statements.	Grand Commission and the second commission of this well will comply with K.S.A. 55 et. seq. Conservation Division of the construction of the conservation described on the conservation of the conservation
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be a properly that the statements made herein are true and correct to the best of the statements.	Ganga of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; conservation division by circulating cement to the top; in all cases surface pipe small to be underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC district 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title:
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of	Ganga of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe small to sep underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of	ANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe sMABNATASE underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of	ANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe small to the second comply in a case of the second comply length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and corrected the best of the specific of the production of the specific	drilling rig; CONSERVATION DIVISION On py circulating cement to the top; in all cases surface pipe small blacks underlying formation. Into office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. For KCC Use ONLY API # 15	ANNAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe small to the provided p
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and corrected the best of the specific of the production of the specific	ANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe small blacks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of	RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe small to be underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the described in the set of the set	ANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe small blacks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24494-0000	
Operator: Jesseph Oil Well Service	Location of Well: County; Labette
Lease: Petersen	2,805 feet from N / X S Line of Section
Well Number: 1	1,815 feet from X E / W Line of Section
Field: Canada	Sec. 18 Twp. 33 S. R. 18 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: 	is Section. Megular of Minegular
SW SE SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section corner usedNENVVSESVV

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

Ì			•		•	:	:
1							
			•				
ſ						7	
		•			•	•	•
!		•	•		•	•	•
	•	•	•		•	•	•
		•	•		•		
ł	•		•				
71151111							
		•	•		•		
	•	•	-		•	-	•
	•						
					1	•	:
	-	•				•	
	:	•	•		-	•	•
	•	•	•		•		•
	•	-	•		•		-
				,,,,,,,,,,			
				,,,,,,,,,,			
		•	•		-	•	•
	•	•	•		•	•	_
1	•				•		
1			•		•	•	
1	-						
1		_				•	
1	1	•			7	•	-
1	7		-		•	•	•
1	•		•		•		•
1	-						
1							
1							
1							
		•				•	
	•				•		
	•						-
	•		•				
	-	•				•	
		•			•	•	
	•		•		. 🛋		•
1	•		•				•
	•		•			•	
1							
4	1						
	-				•		
1	•						
i							
	:						
!	:						
				•••••			
			······································		******	********	
					••••••		
		••••				**********	
		••••					
				*******	******		
							.2
		••••					
							··········

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 5 9 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Jesseph Oil Well Service			License Number: 33685				
Operator Address: 22963 Reno Road			Buffalo KS 66717				
Contact Person: Henry Jesseph			Phone Number: 620-537-2003				
Lease Name & Well No.: Petersen 1			Pit Location (QQQQ):				
Type of Pit:	Pit is:		se/4 s/2 w/2→ ne/4				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 18 Twp. 33 R. 18 East West				
Settling Pit Drilling Pit	If Existing, date c	onstructed:	2,805 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Dit		1,815 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Labette				
In the nit leasted in a Secretive County Western	A		County				
Is the pit located in a Sensitive Ground Water	Area? Yes	_No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?				
Yes No	☐ Yes 🔀	No	Ell				
Pit dimensions (all but working pits):	30 Length (fe	eet)	Width (feet) N/A: Steel Pits				
Depth fro	om ground level to de	eepest point:	(feet) Ng Pit				
If the pit is lined give a brief description of the liner			edures for periodic maintenance and determining noluding any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION				
			JUL. 0 9 2008				
			CONSERVATION DIVISION				
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh waterfeet.				
N/A feet Depth of water wellfeet		Source of information measu					
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:				
			Type of material utilized in drilling/workover:				
			king pits to be utilized:				
i i		procedure: Wapparation - buckfill					
Does the slope from the tank battery allow all spilled fluids to			Orill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.							
7-9-58 Bland: Signature of Applicant or Agent							
	KCC (OFFICE USE ON	NLY Steel Pit RFAC RFAS				
Date Received: 7/9/08 Permit Numb	per:	Permi	t Date: 7/9/08 Lease Inspection: Yes No				