For KCC Use: Effective Date: District # SCA2 Ves VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: July 14, 2008 month day year	Spot Description:
OPERATOR: License# 33365	feet from X N / S Line of Section
Name: Layne Energy Operating, LLC	leet from Lie 7 W Line of Section
Address 1: 1900 Shawnee Mission Parkway	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Mission Woods State: KS Zip: 66205 + 2001	County: Montgomery
Contact Person: Timothy H. Wright	Lease Name: Ratzlaff Well #: 4-21
Phone: 913-748-3960	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?
Name: Thornton Air	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary line (in footage): 345'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 853 feet MSL.
Oil Denh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	·
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'
Other:	Depth to bottom of usable water: 175'
If OWWO: old well information as follows:	Surface Pipe by Alternate: I I II
II OWWO: Old Well Information as follows.	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 1500'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond XlOther:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR [])
KCC DKT #:	Will Cores be taken?
	Will Cores be taken?
	If Yes, proposed zone:
	——————————————————————————————————————
AFFI	If Yes, proposed zone:RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq.
	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig: CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; v circulating cement to the top; in all cases surface pipe shall be set. KS
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig; conservation division criculating cement to the top; in all cases surface pipe shall be set. KS underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig; criculating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; V circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface propriet is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig; criculating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard o	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION V circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all un	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig; CONSERVATION DIVISION WICHTA, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all unconsolidated materials plus a minimum of 20 feet into the string through all un	RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION V circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard o	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig; CONSERVATION DIVISION V circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second and the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the best of the second and the statements made herein are true and correct to the best of the second and the statements made herein are true and correct to the best of the second and the statements made herein are true and correct to the best of the second and the statements made herein are true and correct to the best of the second and the statements made herein are true and correct to the best of the second and the sec	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the intent of the second state of the intent of the second state o	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the intent of the second state of the intent of the second state o	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 drilling rig; CONSERVATION DIVISION V circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the intent of the second state of the intent of the second state o	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second and the approved notice of intent to drill <i>shall be</i> posted on each of the second and the district office will a specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted. It hereby certify that the statements made herein are true and correct to the best of the second and the statements are true and correct to the best of the second and the statements are true and correct to the best of the second and the statements are true and correct to the best of the second and the statements are true and correct to the best of the second and the statements are true and correct to the best of the second and the statements are true and correct to the best of the second and the second	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 CONSERVATION DIVISION concluding cement to the top; in all cases surface pipe shall be set. conderlying formation. controlled to on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent Title: Agent Pile Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second and the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district of the well is dry hole, an agreement between the operator and the district of an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements are true and correct to the beautiful that the statements are true and correct to	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of th	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 Conservation division condensing cement to the top; in all cases surface pipe shall be set. y circulating cement to the top; in all cases surface pipe shall be set. y circulating formation. conflice on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent Title: Agent Title: Agent Parameter to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 Conservation division Conservation division Victoria grading cement to the top; in all cases surface pipe shall be set. Victoria complete and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second state of the intention of the posted on each of the second state of the seco	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 Conservation division condensing cement to the top; in all cases surface pipe shall be set. y circulating cement to the top; in all cases surface pipe shall be set. y circulating formation. conflice on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Agent Title: Agent Title: Agent Parameter to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	DAVIT RECEIVED KANSAS CORPORATION COMMISSION ging of this well will comply with K.S.A. 55 et. seq. JUL 0 9 2008 crilling rig: CONSERVATION DIVISION A circulating cement to the top; in all cases surface pipe shall be set. CONSERVATION DIVISION A circulating cement to the top; in all cases surface pipe shall be set. KS underlying formation. In office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing obugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31711-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Ratzlaff	530 feet from N / S Line of Section
Well Number: 4-21	390 feet from E / W Line of Section
Field: Cherokee Basin Coal	Sec. 21 Twp. 31 S. R. 14 🔀 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	530′				:	:
3907		· · · · · · · · · · · · · · · · · · ·	 	: 	: 	
	:					
********			 ********	•••••		
	:		 			<u> </u>
	:				:	
· ·	:		 		:	
	•					
*******	,,,,,,,,,		 ••••••	******		
		: : : :	 	· · · · · · · · · · · · · · · · · · ·	: :	

RECEIVED KANSAS CORPORATION COMMISSION

JUL 0 9 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway			Mission Woods KS 66205	
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960		
Lease Name & Well No.: Ratzlaff	4-2	21	Pit Location (QQQQ):	
Type of Pit:	Pit is:		Nω NW NW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 21 Twp. 31 R. 14 East West	
Settling Pit X Drilling Pit	If Existing, date constructed:		530 Feet from North / South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		390 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	- The Supuloity.	(bbls)	Montgomery County	
Is the pit located in a Sensitive Ground Water	Area? Yes	 {No	Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? self-sealing	
		20		
Fit difficultions (all but working pits).	com ground level to de	ee()	Width (feet)N/A: Steel Pits 3(feet) No Pit	
If the pit is lined give a brief description of the	-		edures for periodic maintenance and determining	
material, thickness and installation procedure			ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.		
		redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Work		Drilling, Work	ormation: suredwell owner electric logKDWR whover and Haul-Off Pits ONLY:	
Producing Formation: Type of materia		rial utilized in drilling/workdyer		
1		orking pits to be utilized: 2		
Barrels of fluid produced daily: Abandonment procedure: Let evaporate until dry, then back		procedure: Let evaporate until dry, then backfill and restore		
Does the slope from the tank battery allow all spilled fluids to				
· LJ L	flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. RECEIVED			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION				
July 7, 2008		1	JUL 0 9 2008	
Date		s	ignature) of Applicant or Agent CONSERVATION DIVISION	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: $\frac{7/9}{0.5}$ Permit Number: Permit Date: $\frac{7/9}{0.5}$ Lease Inspection: Yes No				
Date Received: 7/9/08 Permit Num	lber:	Perm	it Date: 7/9/08 Lease Inspection: Yes 🗷 No	