For KCC Use: 7-15-08 Effective Date: 4 District # SGA? Yes VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| xpected Spud Date: July 14, 2008 | Spot Description: | |
|--|--|--|
| month day year | | TE NW |
| 33922 | (0'0'0'0) 2,000 feet from N / X S L | |
| EHAIOH: License# | 980 feet from E / X W Li | |
| ne: Mustang Energy Corporation | | ine of Section |
| iress 1; 2521 East 20th St | Is SECTION: Regular Irregular? | |
| dress 2: | (Note: Locate well on the Section Plat on reverse side) | |
| /: Hays State: KS Zip: <u>67601</u> + | County: Ellis | |
| ntact Person: Rodney Brin | Lease Name: Schmeidler Well #: 2 | 2 |
| ne: 785-623-0533 | Field Name: Schmeidler | |
| NTRACTOR: License# 33575 | | Yes XNo |
| ne: WW Drilling | Target Formation(s): Arbuckle-LKC | |
| Well Drilled For: Well Class: Type Equipment: | Target Formation(s): Arbuckle-LKC Nearest Lease or unit boundary line (in footage): 465' Ground Surface Flevation: 2075 Est. | |
| X Oil Enh Rec X Infield X Mud Rotary | | |
| Gas Storage Pool Ext. Air Rotary | | Yes X No |
| Disposal Wildcat Cable | Public water supply well within one mile: |]Yes ⊠ No |
| Seismic : # of Holes Other | Depth to bottom of fresh water: 180' | |
| Other: | Depth to bottom of usable water: 760' | |
| Udidi. | | |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: I X 11 Length of Surface Pipe Planned to be set: 200' | |
| | Length of Conductor Pipe (if any): none | |
| Operator: | Projected Total Depth: 3600' | |
| Well Name: | Formation at Total Depth: Arbuckle | |
| Original Completion Date: Original Total Depth: | | |
| rectional Deviated or Horizontal wellbore? | Water Source for Drilling Operations: | |
| Contributing Definition of the Contribution of | Well Farm Pond Other: | |
| es, true vertical depth: | DWR Permit #: | |
| ttom Hole Location: | (Note: Apply for Permit with DWR 🚺) | 7. 57. |
| C DKT #: | | Yes X No |
| | If Yes, proposed zone: | |
| e undersigned hereby affirms that the drilling, completion and eventual plug | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORP | CEIVED PORATION COMM |
| is agreed that the following minimum requirements will be met: | 11 11 | . 0 9 20 08 |
| | JUL | . 0 3 2000 |
| Notify the appropriate district office <i>prior</i> to spudding of well; | · · · · · | _ |
| | drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud of 33,891-C. which applies to the KCC District 3 area, alternate II cem | RVATION DIVISION FICHITA, KS Inging; Date. Penting |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be particularly that the statements made herein are true and correct to the be | drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementings of my knowledge and belief. | RVATION DIVISION FICHITA, KS Pring; Plate. Penting |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceived certify that the statements made herein are true and correct to the behavior. | drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementings of my knowledge and belief. | RVATION DIVISION FICHITA, KS Inging; Date. Benting |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceived that the statements made herein are true and correct to the beside of the spud by 6, 2008. | drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementices of my knowledge and belief. Owner Title: | RVATION DIVISION fichita, KS ging; date. enting ng. |
| 1. Notity the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be precipited to the statements made herein are true and correct to the because. Signature of Operator or Agent: **District Complete Signature Operator Oper | drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementices of my knowledge and belief. Owner Title: | RVATION DIVISION FICHITA, KS Pring; Plate. Penting |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceded that the statements made herein are true and correct to the best statements. Signature of Operator or Agent: **Proceded Control of the control of th | drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementices of my knowledge and belief. Owner Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; | RVATION DIVISION fichita, KS ging; date. enting ng. |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be prereby certify that the statements made herein are true and correct to the best state. Signature of Operator or Agent: The provided in the provided state. | drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementices of my knowledge and belief. Competition Competition Competition Competition | RVATION DIVISION FICHITA, KS ging; date. senting ng. |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceded that the statements made herein are true and correct to the best state. Signature of Operator or Agent: For KCC Use ONLY API # 15 - DSI-25798-0000 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementices of my knowledge and belief. Competition Competition Competition | RVATION DIVISION FICHITA, KS ging; date. enting ng. |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceby certify that the statements made herein are true and correct to the best ate: Signature of Operator or Agent: District Dis | drilling rig; by circulating cement to the top; in all cases surface pipe shall be sunderlying formation. ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementices of my knowledge and belief. Owner Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ceits. | RVATION DIVISION FICHITA, KS ging; date. enting ng. |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and correct to the because: Signature of Operator or Agent: Signature of Operator or Agent: | drilling rig; by circulating cement to the top; in all cases surface pipe shall be sunderlying formation. ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementices of my knowledge and belief. Owner | evation division fichita, ks ging; date. enting ng. |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceded to the statements made herein are true and correct to the best late: Signature of Operator or Agent: For KCC Use ONLY API # 15 - DSI-2 \$ 798-0000 Conductor pipe required feet Minimum surface pipe required teet per ALT. I VIII Approved by: **Purson** Approved by: **Purson** Feet per ALT. II VIII **Approved by: **Purson** Feet per ALT. III VIII | drilling rig; by circulating cement to the top; in all cases surface pipe shall be sunderlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If nom below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementices of my knowledge and belief. Owner | entry; 160 days); |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceded that the statements made herein are true and correct to the because: Signature of Operator or Agent: For KCC Use ONLY API # 15 - DSI - 2 5 7 98 - 0000 Conductor pipe required Minimum surface pipe required Approved by: Putter 7-10 QP This authorization expires: 7-10 Q9 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be sunderlying formation. ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementices of my knowledge and belief. Owner | entry; 160 days); |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceded by the statements made herein are true and correct to the best state. Signature of Operator or Agent: For KCC Use ONLY API # 15 - DSI - 2 S 7 98 - ODD Conductor pipe required feet Minimum surface pipe required teet per ALT. | drilling rig; by circulating cement to the top; in all cases surface pipe shall be sunderlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If nom below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementic est of my knowledge and belief. Owner | entry; a 60 days); |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceded by that the statements made herein are true and correct to the best ate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - DSI - 2 S 7 98 - OCCO Conductor pipe required Approved by: Publication of the spudding of the post of the production | drilling rig; by circulating cement to the top; in all cases surface pipe shall be a underlying formation. Ict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If nom below any usable water to surface within 120 DAYS of spud of 33,891-C, which applies to the KCC District 3 area, alternate II cemplugged. In all cases, NOTIFY district office prior to any cementic est of my knowledge and belief. Owner | entry; a 60 days); |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 051-25798-0000 | |
|---------------------------------------|--|
| Operator: Mustang Energy Corporation | Location of Well: County: Ellis |
| Lease: Schmeidler | 2,000 feet from N / X S Line of Section |
| Well Number: 2 | 980 teet from E / X W Line of Section |
| Field: Schmeidler | Sec. 27 Twp. 12 S. R. 17 E 🔀 W |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| QTR/QTR/QTR of acreage: NW/4 _ SW/4 | 15 Obdition De l'Integritair |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| , | | | | | | | |
|-----|-------|-------------------|----------|------|---|-----|------------------------------|
| | : | <u>!</u> | : . | : | : | : | |
| 1 : | : | | : | : | | : | |
| ! | : | : | ; | : | : | : | |
| | : | : | : | : | ; | ; | RECEIVED |
| : | | | | | | | ICOLIVE |
| | | | | | | | KANSAS CORPORATION COMMISSIO |
| | : | : | : | | • | | |
| 1 | : | : | : | : | • | : | |
| : | : | : | : | | | | JUL 0 9 2008 |
| | | | | | | | JUL U 3 ZUUK |
| | | | ******** | | | | V 2000 |
| 1 | : | : | : ! | : | : | : ! | |
| : : | : | : | : : | : | : | : ! | CONCEDIATION DIVICION |
| : : | : | : | : | : | : | : | CONSERVATION DIVISION |
| | : | : | : . | : | : | : ' | WICHITA, KS |
| : | • | • | • | • | • | • | momma |
| | | * - • • • • • • • | ******* | | | | |
| ; | | | | : | - | : | |
| | • | : | • | | | : 1 | |
| : | : | : | : | : | • | : | |
| į. | : | | | : | | : ! | EXAMPLE |
| : ; | ; | 5 | • | • | , | | |
| | : | : | : | | | | |
| 1 | ; | | : | : | : | : 1 | |
| 980 | : | | | | ; | ; | |
| | | : | | : | : | : | |
| | · · · | | • | • | • | · i | 1980 |
| | | | | | | | |
| | . | | | - | | . 1 | |
| : | | :) | : : | | | 1 | |
| 1 | | \mathcal{C} | | | | | 10 — |
| : | | 2 | | | : | | |
| | | 300c | | | | | 3390' |
| | . 1 | | | | | | 3350 |
| | : | : | : | ; | | | |
| : | : [| : | : | : | : | : | , , , |
| : | | ; | | | | | |
| . : | . [| : | : ; | | : | | |
| | | | | | | | |
| _ | . 1 | | | | | . 1 | |
| | | | | : | | : : | |
| | . | : | : ' | : | : | : : | |
| 1 | : | ; | : | : ; | | : ; | SEWARD CO. |
| 1 | : 1 | : | : : | : | | ; | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Mustang Energy Cor | poration | License Number: 33922 | | | | |
|--|-----------------------|---|---|------------------------|--|--|
| Operator Address: 2521 East 20th | St | | Hays KS 676 | 601 | | |
| Contact Person: Rodney Brin | | Phone Number: 785-623-0533 | | | | |
| Lease Name & Well No.: Schmeidler | 2 | | Pit Location (QQQQ): | | | |
| Type of Pit: | Pit is: | | JW_ NE_NW/4_ SW/4 | | | |
| Emergency Pit Burn Pit | Proposed | Existing | Sec. 27 Twp. 12 R. 17 East West | | | |
| Settling Pit Drilling Pit | If Existing, date of | onstructed: | 2,000 Feet from North / South Line of Sec | tion | | |
| ☐ Workover Pit ☐ Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | (LL) | 980 Feet from East / West Line of Sec | ction | | |
| <u> </u> | | (bbls) | Cot | unty | | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | ₹No | Chloride concentration: me (For Emergency Pits and Settling Pits only) | g/l | | |
| Is the bottom below ground level? Yes No | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? Native Soil | | | |
| Pit dimensions (all but working pits): | 55 Length (fe | eet) | Width (feet) N/A: Steel Pits | | | |
| Depth fr | om ground level to de | eepest point: | 3 (feet) No Pit | | | |
| If the pit is lined give a brief description of the material, thickness and installation procedure | | , | dures for periodic maintenance and determining RECE acluding any special monitoring. KANSAS CORPORA JUL 0 | | | |
| | | | | ION DIVISION TA, KS | | |
| Distance to nearest water well within one-mile | e of pit | Depth to shallo Source of infor | west fresh water13feet. mation: | | | |
| 622 feet Depth of water well | 20 feet | measu | | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | 9 | | |
| Producing Formation: | | | ıl utilized in drilling/workover: Drilling Mud | _\S/- | | |
| Number of producing wells on lease: | | | king pits to be utilized: 3 | - \ } | | |
| Barrels of fluid produced daily: | | Abandonment procedure: Alfuly & Dackill | | | | |
| Does the slope from the tank battery allow all flow into the pit? Yes No | spilled fluids to | Drill pits must be closed within 365 days of spud date. | | | | |
| I hereby certify that the above state | ements are true and o | correct to the best | of my knowledge and belief. | 798-000 | | |
| 7/6/08 Date | | Ridwy | gnature of Applicant or Agent | | | |
| | ксс | OFFICE USE OF | NLY Steel Pit RFAC RFAS | | | |
| Date Received: 7/9/08 Permit Num | ber: | Permi | t Date: 7/9/08 Lease Inspection: Yes No | , | | |