For KCC Use: Effective Date: District # SCA2 Vyes No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 07 15 2008	Spot Description:	
month day year	<u>SW _ SE _ SE</u> _ Sec. <u>17</u> Twp. <u>24</u> S. R. <u>9</u> E]w
OPERATOR: License#	feet from N / X S Line of Sec	
Name: Hesse Petroleum Company, LLC	1,070 feet from E / W Line of Sec	tion
Address 1: 400 N. Woodlawn	Is SECTION: Regular Irregular?	
Address 2: Suite 7	(Note: Locate well on the Section Plat on reverse side)	
City: Wichita State: KS Zip: 67208 + 4 3 3 3 3	County: Reno	
Contact Person: Phil Hesse Phone: 316 685-4746	Lease Name: Hinshaw Well #: 2	
	Field Name: Plevna West	
CONTRACTOR: License# 5123	Is this a Prorated / Spaced Field?	No
Name: Pickrell Drilling Company	Target Formation(s): Mississippi, Viola, Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 400'	
⊠Oil / ☐ Enh Rec ⊠Infield / ☑ Mud Rotary /	Ground Surface Elevation: 1678' feet M	1SL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	No
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ;# of Holes Other	Depth to bottom of fresh water: 80'	
Other:	Depth to bottom of usable water: 120'	
— County of a lateral	Surface Pipe by Alternate: III	
if OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 210'	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 4200'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:	
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:	— <u> </u>
KCC DKT #:	(Note: Apply for Permit with DWR	
RCC DR1 #.	Will Cores be taken?	No
ROC DR1 #.	Will Cores be taken? Yes If Yes, proposed zone:	No
	If Yes, proposed zone:	·
AFF	If Yes, proposed zone: RECEIVE	ED
AFF The undersigned hereby affirms that the drilling, completion and eventual plus	If Yes, proposed zone: RECEIVE	ED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: **IDAVIT*** RECEIVI **gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION	ED 1 COMMISSIC
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: TIDAVIT RECEIVE REGIVE REGIVE RECEIVE	ED 1 COMMISSIC
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: IDAVIT RECEIVE ANSAS CORPORATION JUL 10 2 drilling rig;	ED I COMMISSIG 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	If Yes, proposed zone: RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI LIU LIU LIU LIU LIU LIU LIU	ED OCOMMISSION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI RECEIVI JUL 1 0 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall DNSERVATION wichita, in underlying formation.	ED OCOMMISSION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger.	If Yes, proposed zone: RECEIVI LIU LIU RECEIVI RECEIVI RECEIVI RECEIVI LIU RECEIVI RECEIVI RECEIVI LIU LIU RECEIVI RECEIVI LIU LIU RECEIVI RECEIVI LIU LIU LIU RECEIVI RECEIVI LIU LIU LIU LIU RECEIVI RECEIVI LIU LIU LIU LIU LIU RECEIVI LIU LIU LIU LIU LIU RECEIVI LIU LIU LIU LIU LIU LIU LIU	ED OCOMMISSION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: IDAVIT RECEIVE RECEIVE	ED OCOMMISSION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT RECEIVE TIDAVIT RECEIVE RECE	ED OCOMMISSION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shall DNSERVATION underlying formation. WICHITA, I ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891—C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED OCOMMISSION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shall DNSERVATION winderlying formation. WICHITA, I ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,894—, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and Deligit.	ED OCOMMISSION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shall DNSERVATION underlying formation. WICHITA, I ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891—C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED OCOMMISSION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the better that the statements made herein are true and correct to the best that the statements made herein are true and correct to the best that the statements made herein are true and correct to the best that the statements made herein are true and correct to the best that the statements made herein are true and correct to the best that the statements made herein are true and correct to the best that the statements made herein are true and correct to the best that the statements made herein are true and correct to the best that the statements made herein are true and correct to the statements are true and correct to the statements.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation. WICHITA, I did from below any usable water to surface within 120 DAYS of spud date. 33,894—, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Partner	ED V COMMISSION 2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the complete within and the statements of the operator of Agent: 5. The ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the complete within 30 days of the spud date or the well shall be statements made herein are true and correct to the best of the complete within 30 days of the spud date or the well shall be statements.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION JUL 10 2 drilling rig; by circulating cement to the top; in all cases surface pipe shail DelegaryATION winderlying formation. WICHITA, I ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891—; which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belter. Partner Title:	ED OCOMMISSION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the complete within and the statements of the operator of Agent: 5. The ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the complete within 30 days of the spud date or the well shall be statements made herein are true and correct to the best of the complete within 30 days of the spud date or the well shall be statements.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shail DelaERVATION underlying formation. WICHITA, I ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,83+C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and Delter. Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	ED V COMMISSION 2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beautiful of the complete	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shall be servation. WICHITA, I did not production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,83+C, which applies to the KCC District 3 area, alternate II cementing prugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and Deller. Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ED COMMISSION 2008 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the completed within 30 forms are true and correct to the best of the completed within 30 forms are true and correct to the best of the complete of the co	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shail DelaERVATION underlying formation. WICHITA, I ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,83+C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and Delter. Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	ED V COMMISSION 2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beautiful of the complete	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shall be servention. WICHITA, I it office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,894—, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and Dellet. Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	2008 DIVISION SS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the conductor pipe required	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shall be served to fice on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,89 - Which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ED COMMISSION 2008 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the spud date of the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 55 - 2 / 5 38 - 0000 feet Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum surface pipe required feet per ALT. It list approved by: Minimum s	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION JUL 10 / drilling rig; by circulating cement to the top; in all cases surface pipe shall bit servation. WICHITA, Indication of plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,89 - which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Drill Plt Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	2008 DIVISION SS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the specific of	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. WANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shail DNSERVATION underlying formation. WICHITA, I ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,894 — which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and Delta. Partner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	2008 DIVISION SS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the desired. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the distriction of the properties of the properties of the well is either pluggers. The appropriate distriction of the well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the properties of the	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION drilling rig; by circulating cement to the top; in all cases surface pipe shall be server to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,894—, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	2008 DIVISION SS
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the desired. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the distriction of the properties of the properties of the well is either pluggers. The appropriate distriction of the well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the best of the properties of the	IDAVIT RECEIVE Reging of this well will comply with K.S.A. 55 et. seq. RECEIVE Reging of this well will comply with K.S.A. 55 et. seq. RECEIVE RECEIVE RECEIVE Reging of this well will comply with K.S.A. 55 et. seq. RECEIVE Reging of this well will comply with K.S.A. 55 et. seq. RECEIVE RECEIVE LANSAS CORPORATION WICHITA, I comply the sequence of the	2008 DIVISION SS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 155-215.38-0000	
Operator: Hesse Petroleum Company, LLC	Location of Well: County: Reno
Lease: Hinshaw	400 feet from N / X S Line of Section
Well Number: 2	400 feet from N / X S Line of Section 1,070 feet from X E / W Line of Section
Field: Plevna West	Sec. <u>17 Twp. 24 S. R. 9 E X</u> W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: SW SE SE	To document of the model of the
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

						•	•
	•		•		•		•
	•				•		•
1	•	•			•	•	•
.	:	•				•	:
!		: :				:	:
1	;	:	-			=	;
1	•				•		•
1							
1							
1		•				•	
1	:	•			:	•	•
1	:	:				•	:
1	:	:				•	Ī
!		: :				Ι.	
1						1	
	•					•	
1							
1							
1							
1	:	•				•	•
1 .	:					•	Ī
1				1		:	
ı				1			
1				1	•		
ı					•		•
1	•				•		•
	•				•	•	•
1							
I .						:	
1	:	: :					
1 .							
	•						
			,		•		
j .	•				•		•
,	•				•	•	•
1	•	•				•	•
1	•	•	•		•	•	-
—				-			
	•						•
		•					
		: :					
1 :							
		; ;				:	:
:							
					•••••	,	
					••••		
			•••••		•••••	,	
					•••••	,	
					•••••		
		,		********	•••••	,,,,,,,,,,	
	•••••	·······			•••••		
		,			•••••		
					•••••		
		,		,,., <u>.</u>	••••	,	
					•••••		
					•••••		
					•••••		
					•••••		
					•••••		
					••••		
						···········	-1070'
						γ	-1070'
						ρ	-1070'
						?	-1070 '
						9	-1070'
						9	-1070'
						400'	-1070 '

RECEIVED KANSAS CORPORATION COMMISSION

JUL 10 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Hesse Petroleum Company, LLC		License Number: 31958			
Operator Address: 400 N. Woodlawn	e 7 Wichita KS 67208				
Contact Person: Phil Hesse		Phone Number: 316 685-4746			
Lease Name & Well No.: Hinshaw 2		Pit Location (QQQQ):			
Type of Pit: Pit is:		NW SW. SE. SE			
Emergency Pit Burn Pit Proposed	Existing	Sec. 17 Twp. 24 R. 9 East West			
Settling Pit	constructed:	400 Feet from North / South Line of Section 1,070 Feet from East / West Line of Section			
Workover Pit Haul-Off Pit Pit capacity:					
(If WP Supply API No. or Year Drilled)	(bbls)	Reno County			
Is the pit located in a Sensitive Ground Water Area? XYes	No	Chloride concentration: mg/l			
Is the bottom below ground level? Artificial Liner?		(For Emergency Pits and Settling Pits only)			
Yes No	No	How is the pit lined if a plastic liner is not used? NATIVE CLAY			
Pit dimensions (all but working pits): For Length (for	reet) 70	Width (feet) N/A: Steel Pits			
Depth from ground level to d					
If the pit is lined give a brief description of the liner	Describe proce	edures for periodic maintenance and determining			
material, thickness and installation procedure.	liner integrity, in	ncluding any special monitoring.			
		/\$			
		25			
Source of info		lowest fresh water			
feet Depth of water wellfeet meas		sured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:	1	over and Haul-Off Pits ONLY:			
		orking pits to be utilized: 3			
		16			
Barrels of fluid produced daily: Abandonment Does the slope from the tank battery allow all spilled fluids to		procedure: Haul Fluid, Dry, Backfill RECEIVED			
flow into the pit? Yes No	Drill pits must b	pe closed within 365 days of spud date. KANSAS CORPORATION COMMISS			
I hereby certify that the above statements are true and	correct to the best	of my knowledge and belief. JUL 1 0 2008			
	, /	CONSERVATION DIVISION			
07/10/2008	1	Ceric WICHITA, KS			
Date	` Si	ignature of Applicant or Agent			
КСС	OFFICE USE ON	NLY Steel Pit RFAC RFAS			
Date Received: Permit Number:	Permi	t Date:			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

July 11, 2008

Mr. Phil Hesse Hesse Petroleum Co., LLC 400 N. Woodlawn Ste 7 Wichita, KS 67208-4333

RE: Drilling Pit Application

Hinshaw Lease Well No. 2 SE/4 Sec. 17-24S-09W Reno County, Kansas

Dear Mr. Hesse:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a haul-off pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (316) 630-4000. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

Cc: File



is to be located, to the haul-off pit application.

Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.		DISPOSAL OF DIKE AND PIT CONTENTS.
(a)		Each operator shall perform one of the following when disposing of dike or pit contents:
	(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
	(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
	(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
		(A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
		 (B) removal and placement of the contents in an on-site disposal area approved by the commission;
		(C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
		(D) removal of the contents to a permitted off-site disposal area approved by the department.
(b)		Each violation of this regulation shall be punishable by the following:
		A \$1,000 penalty for the first violation; a \$2,500 penalty for the second violation; and a \$5,000 penalty and an operator license review for the third violation.
Comple	te ai	nd return with Haul-Off Pit Application, Form CDP1(2004)
Haul-off p	it wi	ll be located in an on-site disposal area: Yes No
	es, w	located in an off-site disposal area on acreage owned by the same landowner: Yes Tritten permission from the landowner must be obtained. Attach written permission to plication.

Haul-off pit is located in an off-site disposal area on another **producing** lease or unit operated by the same operator: Yes No If yes, written permission from the landowner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit