For KCC Use: Effective Date: District # SCA2 Vec VNe

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 8-9-08	Spot Description: 25' S & 35' E of
month day year	SE SW NE NE Sec. 6 Twp. 19 S. R. 33 EXW
5214 V	(0/0/0/0) 1,180 feet from X N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Address 1: 301 S. Market	Is SECTION: Regular Πιπεgular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State: KS Zip: 67202 +	County: Scott
Contact Person: Jay Schweikert	Lease Name: Hoeme Trust Well #: 1-6
Phone: 316-265-5611	Field Name: Wildcat
CONTRACTOR: License#30606	Is this a Prorated / Spaced Field?
Name: Murfin Drilling Co., Inc.	Target Formation(s): Lansing, Marmaton, Ft. Scott & Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 790'
<u> </u>	Ground Surface Elevation: 3020' est. feet MSL
☐ Enh Rec ☐ Infield	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 350'
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 4800'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Sarm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR
KCC DKT #;	Will Cores be taken?
	It van proposed sone:
A.T.	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	KANSAS CORPORATION COMMISSION FIDAVIT Upgging of this well will comply with K.S.A. 55 et. seq. JUL 1 1 2008
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT JUL 1 1 2008 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	KANSAS CORPORATION COMMISSING FIDAVIT JUL 1 1 2008 CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist	KANSAS CORPORATION COMMISSI FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge.	KANSAS CORPORATION COMMISSI FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dist. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente.	KANSAS CORPORATION COMMISSING FIDAVIT JUL 1 2008 CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist. 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	KANSAS CORPORATION COMMISSING FIDAVIT JUL 1 1 2008 CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	KANSAS CORPORATION COMMISSING FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the statement of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugs of the appropriate district office will be notified before well is either plugs of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best of the statement of the sta	FIDAVIT JUL 1 1 2008 CONSERVATION DIVISION MICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. pest of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	KANSAS CORPORATION COMMISSING PROPERTION COMMISSING A drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. [133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the base of the spud date of the statements made herein are true and correct to the base of the spud date of the statements made herein are true and correct to the base of the spud date of the statements made herein are true and correct to the base of the spud date of the statements made herein are true and correct to the base of the spud date of the s	FIDAVIT JUL 1 1 2008 CONSERVATION DIVISION MICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. pest of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate. T-10-08 Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT Legging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION MICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Litrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; did from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Engineer
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the blust 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bluster. Signature of Operator or Agent: 7-10-08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 7/ - 207703 - DODO	FIDAVIT JUL 1 1 2008 CONSERVATION DIVISION Michita, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Engineer Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the body of the complete of the statements of the spud date or Agent: To the complete of the spud date or Agent: To the complete of the spud date or Agent: To the complete of the spud date or Agent: To the complete of the spud date or Agent: To the complete of the spud date or Agent: To the complete of the spud date or Agent:	CONSERVATION DIVISION Michita, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate. Signature of Operator or Agent: 7-10-08 Signature of Operator or Agent: 7-10-08 For KCC Use ONLY API # 15 - / 7/1 - 20703 - OOOO feet	CONSERVATION DIVISION Wightra, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the ldist 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the body and the complete of the spud date or Agent: Total	CONSERVATION DIVISION Wichita, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Engineer Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CPA) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate. Signature of Operator or Agent: 7-10-08 Signature of Operator or Agent: 7-10-08 For KCC Use ONLY API # 15 - / 7/1 - 20703 - OOOO feet	FIDAVIT JUL 1 1 2008 CONSERVATION DIVISION MICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the body conductor pipe required Signature of Operator or Agent: 7-10-08 Signature of Operator or Agent: More feet Minimum surface pipe required feet per ALT. I I III Approved by: Auth 7-11-08 This authorization expires: 7-11-09	CONSERVATION DIVISION With this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION With this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION With this well will comply with K.S.A. 55 et. seq. UL 1 1 2008 CONSERVATION DIVISION With this well will comply with K.S.A. 55 et. seq. UL 1 1 2008 CONSERVATION DIVISION With this well will comply with K.S.A. 55 et. seq. UCONSERVATION DIVISION With this will be set e underlying formation. Interest of the top; in all cases surface pipe shall be set e underlying is cement to in; deform to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. It is all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CPA) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the dist. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the brack. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be approved by that the statements made herein are true and correct to the brack. 7-10-08 Signature of Operator or Agent: 7-10-08 For KCC Use ONLY API # 15 -	FIDAVIT JUL 1 1 2008 CONSERVATION DIVISION MICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the beat conductor pipe required	FIDAVIT JUL 1 2008 CONSERVATION DIVISION Wichita, Ks by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Intict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 171-20703-0000	
Operator: Lario Oil & Gas Company	Location of Well: County: Scott
Lease: Hoeme Trust	1,180 feet from N / S Line of Section
Well Number: 1-6	790 feet from X E / W Line of Section
Field: Wildcat	Sec. 6 Twp. 19 S. R. 33 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage: SE - SW . NE - NE	In observed.
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas Company		License Number: 5214	
Operator Address: 301 S. Market			Wichita KS 67202
Contact Person: Jay Schweikert		Phone Number: 316-265-5611	
Lease Name & Well No.: Hoeme Trust 1-6		Pit Location (QQQQ): 25' S & 35' E of	
Type of Pit:	Pit is:		SE SW NE NE
Emergency Pit Burn Pit	Proposed [Existing	Sec. 6 Twp. 19 R. 33 East West
Settling Pit X Drilling Pit	If Existing, date constructed:		1,180 Feet from North / South Line of Section
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		790 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	7,100	(bbls)	Scott County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l
1	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
is the bottom below ground level? Yes No	Yes X	No	riow is the pit lined if a plastic liner is not used:
Pit dimensions (all but working pits):	00 Length (fe	et)100	Width (feet) N/A: Steel Pits
Depth fi	rom ground level to de	epest point:	4 (feet) No Pit
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSI
			·- r ·
			JUL 1 1 2008
			CONSERVATION DIVISION
Distance to nearest water well within one-mil	e of pit	Depth to shallo	CONSERVATION DIVISION owest fresh water too
Distance to nearest water well within one-mil 3 역동역 feet Depth of water well			CONSERVATION DIVISION owest fresh water feet. WICHITA, KS rmation:
	l loo_feet	Source of informeasu	CONSERVATION DIVISION owest fresh water
<u>3 ५ ५५</u> feet Depth of water well_	(LoO_feet	Source of information measurements Drilling, Work Type of materi	CONSERVATION DIVISION owest fresh water
골 도도 feet Depth of water well Emergency, Settling and Burn Pits ONLY	(LoO_feet	Source of information measurements Drilling, Work Type of material Number of work	CONSERVATION DIVISION west fresh water feet. well owner electric log KDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite Mud rking pits to be utilized:
3 ६ ६६ Depth of water well	t GO feet	Source of information measurements Drilling, Work Type of material Number of work	CONSERVATION DIVISION west fresh water
3 4 54 feet Depth of water well	t GO feet	Drilling, Work Type of materi Number of work Abandonment	CONSERVATION DIVISION owest fresh water feet. owest fresh water feet. ower and well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite Mud rking pits to be utilized: 2 procedure: Allow for evaporation. Fill in and cover
3 4 54 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed the slope from the tank battery allow allowed.	feet spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION Division by the stress of the stres
Barrels of fluid produced daily: Does the slope from the tank battery allow alflow into the pit? Depth of water well Producing Burn Pits ONLY Depth of water well Producing Burn Pits ONLY No No	feet spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION Division by the stress of the stres
Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Producing Formation: Number of producing wells on lease: Darrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No I hereby certify that the above state	feet spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION west fresh water
Barrels of fluid produced daily: Does the slope from the tank battery allow alf flow into the pit? Depth of water well Producing Formation: Number of producing wells on lease: Does the slope from the tank battery allow alf flow into the pit? I hereby certify that the above state	feet spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION Division by the stress of the stres
Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Producing Formation: Number of producing wells on lease: Darrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No I hereby certify that the above state	I spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION west fresh water