## For KCC Use: 7-/6-08 Effective Date: \_ District #

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date: 8-25-08	Spot Description: 80' S & 70' W of
month day year	N2 - SE - NW - NE Sec. 31 Twp. 18 S. R. 33 FE WW
5214	(QOQOO) 905 feet from N / S Line of Section
OPERATOR: License#	1,720 feet from E / W Line of Section
Name: Cano Oil & Gas Company  Address 1: 301 S. Market	Is SECTION: Regular Irregular?
Address 2:	
City: Wichita State: KS Zip: 67202 +	(Note: Locate well on the Section Plat on reverse side)  County: Scott
Contact Person: Jay Schweikert	County,
Phone: 316-265-5611	Lease Name.
anche 🖍	Fleto Name:
CONTRACTOR: License# Subub Sub	Is this a Prorated / Spaced Field?  Target Formation(s): Lansing, Marmaton, Ft. Scott & Mississippian  Yes No
Name:	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of drift bodificary line (in footage).
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 3035' estfeet MSL  Water well within one-quarter mile:Yes No
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'
Other:	Depth to bottom of usable water:
If OWWO; old well information as follows:	Surface Pipe by Alternate: I X II X III
III OWWO, Old Well III DITTALION as follows.	Length of Sunace ripe Figures to be set.
Operator:	Length of Conductor Pipe (if any): None
Well Name;	Projected Total Depth: 4800'  Formation at Total Depth: Mississippian
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well X Farm Pond Dther:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	DECENTER
ΔFF	RECEIVED
F == -	IDAVII KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu	MANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	IDAVII KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;	Grand Commission (Commission of this well will comply with K.S.A. 55 et. seq.    Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will comply with K.S.A. 55 et. seq.   Commission of this well will be a seq.   Commission of this well wit will be a seq.   Commission of this well will be a seq.   Commi
The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	gging of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DEVICE:
The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Gang of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shallyne hard, KS condending formation.
The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist	gging of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall we have, KS aunderlying formation. rict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugo.	RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION por circulating cement to the top; in all cases surface pipe shall the HTTA, KS and underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RANSAS CORPORATION COMMISSION Grant of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION DIVISION DIVISION of circulating cement to the top; in all cases surface pipe shall when the table of the complete of
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	RANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall/nenth, KS a underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Grant of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION DIVISION DIVISION or circulating cement to the top; in all cases surface pipe shall when the hard, KS and or production casing is cemented in; or from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the business.	Grant of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION DIVISION of circulating cement to the top; in all cases surface pipe shall we hard, KS and or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plu it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Grant of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION DIVISION DIVISION or circulating cement to the top; in all cases surface pipe shall when the hard, KS and or production casing is cemented in; or from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements are true and correct to	Grant of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION DIVISION DIVISION or circulating cement to the top; in all cases surface pipe shall mental, KS and underlying formation.  First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; diffrom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  East of my knowledge and belief.  Title:  Operations Engineer
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed. Signature of Operator or Agent:    The interval of the interval of the pluggent of the spud date or the well shall be a completed. Signature of Operator or Agent:	Grand of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall/nemma, KS and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  Operations Engineer  Title:
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the dist in the appropriate district office will be notified before well is either plugg in an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beat in the complete of the statements of the spud date or Agent:  T-10-08  Signature of Operator or Agent:  For KCC Use ONLY	Grant of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall/nerma, KS and or production.  The original of the sequence of the
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boate:  7-10-08  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 171-20702-0000	Grand of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall/nemma, KS and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Title:  Operations Engineer  Title:
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg for the appropriate district office will be notified before well is either plugg for pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the base.  The appropriate district office will be notified before well is either plugg for the appropriate district office will be notified before well is either plugg for the spud date or the well shall be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the base.  For KCC Use ONLY  API # 15	gging of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION  or circulating cement to the top; in all cases surface pipe shall mental, KS  underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Operations Engineer  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boate:  7-10-08  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / 7/ - 20 70 2 - 0000  Conductor pipe required	ANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JUL 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall/menta, KS and underlying formation.  First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  East of my knowledge and belief.  Title:  Operations Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg for the appropriate district office will be notified before well is either plugg for pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the base.  The appropriate district office will be notified before well is either plugg for the appropriate district office will be notified before well is either plugg for the spud date or the well shall be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the base.  For KCC Use ONLY  API # 15	drilling rig;  CONSERVATION DIVISION  Or circulating cement to the top; in all cases surface pipe shall mental, KS  underlying formation.  Indicate on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Operations Engineer  Title:  Plie Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the boate:  7-10-08  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / 7/ - 20 70 2 - 0000  Conductor pipe required	drilling rig;  CONSERVATION DIVISION  Or circulating cement to the top; in all cases surface pipe shall mental, KS  underlying formation.  Fict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Operations Engineer  Title:  Pile Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg in the statements of the district office will be notified before well is either plugging. If an ALTERNATE is COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to fife because of the completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to fife because of the complete of the district of the district of the statements of the spud date or the well shall be determined to the district of the spud date or the well shall be district of the district of the spud date or the well shall be districted by the statements made herein are true and correct to fife because of the spud date or the well shall be districted by the districted date of the spud date or the well shall be districted by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the well shall be determined by the spud date or the spud da	ANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION DIVISION by circulating cement to the top; in all cases surface pipe shall mental, KS and or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Operations Engineer  Title:  Pile Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate:  7-10-08  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / 7 / - 20 70 2 9000  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I I III  Approved by:  This authorization expires: 7-11-09	ANSAS CORPORATION COMMISSION Grain of this well will comply with K.S.A. 55 et. seq.  JUL 1 1 2008  drilling rig;  CONSERVATION DIVISION DI
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate:  7-10-08  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 171-2070 2-0000  Conductor pipe required	ANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq.  JUL 1 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall when the property in all cases surface pipe shall when the property in all cases surface pipe shall when the property in all cases surface pipe shall when the property in all cases surface pipe shall when the property in all cases surface pipe shall when the property in all cases pipe shall be pipe shall be property in all cases pipe shall be pipe shall be property in all cases pipe shall be pipe sh


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15/7/-20702-0000	
Operator: Lario Oil & Gas Company	Location of Well: County: Scott
Lease: Stoppel	905 feet from N / S Line of Section
Well Number: 1-31	1,720 feet from X E / W Line of Section
Field: Wildcat	Sec. 31 Twp. 18 S. R. 33 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lario Oil & Gas Company		License Number: 5214	
Operator Address: 301 S. Market			Wichita KS 67202
Contact Person: Jay Schweikert			Phone Number: 316-265-5611
Lease Name & Well No.: Stoppel	1-3	31	Pit Location (QQQQ): 80' S & 70' W of
Type of Pit:	Pit is:		N2 SE NW NE
Emergency Pit Burn Pit		Existing	Sec. 31 Twp. 18 R. 33 East West
Settling Pit Drilling Pit	If Existing, date constructed:		905 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1,720 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	7,100	(bbls)	Scott County
		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	00 Length (fe	eet) 100	Width (feet) N/A: Steel Pits
Depth from ground level to deepest point:4(feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.  RECEIVED KANSAS CORPORATION COMMISSI  JUL 1 1 2008
Distance to nearest water well within one-mile of pit  Depth to shall Source of info		west fresh waterfeet. CONSERVATION DIVISION WICHITA, KS	
N/A feet Depth of water well feet measured		ired well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		<u> </u>	
Producing Formation: Type of material uti		al utilized in drilling/workover: Bentonite Mud	
		king pits to be utilized:	
Barrels of fluid produced daily: Abandonment p		procedure: Allow for evaporation. Fill in and cover pits.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		procedure: Allow for evaporation. Fill in and cover pits.  be closed within 365 days of spud date.  It of my knowledge and belief.	
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.
7-10-08 Date		my	Schwellett ignature of Applicant or Agent
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 7/11/08 Permit Num	nber:	Perm	it Date: 7/11/08 Lease Inspection: Yes No